



APEX FLOOR GUARD

FLOORS, REIMAGINED

A NEW RANGE OF SHADES FOR YOUR FLOORS





With an unmatched range of **50+ shades**, your floors can finally get the makeover they deserve.


With a play of patterns and a mix of hues, you can now design your decks, pathways and floorboards to your liking.

With so much to offer, reimagine your floors like never before with Apex Floor Guard.



LINEAR DELIGHTS

A patterned statement that is sure to make heads turn! Blend this simple design, with the right colour-combination and you will surely make your floors a delight



LINEAR DELIGHTS

A patterned statement that is sure to make heads turn! Blend this simple design, with the right colour-combination and you will surely make your floors a delight











MEADOW PATH **7541**

RAIN DROP L143

JOLLY YELLOW 3502










PLUM CAKE 8200

VIVID ILLUSIONS

Whether it's the outdoors, or your inner pathways, with these vibrant range of colours, you're sure to add a new dimension to your floors.












DUSTY TRAIL 8506

STONE PATH 8255

BLACK **0801**









FOREST HIKE 7625


HEDGE **5438**

RENAISSANCE 5952

VIVID ILLUSIONS

Whether it's the outdoors, or your inner pathways, with these vibrant range of colours, you're sure to add a new dimension to your floors.











ZIGZAG MAGIC

This criss-cross arrangement of tiles not only adds aesthetic value, but with a mix of colours, you could create your own unique pattern - whether it's checks, hexagonal, or zig-zag.




RAIN DROP L143

ICE GREY


ZIGZAG MAGIC

This criss-cross arrangement of tiles not only adds aesthetic value, but with a mix of colours, you could create your own unique pattern - whether it's checks, hexagonal, or zig-zag.



MAGNIFICENT MANDALAS


Make even traditional designs striking! Whatever the pattern, you are sure to find colours that bring your floors alive.



MAGNIFICENT MANDALAS

Make even traditional designs striking! Whatever the pattern, you are sure to find colours that bring your floors alive.










PINE-N **0757**

FOREST HIKE 7625








RADIAL RADIANCE

A range of colours that sharply accentuate every curve. Take your pick; your new favourite colour could be just around the bend!



RADIAL RADIANCE

A range of colours that sharply accentuate every curve. Take your pick; your new favourite colour could be just around the bend!






APEX FLOOR GUARD





APEX FLOOR GUARD





APEX FLOOR GUARD

REPAINTING SURFACE:

Rinse thoroughly with fresh water and clean using a bristle broom. Dry for 4-6 hours before painting: moisture content should be less than 10% on the surface.

APPLICATION:

- Concrete Blocks/Stamped Concrete (Fresh Painting) Apply self-priming coat of Apex Floor Guard with 10-20% dilution. Allow it to dry for 4-6 hours. Apply 2 of Apex Floor Guard with 10-20% dilution.
- Smooth Concrete/Repainting Apply 1 coat of Asian Paints TruCare Exterior Wall Primer by thinning 1 litre of primer with 1 litre of water. Allow the paint to dry for 4-6 hours. Apply 2 coats of Apex Floor Guard with 10-20% dilution. A gap of 4-5 hours should be given between 2 coats.
- Allow light traffic after 24 hours of drying and heavy traffic after 72 hours of drying.

MAINTENANCE TIPS:

For best performance, ensure proper washing and cleaning of the painted surface at regular intervals.

PRECAUTION:

Do not apply the paint under conditions of frost, dew, rain, fog or adverse weather (below 5°C or above 50°C surface temperature). Do not apply on flaky/powdery/bituminous/asphalt substrate.

USAGE AREAS:

Apex Floor Guard is suited for pavement, sloping entrances, verandahs, staircases and balcony areas.

DIRECTIONS FOR USE APPLICATION TOOL:







Conventional Spray

SUBSTRATES:

- · Cement blocks · Cement tiles
- · Concrete floors · Stamped concrete floors

SURFACE PREPARATION:

Ensure that the surface to be painted is free from any dampness, dust, wax, grease, loose paint and other contaminants. Remove all contaminants such as dirt, grease, oil, dust etc. with soap powder solution using a scrubbing brush. Apply TruCare Bioblock on algae or fungus affected area after cleaning.

FRESH PAINTING SURFACE:

For freshly made concrete surface, allow it to cure for at least 4 weeks before painting.



BEAUTIFUL FLOOR ALWAYS.

Apex Floor Guard is a water based cross linking acrylic emulsion which offers superior protection and beauty to cement based floors.

Floors are subjected to repeated wear and tear. Over time, this leads to damage, which can affect the overall aesthetics of your home.

Apex floor Guard with its superior adhesion, abrasion resistance and 50+ specialized shades keeps your floors beautiful and protected.



APEX FLOOR GUARD







SHADES

