

**Sanjeev Kumar**

---

**From:** Compliance Rohtak  
**Sent:** Thursday, June 1, 2023 12:06 PM  
**To:** ronz.chd-mef@nic.in; env@hry.gov.in  
**Cc:** Bahadurgarh Region, HSPCB; hspcbho@gmail.com; hspcbms@gmail.com; Amardeep Jain; Godwinkumar Joel; Kumari Anubhuti  
**Subject:** Half yearly EC compliance report\_ Asian paints Rohtak\_2022-23\_H2  
**Attachments:** Half yearly EC compliance report\_ FY\_2022-23\_H2..pdf

Classification: **Public**


Dear Sir ,

**Ref:** EC Letter no. J-11011/1158/2007-IA-II (I) dated 9th April 2008

Please find attached the half-yearly EC compliance report for our Unit at Asian Paints, Rohtak for the period of H2 2022-23.

---

A compressed version is attached here-with due to mail size restrictions. The un-compressed version of the same is also available for download till 30<sup>th</sup> Jun'23 in the below link.

 [Half yearly EC compliance report\\_ FY\\_2022-23\\_H2.pdf](#)

For your reference and records.

Thanks.

Regards,

J. Godwin

Sr. Manager – Quality Assurance & Environment

Asian Paints Limited | Plot No. 01, Sector 30B, HSIIDC, IMT, Rohtak, Haryana-124027

Tel: 01262-204609 | Mobile: 9167150684



This message has been classified **Public** by **Compliance Rohtak** on 01 June 2023 at 12:05:39.

APL/ROH/EC/22-23/H2

27<sup>th</sup> May 2023

To,

The Joint Director  
Ministry of Environment & Forests (IA Division)  
Paryavaran Bhawan, CGO Complex, Lodhi Road  
NEW DELHI – 110 003

Dear Sir,


**Subject:** Half Yearly Compliance Report.- Environmental clearance for Asian Paints Limited, Rohtak

**Reference:** Environment Clearance granted to Integrated paint unit at IMT Rohtak vide Letter no. J-11011/1158/2007-IA-II (I) dated 9<sup>th</sup> April 2008

Please find herewith the enclosed Environment compliance status with respect to the Environmental Clearance given to Asian Paints Limited, Rohtak for the period of 1<sup>st</sup> October 2022 to 31<sup>st</sup> March 2023.

Thanking you,

Yours Sincerely,



FOR ASIAN PAINTS LTD.

CC:

- i) The Director  
Ministry of Environment & Forests  
Regional Office (NEZ), Bays No. 24-25, Sector 31-A,  
Dakshim Marg,  
CHANDIGARH – 160 022
- ii) The Member Secretary  
HSPCB, Sector-6, C-11, Panchkula, Haryana
- iii) The Regional officer, HSPCB Bahadurgarh Region

**Enclosure:** Environmental Clearance conditions compliance status for the period from 1<sup>st</sup> October 2022 to 31<sup>st</sup> March 2023 with Annexure (I to V) and compliance with Single use plastic.

**Classification: Internal**

Registered Office : Asian Paints Limited, 6A, Shantinagar Santacruz (East) Mumbai - 400 055. tel : (022) 6218 1000 fax : (022) 6218 1111

## Asian Paints Limited, Rohtak, Compliance Status

Period: 1st October 2022 to March'2023

| Sr.No                      | Condition  | Compliance Status   |
|----------------------------|--|---|
| <b>A</b>                   |  |   |
| <b>SPECIFIC CONDITIONS</b> |  |   |
| I                          | The project authorities shall ensure periodical monitoring of the solvents like Xylene and Toluene. No Benzene shall be used in the process.   | Periodic Monitoring of solvents are regularly conducted. No benzene is used in the process. Reports of tests conducted attached as <b>annexure-I</b>  |
| II                         | The project authorities shall provide vents with condensers to control solvent emissions and recover the same. The recovery of the solvents shall not be less than 98%.  | Noted and complied. Currently we are manufacturing only water based paints and intermediates.   |
| III                        | The gaseous emissions (SO <sub>2</sub> , NO <sub>X</sub> , HCl, Toluene, xylene, butane) and particulate matters from various process units shall conform to the standards prescribed by the concerned authorities from time to time and monitoring report shall be submitted to the Ministry's Regional Office, CPCB and Haryana PCB. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.  | Noted and Complied<br>Monitoring of gaseous emissions and particulate matter is being carried out at various process units. Reports of tests conducted attached as <b>annexure-II</b>   |
| IV                         | Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by Haryana PCB. For control of fugitive emission and VOCs following steps shall be followed :<br>A. Closed handling system shall be provided for chemicals.<br>B. Reflux condenser shall be provided over reducer.<br>C. Chemical handling pump shall be provided with mechanical seals to prevent leakages<br>D. System of leak detection and repair of pump/pipeline based on preventive maintenance.<br>E. Chemicals shall be taken to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water. | Noted and Complied<br>1. Fugitive emissions is being monitored regularly.<br>2. Closed handling system has been provided for bulk liquid chemicals.<br>3. All the conditions as per A, B, C & D are complied.<br>4. For point E, Chemicals are taken to reactors through pipeline only.<br>Condensers are being provided for the storage tanks of highly volatile chemicals.<br>Venting through trap receiver and condenser operated on chilled water cannot be practically provided for all storage tanks<br>5. Compliance to given conditions for control of VOCs and fugitive emissions is being ensured and is well within the limits stipulated. |
| V                          | During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.   | Noted and Complied<br>Garland drains are constructed at all tanker unloading areas which are connected to trade effluent pits   |
| VI                         | The project authorities shall install acoustic enclosures to the DG Sets for noise control and the stack heights of DG Sets and thermic fluid heaters shall be as per the guideline of CPCB.   | Noted and Complied<br>1.Acoustic enclosure for DG sets has been provided.<br>2.Stack of height 30 meter has been provided for DG sets.  |
| VII                        | Total water requirement shall not exceed 1312 m <sup>3</sup> /d. A full fledged treatment plant shall be installed for treatment of the wastewater to achieve the standards prescribed by the State Pollution Control Board. The treated wastewater shall be reused and zero discharge condition shall be maintained.  | Complied.<br>1. Fresh water requirement has not exceeded 1312 KL.D.<br>2. ETP is operational for effluent treatment.<br>3. Treated wastewater is being utilized for plant operations and zero discharge condition is maintained   |
| VIII                       | Hazardous waste (996 MT/annum) and Non-hazardous waste (2130 MT/annum) shall be generated from the proposed project. Incinerable hazardous waste will be incinerated and incineration ash and other hazardous waste shall be disposed in TSDF. Non hazardous solid waste shall be sold and recycled/incinerated. Used/spent oil from power generator sets shall be separately collected and sold to authorized oil recycler.   | 1. Hazardous waste generation and disposal is 63.42 MT & 43.63 respectively in second half of FY_2022-23 (1st October'2022 to March'2023).<br>2. Non-hazardous solid waste generation is 755.30 MT in second half of FY_2022-23 (1st October'2022 to March'2023).<br>3. Hazardous waste is being disposed through TSDF facility of GEPIL (Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd.) at Faridabad.<br>4.Used/spent oil is being collected separately and is being sold to authorized oil recycler.<br>5. Non-Hazardous solid waste is sold to scrap vendors and authorized recyclers.  |
| IX                         | The project authorities shall store ETP sludge in leachate proof storage facility at site and shall be disposed of to TSDF. The company shall obtain membership of TSDF and copy of the same shall be submitted to the Ministry.   | Noted and Complied.<br>1. Leachate-proof storage facility has been provided for storage of ETP sludge.<br>2. ETP sludge is being disposed to TSDF facility at GEPIL (Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd.) at Faridabad.<br>3. Membership of TSDF facility has been taken and a copy of certificate is enclosed as <b>Annexure -III</b>   |
| X                          | The project authorities shall obtain necessary commitment from IMT and HSIIDC authorities for supply of requisite water within three month. The copy of the same shall be submitted to Ministry's Regional Office at Chandigarh.   | Noted and complied.   |
| XI                         | The company shall develop 33% of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.   | Complied  |
| XII                        | The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.   | Noted and Complied<br>Adequate funds have been allocated for adherence to all statutory and other environment related requirements.   |
| XIII                       | Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.  | Noted and Complied  |
| <b>B</b>                   |  |   |
| <b>GENERAL CONDITIONS</b>  |  |   |

**Asian Paints Limited, Rohtak, Compliance Status**

Period: 1st October 2022 to March'2023

| Sr.No | Condition   | Compliance Status   |
|-------|---|---|
| I     | The project authorities shall strictly adhere to the stipulations made by the state government, State Pollution Control Board and any other statutory body.   | Compliance to all legal conditions is being ensured.  |
| II    | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.   | Noted and complied  |
| III   | At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.  | Noted and complied  |
| IV    | Levels of HC and VOC at various probable locations in the ambient air will be monitored. Regular monitoring of HC and VOC may be carried out in the ambient air in and around the plant.  | Noted and Complied<br>Monitoring for levels of HC and VOC is being carried out at regular intervals at various locations in the ambient air and sample reports are enclosed for your reference as <b>Annexure IV</b>  |
| V     | The locations of ambient air quality monitoring stations shall be reviewed in consultation with the State Pollution Control Board (SPCB) and additional stations shall be installed, if required, in the downwind direction as well as where maximum ground level concentrations are anticipated.   | Noted and Complied<br>Ambient air quality monitoring is being conducted at identified monitoring locations. Test reports for same is enclosed along with <b>Annexure-IV</b>   |
| VI    | Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.  | Noted and Complied<br>1. Scrubbers have been provided at vents and height of all the stacks are as per CPCB guidelines.<br>2. Scrubber water is being sent to ETP for treatment.  |
| VII   | All the storage tanks shall be under negative pressure to avoid any leakages. Breather valves, N2 blanketing and secondary condensers with brine chilling system shall be provided for all the storage tanks to minimize Vapour losses. All liquid raw material shall be stored in storage Tanks and Drums.   | Liquid raw materials are being stored in storage tank and barrels. Adequate leakage control infrastructure has been provided for all liquid raw material storage tanks. Breather valve, N2 blanketing and secondary condenser with chilling system (basis material property) has been provided for identified material storage tanks.   |
| VIII  | The company shall undertake following Waste Minimization measures.<br>1. Metering and control of quantities of active ingredients to minimize waste.<br>2. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.<br>3. Use of automated filling to minimize spillage.<br>4. Use of "Closed Feed" system into batch reactors.<br>5. Venting equipment through Vapour recovery system.<br>6. Use of high pressure hoses for equipment cleaning to reduce wastewater generation. | 1. Active ingredients are being added in closed loop manner and is metered for controlled addition in the equipment.<br>2. Reactors' / Mixers' washings are being collected & reused back in our products<br>3. Automated filling system has been provided<br>4. All liquid RMs is being charged from storage tank to process vessels in a closed system.<br>5. Vapor recovery system has been provided for required processing equipment.<br>6. High pressure hoses of pressure 100 bar & more are being used for equipment cleaning.  |
| IX    | The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management and Handling) Rules, 1989, as amended from time to time. Authorization from the SPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.   | We are complying to the rules and guidelines stipulated under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and The Hazardous and Other Wastes [Management and Transboundary Movement) Rules, 2016.<br>Consent to operate under Air Act, Water Act & authorization under Hazardous Wastes Rules are obtained and are valid till 30/9/2027.   |
| X     | The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).  | Complied<br>Acoustic enclosures are provided for noise generating equipment's. Regular Noise monitoring is being conducted at locations identified as high noise areas in plant. Test reports for same are enclosed as <b>Annexure -V</b> .   |
| XI    | The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.   | Complied<br>Rain water harvesting system has been developed and is reused.  |
| XII   | The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of receipt of this letter for approval.  | Agreed and Complied<br>Environment-related CSR activities has been undertaken.<br>1. Rainwater harvesting project has been implemented and being maintained at BD Sharma university of health science, Foot ware Design Institute (FDDI) Rohtak.<br>2. Lake desilting project done at Bohar and Gandhra village, Rohtak.<br>3. Health & Hygiene activity are being carried out in nearby villages.<br>4. Continuous potable water is being supplied in Kherisadh Govt School and Village after implementation of pipeline project at Baliyana village, Rohtak.<br>5. 3100 meter long Canal channel lining project has been done in Kharawar Village, Rohtak.<br>6. 1500 meter long Canal channel lining project has been done in Nonand Village, Rohtak.<br>7. Waterbody Rejuvenation work at Gandhara. |

**Asian Paints Limited, Rohtak, Compliance Status**

**Period: 1st October 2022 to March'2023**

| Sr.No | Condition  | Compliance Status   |
|-------|--|---|
| XIII  | The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the EIA/EMP report.  | Noted and Complied  |
| XIV   | A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.  | Noted and Complied<br>An Environment Department is operational in plant and it has an environment laboratory with state-of-the art equipment, for management and monitoring of environmental parameters.                                |
| XV    | The implementation of the project vis-à-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.  | Noted and complied  |
| XVI   | The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry. | Noted and Complied<br>Press advertisements were done in The Times of India (Chandigarh Edition) and Haribhoomi (Rohtak Edition) on 16th April 2008. The copies of the same were forwarded to concerned Regional Office of the ministry. |
| XVII  | The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.   | Complied  |

---

# Annexure -I

---



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| ISSUED TO:<br><b>M/s ASIAN PAINTS LIMITED</b><br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |                           |
|---|-------------------|--|---------------------------|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-89   |                   | Sample Collection Date: 13/01/2023<br>Sample Reporting Date: 23/01/2023  |                           |
| ANALYSIS REPORT   |                   |  |                           |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH  | ETP CHEMICAL STORAGE ROOM |
| Sampling Code   | --                | --   | WZ - 89                   |
| Sampling Duration   | --                | --   | 480 Minutes               |
| Weather   | --                | --   | Normal                    |
| Ambient Temperature   | °K                | --   | 293                       |
| Ammonia   | mg/m <sup>3</sup> | <18  | 08                        |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710   | 69                        |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400  | 90                        |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205   | BDL                       |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184   | BDL                       |
| Xylene  | mg/m <sup>3</sup> | <435   | 47                        |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01  | BDL                       |
| Toluene   | mg/m <sup>3</sup> | <375   | 83                        |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376   | 17                        |
| Butanol   | mg/m <sup>3</sup> | <152   | 04                        |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123   | 03                        |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55  | 02                        |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560   | 89                        |
| Styrene   | mg/m <sup>3</sup> | <215   | BDL                       |
| Methanol  | mg/m <sup>3</sup> | <260   | BDL                       |
| Cyclohexanol  | mg/m <sup>3</sup> | --   | BDL                       |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142   | BDL                       |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410   | BDL                       |
| Lead  | mg/m <sup>3</sup> | <0.15  | BDL                       |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01  | BDL                       |
| Benzene   | mg/m <sup>3</sup> | <1.5   | 0.4                       |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwaha

EIL/Lab In-Charge

Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalnoida@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India . |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, GT, GC, UV etc. |                             |
|---|-------------------|---|-----------------------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-90                             |                   | <b>Sample Collection Date:</b> 10/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |                             |
| ANALYSIS REPORT   |                   |   |                             |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH   | WPB- GROUND FLOOR-OLD BLOCK |
| Sampling Code   | --                | --  | WZ - 90                     |
| Sampling Duration   | --                | --  | 480 Minutes                 |
| Weather   | --                | --  | Normal                      |
| <b>Ambient Temperature</b>  | <sup>o</sup> K    | --  | 291                         |
| Ammonia   | mg/m <sup>3</sup> | <18   | 06                          |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710  | 35                          |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400   | 49                          |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205  | BDL                         |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184  | BDL                         |
| Xylene  | mg/m <sup>3</sup> | <435  | 31                          |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01   | BDL                         |
| Toluene   | mg/m <sup>3</sup> | <375  | 53                          |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376  | 12                          |
| Butanol   | mg/m <sup>3</sup> | <152  | 05                          |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123  | 03                          |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55   | 04                          |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560  | 55                          |
| Styrene   | mg/m <sup>3</sup> | <215  | BDL                         |
| Methanol  | mg/m <sup>3</sup> | <260  | BDL                         |
| Cyclohexanol  | mg/m <sup>3</sup> | --  | BDL                         |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142  | BDL                         |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410  | BDL                         |
| Lead  | mg/m <sup>3</sup> | <0.15   | BDL                         |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01   | BDL                         |
| Benzene   | mg/m <sup>3</sup> | <1.5  | BDL                         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By: Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015  
OHSAS : 18001 : 2007





# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |                             |
|---|-------------------|---|-----------------------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-91                                    |                   | <b>Sample Collection Date:</b> 10/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |                             |
| ANALYSIS REPORT   |                   |   |                             |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH   | WPB- GROUND FLOOR-NEW BLOCK |
| Sampling Code   | --                | --  | WZ - 91                     |
| Sampling Duration   | --                | --  | 480 Minutes                 |
| Weather   | --                | --  | Normal                      |
| <b>Ambient Temperature</b>  | °K                | --  | 291                         |
| Ammonia   | mg/m <sup>3</sup> | <18   | 04                          |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710  | 23                          |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400   | 35                          |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205  | BDL                         |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184  | BDL                         |
| Xylene  | mg/m <sup>3</sup> | <435  | 24                          |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01   | BDL                         |
| Toluene   | mg/m <sup>3</sup> | <375  | 42                          |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376  | 23                          |
| Butanol   | mg/m <sup>3</sup> | <152  | 05                          |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123  | 08                          |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55   | 02                          |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560  | 70                          |
| Styrene   | mg/m <sup>3</sup> | <215  | BDL                         |
| Methanol  | mg/m <sup>3</sup> | <260  | BDL                         |
| Cyclohexanol  | mg/m <sup>3</sup> | --  | BDL                         |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142  | BDL                         |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410  | BDL                         |
| Lead  | mg/m <sup>3</sup> | <0.15   | BDL                         |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01   | BDL                         |
| Benzene   | mg/m <sup>3</sup> | <1.5  | BDL                         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725866, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| ISSUED TO:<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |                          |
|--|-------------------|--|--------------------------|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-92                                  |                   | Sample Collection Date: 10/01/2023<br>Sample Reporting Date: 23/01/2023  |                          |
| ANALYSIS REPORT  |                   |  |                          |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH  | WPB- 1st FLOOR OLD BLOCK |
| Sampling Code  | --                | --   | WZ - 92                  |
| Sampling Duration  | --                | --   | 480 Minutes              |
| Weather  | --                | --   | Normal                   |
| Ambient Temperature  | °K                | --   | 291                      |
| Ammonia  | mg/m <sup>3</sup> | <18  | 11                       |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710   | 91                       |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400  | 46                       |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205   | BDL                      |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184   | BDL                      |
| Xylene   | mg/m <sup>3</sup> | <435   | 88                       |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01  | BDL                      |
| Toluene  | mg/m <sup>3</sup> | <375   | 71                       |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376   | 25                       |
| Butanol  | mg/m <sup>3</sup> | <152   | 05                       |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123   | 29                       |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55  | 17                       |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560   | 92                       |
| Styrene  | mg/m <sup>3</sup> | <215   | BDL                      |
| Methanol   | mg/m <sup>3</sup> | <260   | BDL                      |
| Cyclohexanol   | mg/m <sup>3</sup> | --   | BDL                      |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142   | BDL                      |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410   | BDL                      |
| Lead   | mg/m <sup>3</sup> | <0.15  | BDL                      |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01  | BDL                      |
| Benzene  | mg/m <sup>3</sup> | <1.5   | BDL                      |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|  |  |
|--|--|
| ISSUED TO :<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-93                                    | Sample Collection Date: 10/01/2023<br>Sample Reporting Date: 23/01/2023  |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | WPB- 1st FLOOR NEW BLOCK |
|-------------------------------------|-------------------|-------------------------|--------------------------|
| Sampling Code                       | --                | --                      | WZ - 93                  |
| Sampling Duration                   | --                | --                      | 480 Minutes              |
| Weather                             | --                | --                      | Normal                   |
| Ambient Temperature                 | °K                | --                      | 291                      |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 06                       |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 44                       |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 92                       |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL                      |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL                      |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 60                       |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL                      |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 47                       |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 37                       |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 10                       |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 18                       |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 03                       |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 74                       |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL                      |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL                      |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL                      |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL                      |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL                      |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL                      |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL                      |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL                      |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purohotum Singh.

Checked  
R.P. Macwan

EIL/Lab-In-Charge  
Dr. Vipul Kumar



- N.B.:-
- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
  - The Result Indicated only refer to the tested samples.
  - The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
g : 9810098664, 9810725666, 9910233668  
✉ : vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|  |   |
|--|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-94                            | <b>Sample Collection Date:</b> 10/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | WPB- II <sup>nd</sup> FLOOR OLD BLOCK |
|-------------------------------------|-------------------|-------------------------|---------------------------------------|
| Sampling Code                       | --                | --                      | WZ - 94                               |
| Sampling Duration                   | --                | --                      | 480 Minutes                           |
| Weather                             | --                | --                      | Normal                                |
| Ambient Temperature                 | °K                | --                      | 291                                   |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 09                                    |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 51                                    |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 99                                    |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL                                   |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL                                   |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 15                                    |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL                                   |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 52                                    |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 07                                    |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 17                                    |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 08                                    |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 02                                    |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 42                                    |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL                                   |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL                                   |
| Cyclohexanol                        | mg/m <sup>3</sup> | ---                     | BDL                                   |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL                                   |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL                                   |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL                                   |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL                                   |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL                                   |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Malwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



#### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kandra-II Extn, Eco Tech-II, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernational@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| ISSUED TO :<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |                           |
|--|-------------------|--|---------------------------|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23AVZ-95                                    |                   | Sample Collection Date: 10/01/2023<br>Sample Reporting Date: 23/01/2023  |                           |
| ANALYSIS REPORT  |                   |  |                           |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH  | WPB- IInd FLOOR NEW BLOCK |
| Sampling Code  | --                | --   | WZ-95                     |
| Sampling Duration  | --                | --   | 480 Minutes               |
| Weather  | --                | --   | Normal                    |
| Ambient Temperature  | °K                | --   | 291                       |
| Ammonia  | mg/m <sup>3</sup> | <18  | 07                        |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710   | 62                        |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400  | 08                        |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205   | BDL                       |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184   | BDL                       |
| Xylene   | mg/m <sup>3</sup> | <435   | 42                        |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01  | BDL                       |
| Toluene  | mg/m <sup>3</sup> | <375   | 68                        |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376   | 31                        |
| Butanol  | mg/m <sup>3</sup> | <152   | 55                        |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123   | 09                        |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55  | 06                        |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560   | 81                        |
| Styrene  | mg/m <sup>3</sup> | <215   | BDL                       |
| Methanol   | mg/m <sup>3</sup> | <260   | BDL                       |
| Cyclohexanol   | mg/m <sup>3</sup> | --   | BDL                       |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142   | BDL                       |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410   | BDL                       |
| Lead   | mg/m <sup>3</sup> | <0.15  | BDL                       |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01  | BDL                       |
| Benzene  | mg/m <sup>3</sup> | <1.5   | BDL                       |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Maurya

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 308  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, INT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |                               |
|--|-------------------|---|-------------------------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23AVZ-96                            |                   | <b>Sample Collection Date:</b> 11/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |                               |
| ANALYSIS REPORT  |                   |   |                               |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH   | POLYMER GROUND FLOOR OLDBLOCK |
| Sampling Code  | --                | --  | WZ - 96                       |
| Sampling Duration  | --                | --  | 480 Minutes                   |
| Weather  | --                | --  | Normal                        |
| Ambient Temperature  | °K                | --  | 292                           |
| Ammonia  | mg/m <sup>3</sup> | <18   | 07                            |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710  | 49                            |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400   | 58                            |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205  | BDL                           |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184  | BDL                           |
| Xylene   | mg/m <sup>3</sup> | <435  | 41                            |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01   | BDL                           |
| Toluene  | mg/m <sup>3</sup> | <375  | 70                            |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376  | 32                            |
| Butanol  | mg/m <sup>3</sup> | <152  | 64                            |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123  | 07                            |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55   | 11                            |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560  | 96                            |
| Styrene  | mg/m <sup>3</sup> | <215  | BDL                           |
| Methanol   | mg/m <sup>3</sup> | <260  | BDL                           |
| Cyclohexanol   | mg/m <sup>3</sup> | --  | BDL                           |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142  | BDL                           |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410  | BDL                           |
| Lead   | mg/m <sup>3</sup> | <0.15   | BDL                           |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01   | BDL                           |
| Benzene  | mg/m <sup>3</sup> | <1.5  | BDL                           |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098684, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |                                |
|--|-------------------|---|--------------------------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/AVZ-97                           |                   | <b>Sample Collection Date:</b> 11/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |                                |
| ANALYSIS REPORT  |                   |   |                                |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH   | POLYMER GROUND FLOOR NEW BLOCK |
| Sampling Code  | --                | --  | WZ-97                          |
| Sampling Duration  | --                | --  | 480 Minutes                    |
| Weather  | --                | --  | Normal                         |
| Ambient Temperature  | °K                | --  | 292                            |
| Ammonia  | mg/m <sup>3</sup> | <18   | 08                             |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710  | 30                             |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400   | 51                             |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205  | BDL                            |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184  | BDL                            |
| Xylene   | mg/m <sup>3</sup> | <435  | 27                             |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01   | BDL                            |
| Toluene  | mg/m <sup>3</sup> | <375  | 50                             |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376  | 72                             |
| Butanol  | mg/m <sup>3</sup> | <152  | 05                             |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123  | 13                             |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55   | 06                             |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560  | 78                             |
| Styrene  | mg/m <sup>3</sup> | <215  | BDL                            |
| Methanol   | mg/m <sup>3</sup> | <260  | BDL                            |
| Cyclohexanol   | mg/m <sup>3</sup> | --  | BDL                            |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142  | BDL                            |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410  | BDL                            |
| Lead   | mg/m <sup>3</sup> | <0.15   | EDL                            |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01   | BDL                            |
| Benzene  | mg/m <sup>3</sup> | <1.5  | BDL                            |

N. B. A. Methods Based on NIOSH, OSHA & CFCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purashotam Singh.

Checked  
R.P. Marwah

EIL/Lab In-Charge  
Dr Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India... |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |                             |
|--|-------------------|---|-----------------------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-98                              |                   | <b>Sample Collection Date:</b> 11/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |                             |
| ANALYSIS REPORT  |                   |   |                             |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH   | POLYMER 1st FLOOR OLD BLOCK |
| Sampling Code  | --                | --  | WZ - 98                     |
| Sampling Duration  | --                | --  | 480 Minutes                 |
| Weather  | --                | --  | Normal                      |
| Ambient Temperature  | °K                | --  | 292                         |
| Ammonia  | mg/m <sup>3</sup> | <18   | 04                          |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710  | 40                          |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400   | 26                          |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205  | BDL                         |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184  | BDL                         |
| Xylene   | mg/m <sup>3</sup> | <435  | 31                          |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01   | BDL                         |
| Toluene  | mg/m <sup>3</sup> | <375  | 70                          |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376  | 09                          |
| Butanol  | mg/m <sup>3</sup> | <152  | 05                          |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123  | 03                          |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55   | 01                          |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560  | 83                          |
| Styrene  | mg/m <sup>3</sup> | <215  | BDL                         |
| Methanol   | mg/m <sup>3</sup> | <260  | BDL                         |
| Cyclohexanol   | mg/m <sup>3</sup> | --  | BDL                         |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142  | BDL                         |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410  | BDL                         |
| Lead   | mg/m <sup>3</sup> | <0.15   | BDL                         |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01   | BDL                         |
| Benzene  | mg/m <sup>3</sup> | <1.5  | BDL                         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Malwani

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result Indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007





# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| ISSUED TO :<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |                             |
|---|-------------------|--|-----------------------------|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/AVZ-99                                  |                   | Sample Collection Date: 11/01/2023<br>Sample Reporting Date: 23/01/2023  |                             |
| ANALYSIS REPORT   |                   |  |                             |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH  | POLYMER 1st FLOOR NEW BLOCK |
| Sampling Code   | --                | --   | WZ - 99                     |
| Sampling Duration   | --                | --   | 480 Minutes                 |
| Weather   | --                | --   | Normal                      |
| Ambient Temperature   | °K                | --   | 292                         |
| Ammonia   | mg/m <sup>3</sup> | <18  | 09                          |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710   | 40                          |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400  | 60                          |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205   | BDL                         |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184   | BDL                         |
| Xylene  | mg/m <sup>3</sup> | <435   | 26                          |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01  | BDL                         |
| Toluene   | mg/m <sup>3</sup> | <375   | 61                          |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376   | 42                          |
| Butanol   | mg/m <sup>3</sup> | <152   | 28                          |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123   | 09                          |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55  | 04                          |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560   | 89                          |
| Styrene   | mg/m <sup>3</sup> | <215   | BDL                         |
| Methanol  | mg/m <sup>3</sup> | <260   | BDL                         |
| Cyclohexanol  | mg/m <sup>3</sup> | ---  | BDL                         |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142   | BDL                         |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410   | BDL                         |
| Lead  | mg/m <sup>3</sup> | <0.15  | BDL                         |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01  | BDL                         |
| Benzene   | mg/m <sup>3</sup> | <1.5   | BDL                         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. J. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 305  
☎ : 9810098864, 9810725666, 9910233668  
✉ : vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15823/CL/89


## TEST REPORT

| ISSUED TO :<br><b>M/s ASIAN PAINTS LIMITED</b><br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |                              |
|--|-------------------|--|------------------------------|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-100   |                   | Sample Collection Date: 11/01/2023<br>Sample Reporting Date: 23/01/2023  |                              |
| ANALYSIS REPORT  |                   |  |                              |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH  | POLYMER IInd FLOOR OLD BLOCK |
| Sampling Code  | --                | --   | WZ - 100                     |
| Sampling Duration  | --                | --   | 480 Minutes                  |
| Weather  | --                | --   | Normal                       |
| Ambient Temperature  | °K                | --   | 292                          |
| Ammonia  | mg/m <sup>3</sup> | <18  | 04                           |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710   | 43                           |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400  | 55                           |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205   | BDL                          |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184   | BDL                          |
| Xylene   | mg/m <sup>3</sup> | <435   | 20                           |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01  | BDL                          |
| Toluene  | mg/m <sup>3</sup> | <375   | 43                           |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376   | 18                           |
| Butanol  | mg/m <sup>3</sup> | <152   | 31                           |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123   | 26                           |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55  | 02                           |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560   | 62                           |
| Styrene  | mg/m <sup>3</sup> | <215   | BDL                          |
| Methanol   | mg/m <sup>3</sup> | <260   | BDL                          |
| Cyclohexanol   | mg/m <sup>3</sup> | --   | BDL                          |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142   | BDL                          |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410   | BDL                          |
| Lead   | mg/m <sup>3</sup> | <0.15  | BDL                          |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01  | BDL                          |
| Benzene  | mg/m <sup>3</sup> | <1.5   | BDL                          |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Pursholam Singh.

Checked  
R.P. Ma/wah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725866, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89


## TEST REPORT

| ISSUED TO :<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |  |
|---|-------------------|--|--|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-101                                  |                   | Sample Collection Date: 11/01/2023<br>Sample Reporting Date: 23/01/2023  |  |
| ANALYSIS REPORT   |                   |  |  |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH  | POLYMER II <sup>nd</sup> FLOOR NEW BLOCK |
| Sampling Code   | --                | --   | WZ - 101                                 |
| Sampling Duration   | --                | --   | 480 Minutes                              |
| Weather   | --                | --   | Normal                                   |
| Ambient Temperature   | °K                | --   | 292                                      |
| Ammonia   | mg/m <sup>3</sup> | <18  | 07                                       |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710   | 79                                       |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400  | 41                                       |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205   | BDL                                      |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184   | BDL                                      |
| Xylene  | mg/m <sup>3</sup> | <435   | 28                                       |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01  | BDL                                      |
| Toluene   | mg/m <sup>3</sup> | <375   | 36                                       |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376   | 18                                       |
| Butanol   | mg/m <sup>3</sup> | <152   | 10                                       |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123   | 22                                       |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55  | 03                                       |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560   | 41                                       |
| Styrene   | mg/m <sup>3</sup> | <215   | BDL                                      |
| Methanol  | mg/m <sup>3</sup> | <260   | BDL                                      |
| Cyclohexanol  | mg/m <sup>3</sup> | --   | BDL                                      |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142   | BDL                                      |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410   | BDL                                      |
| Lead  | mg/m <sup>3</sup> | <0.15  | BDL                                      |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01  | BDL                                      |
| Benzene   | mg/m <sup>3</sup> | <1.5   | BDL                                      |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.06 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
☎ : 9810098864, 9810725666, 9910233668  
✉ : vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, JMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |                                    |
|--|-------------------|---|------------------------------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-102                           |                   | <b>Sample Collection Date:</b> 12/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |                                    |
| ANALYSIS REPORT  |                   |   |                                    |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH   | QUALITY ASSURANCE QA CHEMICAL ROOM |
| Sampling Code  | --                | --  | WZ - 102                           |
| Sampling Duration  | --                | --  | 480 Minutes                        |
| Weather  | --                | --  | Normal                             |
| Ambient Temperature  | °K                | --  | 291                                |
| Ammonia  | mg/m <sup>3</sup> | <18   | 05                                 |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710  | 23                                 |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400   | 09                                 |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205  | BDL                                |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184  | BDL                                |
| Xylene   | mg/m <sup>3</sup> | <435  | 10                                 |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01   | BDL                                |
| Toluene  | mg/m <sup>3</sup> | <375  | 32                                 |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376  | 25                                 |
| Butanol  | mg/m <sup>3</sup> | <152  | 11                                 |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123  | 07                                 |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55   | 05                                 |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560  | 90                                 |
| Styrene  | mg/m <sup>3</sup> | <215  | BDL                                |
| Methanol   | mg/m <sup>3</sup> | <260  | BDL                                |
| Cyclohexanol   | mg/m <sup>3</sup> | --  | BDL                                |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142  | BDL                                |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410  | BDL                                |
| Lead   | mg/m <sup>3</sup> | <0.15   | BDL                                |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01   | BDL                                |
| Benzene  | mg/m <sup>3</sup> | <1.5  | BDL                                |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Malwan

EIL/Lab-In-Charge  
Dr. Vipul Kumar

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306  
: 9810098864, 9810725666, 9810233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.C.B. H-15623/CL/89

## TEST REPORT

|   |  |
|---|--|
| ISSUED TO:<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, JMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-103                                  | Sample Collection Date: 12/01/2023<br>Sample Reporting Date: 23/01/2023  |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | QUALITY ASSURANCE QA GC ROOM |
|-------------------------------------|-------------------|-------------------------|------------------------------|
| Sampling Code                       | --                | --                      | WZ - 103                     |
| Sampling Duration                   | --                | --                      | 480 Minutes                  |
| Weather                             | --                | --                      | Normal                       |
| Ambient Temperature                 | °K                | --                      | 291                          |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 06                           |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 44                           |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 19                           |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL                          |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL                          |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 15                           |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL                          |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 30                           |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 02                           |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 03                           |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 09                           |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 02                           |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 58                           |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL                          |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL                          |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL                          |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL                          |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL                          |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL                          |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL                          |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL                          |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>

Sampling Done By Mr Shlv Singh & Mr Purahotm Singh.

Checked

R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar



#### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233688  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India . . |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT , GC, UV etc. |                                |
|---|-------------------|--|--------------------------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-104                              |                   | <b>Sample Collection Date:</b> 12/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023  |                                |
| ANALYSIS REPORT   |                   |  |                                |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH  | QUALITY ASSURANCE QA HPLC ROOM |
| Sampling Code   | --                | --   | WZ - 104                       |
| Sampling Duration   | --                | --   | 480 Minutes                    |
| Weather   | --                | --   | Normal                         |
| <b>Ambient Temperature</b>  | <b>°C</b>         | --   | <b>291</b>                     |
| Ammonia   | mg/m <sup>3</sup> | <18  | 03                             |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710   | 33                             |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400  | 46                             |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205   | BDL                            |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184   | BDL                            |
| Xylene  | mg/m <sup>3</sup> | <435   | 57                             |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01  | BDL                            |
| Toluene   | mg/m <sup>3</sup> | <375   | 40                             |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376   | 29                             |
| Butanol   | mg/m <sup>3</sup> | <152   | 04                             |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123   | 09                             |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55  | 02                             |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560   | 60                             |
| Styrene   | mg/m <sup>3</sup> | <215   | BDL                            |
| Methanol  | mg/m <sup>3</sup> | <260   | BDL                            |
| Cyclohexanol  | mg/m <sup>3</sup> | --   | BDL                            |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142   | BDL                            |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410   | BDL                            |
| Lead  | mg/m <sup>3</sup> | <0.15  | BDL                            |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01  | BDL                            |
| Benzene   | mg/m <sup>3</sup> | <1.5   | BDL                            |

N. B. A. Methods Based on NIOSH, OSHA & GPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Pureshotam Singh.

Checked  
R.P. Marwah

EIL Lab-In-Charge  
Dr. Vipul Kumar

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 308  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89


## TEST REPORT

| ISSUED TO :<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UVV etc. |                                 |
|---|-------------------|---|---------------------------------|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-105                                  |                   | Sample Collection Date: 12/01/2023<br>Sample Reporting Date: 23/01/2023   |                                 |
| ANALYSIS REPORT   |                   |   |                                 |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH   | QUALITY ASSURANCE QA MICRO ROOM |
| Sampling Code   | --                | --  | WZ - 105                        |
| Sampling Duration   | --                | --  | 480 Minutes                     |
| Weather   | --                | --  | Normal                          |
| Ambient Temperature   | °K                | --  | 291                             |
| Ammonia   | mg/m <sup>3</sup> | <18   | 08                              |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710  | 31                              |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400   | 19                              |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205  | BDL                             |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184  | BDL                             |
| Xylene  | mg/m <sup>3</sup> | <435  | 05                              |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01   | BDL                             |
| Toluene   | mg/m <sup>3</sup> | <375  | 31                              |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376  | 18                              |
| Butanol   | mg/m <sup>3</sup> | <152  | 05                              |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123  | 02                              |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55   | 05                              |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560  | 69                              |
| Styrene   | mg/m <sup>3</sup> | <215  | BDL                             |
| Methanol  | mg/m <sup>3</sup> | <260  | BDL                             |
| Cyclohexanol  | mg/m <sup>3</sup> | --  | BDL                             |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142  | BDL                             |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410  | BDL                             |
| Lead  | mg/m <sup>3</sup> | <0.15   | BDL                             |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01   | BDL                             |
| Benzene   | mg/m <sup>3</sup> | <1.5  | BDL                             |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 308  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89


## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CF, GC, UV etc. |             |
|--|-------------------|---|-------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-106                                  |                   | <b>Sample Collection Date:</b> 10/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |             |
| ANALYSIS REPORT  |                   |   |             |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH   | LQC         |
| Sampling Code  | --                | --  | WZ - 106    |
| Sampling Duration  | --                | --  | 480 Minutes |
| Weather  | --                | --  | Normal      |
| <b>Ambient Temperature</b>   | °K                | --  | 29.1        |
| Ammonia  | mg/m <sup>3</sup> | <18   | 05          |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710  | 25          |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400   | 09          |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205  | BDL         |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184  | BDL         |
| Xylene   | mg/m <sup>3</sup> | <435  | 04          |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01   | BDL         |
| Toluene  | mg/m <sup>3</sup> | <375  | 22          |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376  | 06          |
| Butanol  | mg/m <sup>3</sup> | <152  | 12          |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123  | 17          |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55   | 09          |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560  | 77          |
| Styrene  | mg/m <sup>3</sup> | <215  | BDL         |
| Methanol   | mg/m <sup>3</sup> | <260  | BDL         |
| Cyclohexanol   | mg/m <sup>3</sup> | --  | BDL         |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142  | BDL         |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410  | BDL         |
| Lead   | mg/m <sup>3</sup> | <0.15   | BDL         |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <01   | BDL         |
| Benzene  | mg/m <sup>3</sup> | <1.5  | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Malwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233868  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007





# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|   |  |
|---|--|
| ISSUED TO :<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadk,<br>Rohtak (Haryana) - 24001 Indra. | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-107                                  | Sample Collection Date: 11/01/2023<br>Sample Reporting Date: 23/01/2023  |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | BG-1 NEW BLOCK |
|-------------------------------------|-------------------|-------------------------|----------------|
| Sampling Code                       | --                | --                      | WZ - 107       |
| Sampling Duration                   | --                | --                      | 480 Minutes    |
| Weather                             | --                | --                      | Normal         |
| Ambient Temperature                 | °K                | --                      | 292            |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 09             |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 50             |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 69             |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL            |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL            |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 41             |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <0.1                    | BDL            |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 62             |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 19             |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 52             |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 28             |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 11             |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 77             |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL            |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL            |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL            |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL            |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL            |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL            |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <0.1                    | BDL            |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL            |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.F. Mahwah

EIL Lab-In-Charge  
Mr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
☎ : 9810098664, 9810725666, 9910233668  
✉ : vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. |                   | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |                |
|---|-------------------|---|----------------|
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-108                            |                   | <b>Sample Collection Date:</b> 11/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |                |
| ANALYSIS REPORT   |                   |   |                |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH   | BG-I OLD BLOCK |
| Sampling Code   | --                | --  | WZ - 108       |
| Sampling Duration   | --                | --  | 480 Minutes    |
| Weather   | --                | --  | Normal         |
| <b>Ambient Temperature</b>  | <b>°K</b>         | <b>--</b>   | <b>291</b>     |
| Ammonia   | mg/m <sup>3</sup> | <18   | 03             |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710  | 62             |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400   | 79             |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205  | BDL            |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184  | BDL            |
| Xylene  | mg/m <sup>3</sup> | <435  | 24             |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01   | BDL            |
| Toluene   | mg/m <sup>3</sup> | <375  | 18             |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376  | 61             |
| Butanol   | mg/m <sup>3</sup> | <152  | 08             |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123  | 40             |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55   | 05             |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560  | 77             |
| Styrene   | mg/m <sup>3</sup> | <215  | BDL            |
| Methanol  | mg/m <sup>3</sup> | <260  | BDL            |
| Cyclohexanol  | mg/m <sup>3</sup> | --  | BDL            |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142  | BDL            |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <110  | BDL            |
| Lead  | mg/m <sup>3</sup> | <0.15   | BDL            |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01   | BDL            |
| Benzene   | mg/m <sup>3</sup> | <1.5  | BDL            |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checker  
R.P. Merwah

EIL/Lab-In-Charge  
D. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 308  
: 9910098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|   |   |
|---|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadk,<br>Rohtak (Haryana) - 24001 India.. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/AVZ-109                                  | <b>Sample Collection Date:</b> 12/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | BG-2 OLD BLOCK |
|-------------------------------------|-------------------|-------------------------|----------------|
| Sampling Code                       | --                | --                      | WZ - 109       |
| Sampling Duration                   | --                | --                      | 480 Minutes    |
| Weather                             | --                | --                      | Normal         |
| Ambient Temperature                 | °K                | --                      | 292            |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 05             |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 81             |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 29             |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL            |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL            |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 30             |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL            |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 62             |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 26             |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 06             |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 31             |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 04             |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 81             |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL            |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL            |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL            |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL            |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL            |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL            |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL            |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL            |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.F. Maurya

EIL Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| ISSUED TO :<br><b>M/s ASIAN PAINTS LIMITED</b><br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 21001 India.. |                   | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |                |
|---|-------------------|--|----------------|
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-110  |                   | Sample Collection Date: 12/01/2023<br>Sample Reporting Date: 23/01/2023  |                |
| ANALYSIS REPORT   |                   |  |                |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH  | BG-2 NEW BLOCK |
| Sampling Code   | --                | --   | WZ - 110       |
| Sampling Duration   | --                | --   | 480 Minutes    |
| Weather   | --                | --   | Normal         |
| Ambient Temperature   | °K                | --   | 292            |
| Ammonia   | mg/m <sup>3</sup> | <18  | 09             |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710   | 68             |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400  | 26             |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205   | BDL            |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184   | BDL            |
| Xylene  | mg/m <sup>3</sup> | <435   | 21             |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01  | BDL            |
| Toluene   | mg/m <sup>3</sup> | <375   | 64             |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376   | 30             |
| Butanol   | mg/m <sup>3</sup> | <152   | 21             |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123   | 79             |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55  | 06             |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560   | 66             |
| Styrene   | mg/m <sup>3</sup> | <215   | BDL            |
| Methanol  | mg/m <sup>3</sup> | <260   | BDL            |
| Cyclohexanol  | mg/m <sup>3</sup> | --   | BDL            |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142   | BDL            |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410   | BDL            |
| Lead  | mg/m <sup>3</sup> | <0.15  | BDL            |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01  | BDL            |
| Benzene   | mg/m <sup>3</sup> | <1.5   | BDL            |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result Indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
☎ : 9810098664, 9810725666, 9910233668  
✉ : vipul\_kumar4@rediffmail.com  
: envirointernationalafec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|   |   |
|---|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-111                            | <b>Sample Collection Date:</b> 13/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |


### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | MTF         |
|-------------------------------------|-------------------|-------------------------|-------------|
| Sampling Code                       | --                | --                      | WZ - 111    |
| Sampling Duration                   | --                | --                      | 480 Minutes |
| Weather                             | --                | --                      | Normal      |
| <b>Ambient Temperature</b>          | °K                | --                      | <b>293</b>  |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 06          |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 17          |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 40          |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL         |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL         |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 33          |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL         |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 67          |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 25          |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 12          |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 08          |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 04          |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 80          |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL         |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL         |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL         |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL         |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL         |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL         |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL         |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shlv Singh & Mr Purshotam Singh.

Checked  
R.P. Verwabh

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810088664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: enviroInternationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|  |   |
|--|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/AVZ-112                          | <b>Sample Collection Date:</b> 13/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |

### ANALYSIS REPORT

| SAMPLING SITE                                  | UNIT              | STANDARD/NORMS<br>NIOSH | BCY         |
|--|-------------------|-------------------------|-------------|
| Sampling Code                                  | --                | --                      | WZ - 112    |
| Sampling Duration                              | --                | --                      | 480 Minutes |
| Weather  | --                | --                      | Normal      |
| <b>Ambient Temperature</b>                     | °K                | --                      | 293         |
| <b>Ammonia</b>                                 | mg/m <sup>3</sup> | <18                     | 03          |
| <b>n-Butyl acetate</b>                         | mg/m <sup>3</sup> | <710                    | 19          |
| <b>Ethyl acetate</b>                           | mg/m <sup>3</sup> | <1400                   | 27          |
| <b>Methyl isobutyl ketone (MIBK)</b>           | mg/m <sup>3</sup> | <205                    | BDL         |
| <b>Ethylene Oxide</b>                          | mg/m <sup>3</sup> | <0.184                  | BDL         |
| <b>Xylene</b>                                  | mg/m <sup>3</sup> | <435                    | 32          |
| <b>Phthalic Anhydride</b>                      | mg/m <sup>3</sup> | <01                     | BDL         |
| <b>Toluene</b>                                 | mg/m <sup>3</sup> | <375                    | 24          |
| <b>2 - Ethylhexanoic acid (2-EHA)</b>          | mg/m <sup>3</sup> | <376                    | 17          |
| <b>Butanol</b>                                 | mg/m <sup>3</sup> | <152                    | 09          |
| <b>Butyl Cellosolve</b>                        | mg/m <sup>3</sup> | <123                    | 13          |
| <b>Ethyl Cellosolve Acetate</b>                | mg/m <sup>3</sup> | <55                     | 04          |
| <b>Mineral Turpentine Oil (MTO)</b>            | mg/m <sup>3</sup> | <560                    | 57          |
| <b>Styrene</b>                                 | mg/m <sup>3</sup> | <215                    | BDL         |
| <b>Methanol</b>                                | mg/m <sup>3</sup> | <260                    | BDL         |
| <b>Cyclohexanol</b>                            | mg/m <sup>3</sup> | ---                     | BDL         |
| <b>Toluene diisocyanate (TDI)</b>              | mg/m <sup>3</sup> | <0.142                  | BDL         |
| <b>Methyl Methacrylate</b>                     | mg/m <sup>3</sup> | <410                    | BDL         |
| <b>Lead</b>                                    | mg/m <sup>3</sup> | <0.15                   | BDL         |
| <b>Chromium Metal &amp; Insoluble Compound</b> | mg/m <sup>3</sup> | <01                     | BDL         |
| <b>Benzene</b>                                 | mg/m <sup>3</sup> | <1.5                    | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr Vipul Kumar



#### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725866, 9810233668  
: vipul\_kumar4@rediffmail.com  
: envirointernational@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|  |   |
|--|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-113                           | <b>Sample Collection Date:</b> 13/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | ETP CHEMICAL PREPARATION AREA |
|-------------------------------------|-------------------|-------------------------|-------------------------------|
| Sampling Code                       | --                | --                      | WZ - 113                      |
| Sampling Duration                   | --                | --                      | 480 Minutes                   |
| Weather                             | --                | --                      | Normal                        |
| <b>Ambient Temperature</b>          | <b>°K</b>         | <b>--</b>               | <b>293</b>                    |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 06                            |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 51                            |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 24                            |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL                           |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL                           |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 55                            |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL                           |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 62                            |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 30                            |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 23                            |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 10                            |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 08                            |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 83                            |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL                           |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL                           |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL                           |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL                           |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL                           |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL                           |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL                           |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL                           |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.06 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Maqwal

ENI Lab-In-Charge  
Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|   |   |
|---|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohatki (Hararyana) - 24001 India. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-114                              | <b>Sample Collection Date:</b> 10/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |


### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | WPB- PEL    |
|-------------------------------------|-------------------|-------------------------|-------------|
| Sampling Code                       | --                | --                      | WZ - 114    |
| Sampling Duration                   | --                | --                      | 480 Minutes |
| Weather                             | --                | --                      | Normal      |
| Ambient Temperature                 | °K                | --                      | 291         |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 07          |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 40          |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 57          |
| Methyl Isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL         |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL         |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 43          |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL         |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 29          |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 11          |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 04          |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 42          |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 05          |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 61          |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL         |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL         |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL         |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL         |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL         |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL         |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL         |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shlv Singh & Mr Purshotam Singh.

Checked  
R.P. Malwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



#### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007





# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|  |   |
|--|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-115                           | <b>Sample Collection Date:</b> 12/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | PACKING AREA OLD BLOCK |
|-------------------------------------|-------------------|-------------------------|------------------------|
| Sampling Code                       | --                | --                      | WZ - 115               |
| Sampling Duration                   | --                | --                      | 480 Minutes            |
| Weather                             | --                | --                      | Normal                 |
| Ambient Temperature                 | °K                | --                      | 292                    |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 08                     |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 32                     |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 10                     |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL                    |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL                    |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 08                     |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL                    |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 18                     |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 11                     |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 06                     |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 02                     |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 02                     |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | G1                     |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL                    |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL                    |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL                    |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL                    |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL                    |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL                    |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL                    |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL                    |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Macwal

EIL/Lab-In-Charge

Dr. Vipul Kumar



#### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
☎ : 9810098664, 9810725666, 9910233668  
✉ : vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CLJ/89

## TEST REPORT

|  |   |
|--|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. | <b>SUBJECT :</b> ORGANIC SOLVENT AREA SAMPLING-TWA<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> ORGANIC SOLVENT<br><b>Sample Reference:</b> EIL/APL-R/01/23/WZ-116                           | <b>Sample Collection Date:</b> 12/01/2023<br><b>Sample Reporting Date:</b> 23/01/2023   |

### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | PACKING AREA NEW BLOCK |
|-------------------------------------|-------------------|-------------------------|------------------------|
| Sampling Code                       | --                | --                      | WZ - 116               |
| Sampling Duration                   | --                | --                      | 480 Minutes            |
| Weather                             | --                | --                      | Normal                 |
| <b>Ambient Temperature</b>          | °K                | --                      | 292                    |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 04                     |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 32                     |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 19                     |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL                    |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL                    |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 62                     |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL                    |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 26                     |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 31                     |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 17                     |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 04                     |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | 02                     |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 70                     |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL                    |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL                    |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL                    |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL                    |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL                    |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL                    |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL                    |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL                    |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1946. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306  
☎ : 9810098664, 9810725666, 9910233668  
✉ : vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|   |  |
|---|--|
| ISSUED TO :<br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. | SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA<br>METHODS : Based on NIOSH, OSHA<br>INSTRUMENTS: Handy Sampler, CT, GC, UV etc. |
| Sample Details : ORGANIC SOLVENT<br>Sample Reference: EIL/APL-R/01/23/WZ-117                                  | Sample Collection Date: 12/01/2023<br>Sample Reporting Date: 23/01/2023  |


### ANALYSIS REPORT

| SAMPLING SITE                       | UNIT              | STANDARD/NORMS<br>NIOSH | SCRAP YARD- OLD |
|-------------------------------------|-------------------|-------------------------|-----------------|
| Sampling Code                       | --                | --                      | WZ - 117        |
| Sampling Duration                   | --                | --                      | 480 Minutes     |
| Weather                             | --                | --                      | Normal          |
| Ambient Temperature                 | °K                | --                      | 293             |
| Ammonia                             | mg/m <sup>3</sup> | <18                     | 08              |
| n-Butyl acetate                     | mg/m <sup>3</sup> | <710                    | 22              |
| Ethyl acetate                       | mg/m <sup>3</sup> | <1400                   | 08              |
| Methyl isobutyl ketone (MIBK)       | mg/m <sup>3</sup> | <205                    | BDL             |
| Ethylene Oxide                      | mg/m <sup>3</sup> | <0.184                  | BDL             |
| Xylene                              | mg/m <sup>3</sup> | <435                    | 29              |
| Phthalic Anhydride                  | mg/m <sup>3</sup> | <01                     | BDL             |
| Toluene                             | mg/m <sup>3</sup> | <375                    | 35              |
| 2 - Ethylhexanoic acid (2-EHA)      | mg/m <sup>3</sup> | <376                    | 07              |
| Butanol                             | mg/m <sup>3</sup> | <152                    | 04              |
| Butyl Cellosolve                    | mg/m <sup>3</sup> | <123                    | 02              |
| Ethyl Cellosolve Acetate            | mg/m <sup>3</sup> | <55                     | BDL             |
| Mineral Turpentine Oil (MTO)        | mg/m <sup>3</sup> | <560                    | 77              |
| Styrene                             | mg/m <sup>3</sup> | <215                    | BDL             |
| Methanol                            | mg/m <sup>3</sup> | <260                    | BDL             |
| Cyclohexanol                        | mg/m <sup>3</sup> | --                      | BDL             |
| Toluene diisocyanate (TDI)          | mg/m <sup>3</sup> | <0.142                  | BDL             |
| Methyl Methacrylate                 | mg/m <sup>3</sup> | <410                    | BDL             |
| Lead                                | mg/m <sup>3</sup> | <0.15                   | BDL             |
| Chromium Metal & Insoluble Compound | mg/m <sup>3</sup> | <01                     | BDL             |
| Benzene                             | mg/m <sup>3</sup> | <1.5                    | BDL             |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked  
R.F. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007

---

# Annexure –II



# HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

### Issued To:

Asian Paint Ltd  
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/230311016  
ULR No. : TC781123100001917F  
Party's Ref No. : Letter No. Nil  
Booking Date : 11/03/2023  
Period of Testing : 11/03/2023 To 16/03/2023  
Reporting Date : 16/03/2023

Sample Description : Stack Emission (Dust Collector No. 501)  
Type of Industry : Paint Industry  
Name of Plant/ Section : Dust Collector  
Date of sampling : 11/03/2023  
Source of Emission : Stack Attached to Dust Collector No. 1  
Instrument used : Stack Sampler VSS1 (Sr.No. 673 DTK 09)  
Instrument Calibration Status : Calibrated (upto 26.12.2023)  
Type of Chimney : Metal  
Type of Fuel used : NA  
Stack height (from the ground level) : 8 Feet  
Stack diameter (at the sampling point) : 12 inch  
Sample Location : As Per Standard Norms  
Purpose of sampling : Monitoring  
Sample collected by : By our lab. Representative

### A Observations

1. Stack gas temperature, °C : 33.0  
2. Temperature at Metering point, °C : 24.0  
3. Avg. stack gas velocity, m/sec : 4.27  
4. Sampling flow rate, Lt./min. : 17.0  
5. Period of sampling, Minutes : 30.0  
6. Volumetric flow rate, Nm<sup>3</sup>/ Hr : 1049.61

### B Results

| S.N. Test Parameters                               | Units              | Result | Standard Limit | Test Method              |
|--|--------------------|--------|----------------|--------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                    |        |                |                          |
| 1 Particulate Matter (PM)                          | mg/Nm <sup>3</sup> | 14.69  | 50 Max         | IS 11255 (Part-I) : 1985 |


\*\*\*End of Report\*\*\*

Kimber  
16.03.2023  
Review by

Note :

- The results contained in this test report pertain only to the sample tested not for the whole lot.
- Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
- Sample not drawn by HTH unless otherwise specified.
- This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
- Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
- Total liability of Haryana Test House is limited to the invoiced amount only.
- The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.

Md. Asfak Ansari  
Sr. Manager (Env.)  
16/03/23



# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

### TEST REPORT

|  |   |
|--|---|
| <b>Issued To:</b><br>Asian Paint Ltd<br>Plot No.1, Sector- 30 B, IMT Rohtak (HR) | <b>Report No.</b> : HTH/EP/230311017<br><b>ULR No.</b> : TC781123100001928F<br><b>Party's Ref No.</b> : Letter No. Nil<br><b>Booking Date</b> : 11/03/2023<br><b>Period of Testing</b> : 11/03/2023 To 16/03/2023<br><b>Reporting Date</b> : 16/03/2023 |
|--|---|

**Sample Description** : Stack Emission (Dust Collector No. 502)  
**Type of Industry** : Paint Industry  
**Name of Plant/ Section** : Dust Collector  
**Date of sampling** : 11/03/2023  
**Source of Emission** : Stack Attached to Dust Collector No. 2  
**Instrument used** : Stack Sampler VSS1 (Sr.No. 673 DTK 09)  
**Instrument Calibration Status** : Calibrated (upto 26.12.2023)  
**Type of Chimney** : Metal  
**Type of Fuel used** : NA  
**Stack height (from the ground level)** : 8 Feet  
**Stack diameter (at the sampling point)** : 12 inch  
**Sample Location** : As Per Standard Norms  
**Purpose of sampling** : Monitoring  
**Sample collected by** : By our lab. Representative

- A Observations**
- Stack gas temperature, °C : 36.0
  - Temperature at Metering point, °C : 24.0
  - Avg. stack gas velocity, m/sec : 4.68
  - Sampling flow rate, Lt./min. : 19.0
  - Period of sampling, Minutes : 30.0
  - Volumetric flow rate, Nm<sup>3</sup>/ Hr : 1139.23

**B Results**

| S.N.   | Test Parameters         | Units              | Result | Standard Limit | Test Method              |
|--|-------------------------|--------------------|--------|----------------|--------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                         |                    |        |                |                          |
| 1  | Particulate Matter (PM) | mg/Nm <sup>3</sup> | 21.64  | 50 Max         | IS 11255 (Part-I) : 1985 |

\*\*\*End of Report\*\*\*

*Mimh*  
16/03/2023  
Review by

*Chauhan*  
16/03/23  
Md. Asfak Ansari  
Sr. Manager (Env.)

- Note :
- The results contained in this test report pertains only to the sample tested not for the whole lot.
  - Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
  - Sample not drawn by HTH unless otherwise specified.
  - This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
  - Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
  - Total liability of Haryana Test House is limited to the invoiced amount only.
  - The details received from customer on its own responsibility, Lab does not confirm about it and hence does not taken any responsibility whatsoever.



# HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

**Issued To:**

Asian Paint Ltd  
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/230311018  
ULR No. : TC781123100001918F  
Party's Ref No. : Letter No. Nil  
Booking Date : 11/03/2023  
Period of Testing : 11/03/2023 To 16/03/2023  
Reporting Date : 16/03/2023

**Sample Description**  
Type of Industry : Stack Emission (Dust Collector No. 504)  
Name of Plant/ Section : Paint Industry  
Date of sampling : 11/03/2023  
Source of Emission : Stack Attached to Dust Collector No. 4  
Instrument used : Stack Sampler VSS1 (Sr.No. 673 DTK 09)  
Instrument Calibration Status : Calibrated (upto 26.12.2023)  
Type of Chimney : Metal  
Type of Fuel used : NA  
Stack height (from the ground level) : 8 Feet  
Stack diameter (at the sampling point) : 12 inch  
Sample Location : As Per Standard Norms  
Purpose of sampling : Monitoring  
Sample collected by : By our lab. Representative

**A Observations**

1. Stack gas temperature, °C : 35.0
2. Temperature at Metering point, °C : 24.0
3. Avg. stack gas velocity, m/sec : 4.91
4. Sampling flow rate, Lt./min. : 20.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm<sup>3</sup>/ Hr : 1199.09

**B Results**

| S.N.   | Test Parameters         | Units              | Result | Standard Limit | Test Method              |
|--|-------------------------|--------------------|--------|----------------|--------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                         |                    |        |                |                          |
| 1  | Particulate Matter (PM) | mg/Nm <sup>3</sup> | 25.86  | 50 Max         | IS 11255 (Part-I) : 1985 |

\*\*\*End of Report\*\*\*

Kimh.  
11.03.2023  
Review by

Md. Asfak Ansari  
Sr. Manager (Env.)

- Note :
1. The results contained in this test report pertains only to the sample tested not for the whole lot.
  2. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
  3. Sample not drawn by HTH unless otherwise specified.
  4. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
  5. Samples will be destroyed after one month from the date of Issue of test report unless otherwise specified.
  6. Total liability of Haryana Test House is limited to the Invoiced amount only.
  7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



# HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

**Issued To:**

Asian Paint Ltd  
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/230311019  
ULR No. : TC781123100001919F  
Party's Ref No. : Letter No. Nil  
Booking Date : 11/03/2023  
Period of Testing : 11/03/2023 To 16/03/2023  
Reporting Date : 16/03/2023

**Sample Description** : Stack Emission (Dust Collector No. 505)  
**Type of Industry** : Paint Industry  
**Name of Plant/ Section** : Dust Collector  
**Date of sampling** : 11/03/2023  
**Source of Emission** : Stack Attached to Dust Collector No. 5  
**Instrument used** : Stack Sampler VSS1 (Sr.No. 673 DTK 09)  
**Instrument Calibration Status** : Calibrated (upto 26.12.2023)  
**Type of Chimney** : Metal  
**Type of Fuel used** : NA  
**Stack height (from the ground level)** : 8 Feet  
**Stack diameter (at the sampling point)** : 12 inch  
**Sample Location** : As Per Standard Norms  
**Purpose of sampling** : Monitoring  
**Sample collected by** : By our lab. Representative

**A Observations**

1. Stack gas temperature, °C : 36.0
2. Temperature at Metering point, °C : 24.0
3. Avg. stack gas velocity, m/sec : 5.03
4. Sampling flow rate, Lt./min. : 20.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm<sup>3</sup>/ Hr : 1224.42

**B Results**

| S.N.   | Test Parameters         | Units              | Result | Standard Limit | Test Method              |
|--|-------------------------|--------------------|--------|----------------|--------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                         |                    |        |                |                          |
| 1  | Particulate Matter (PM) | mg/Nm <sup>3</sup> | 17.59  | 50 Max         | IS 11255 (Part-I) : 1985 |

\*\*\*End of Report\*\*\*

*Kimh*  
16.03.2023  
Review by

*Kimh*  
16/03/23  
Md. Asfaq Ansari  
Sr. Manager (Env.)

Note :

1. The results contained in this test report pertain only to the sample tested not for the whole lot.
2. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
3. Sample not drawn by HTH unless otherwise specified.
4. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Total liability of Haryana Test House is limited to the invoiced amount only.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.





# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

|  |   |
|--|---|
| <b>Issued To:</b><br>Asian Paint Ltd<br>Plot No.1, Sector- 30 B, IMT Rohtak (HR) | <b>Report No.</b> : HTH/EP/230323065<br><b>ULR No.</b> : TC781123100002192F<br><b>Party's Ref No.</b> : Letter No. Nil<br><br><b>Booking Date</b> : 23/03/2023<br><b>Period of Testing</b> : 23/03/2023 To 28/03/2023<br><b>Reporting Date</b> : 28/03/2023 |
|--|---|

|   |   |
|---|---|
| <b>Sample Description</b>                     | : Stack Emission (Dust Collector No. 501) |
| <b>Type of Industry</b>                       | : Paint Industry                          |
| <b>Name of Plant/ Section</b>                 | : Dust Collector                          |
| <b>Date of sampling</b>                       | : 23/03/2023                              |
| <b>Source of Emission</b>                     | : Stack Attached to Dust Collector No. 1  |
| <b>Instrument used</b>                        | : Stack Sampler VSS1 (Sr.No. 673 DTK 09)  |
| <b>Instrument Calibration Status</b>          | : Calibrated (upto 26.12.2023)            |
| <b>Type of Chimney</b>                        | : Metal                                   |
| <b>Type of Fuel used</b>                      | : NA                                      |
| <b>Stack height (from the ground level)</b>   | : 8 Feet                                  |
| <b>Stack diameter (at the sampling point)</b> | : 12 inch                                 |
| <b>Sample Location</b>                        | : As Per Standard Norms                   |
| <b>Purpose of sampling</b>                    | : Monitoring                              |
| <b>Sample collected by</b>                    | : By our lab. Representative              |

### A Observations

|   |           |
|---|-----------|
| 1. Stack gas temperature, °C                  | : 32.0    |
| 2. Temperature at Metering point, °C          | : 28.0    |
| 3. Avg. stack gas velocity, m/sec             | : 5.22    |
| 4. Sampling flow rate, Lt./min.               | : 21.0    |
| 5. Period of sampling, Minutes                | : 30.0    |
| 6. Volumetric flow rate, Nm <sup>3</sup> / Hr | : 1287.34 |

### B Results


| S.N.   | Test Parameters         | Units              | Result | Standard Limit | Test Method              |
|--|-------------------------|--------------------|--------|----------------|--------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                         |                    |        |                |                          |
| 1  | Particulate Matter (PM) | mg/Nm <sup>3</sup> | 15.50  | 50 Max         | IS 11255 (Part-I) : 1985 |

\*\*\*End of Report\*\*\*

Kimh.  
28.03.2023  
Review by

  
Md. Asfaq Ansari  
Sr. Manager (Env.)

- Note :
1. The results contained in this test report pertains only to the sample tested not for the whole lot.
  2. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
  3. Sample not drawn by HTH unless otherwise specified.
  4. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
  5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
  6. Total liability of Haryana Test House is limited to the Invoiced amount only.
  7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

|  |   |
|--|---|
| <b>Issued To:</b><br>Asian Paint Ltd<br>Plot No.1, Sector- 30 B, IMT Rohtak (HR) | <b>Report No.</b> : HTH/EP/230323066<br><b>ULR No.</b> : TC781123100002193F<br><b>Party's Ref No.</b> : Letter No. Nil<br><b>Booking Date</b> : 23/03/2023<br><b>Period of Testing</b> : 23/03/2023 To 28/03/2023<br><b>Reporting Date</b> : 28/03/2023 |
|--|---|

|   |   |
|---|---|
| <b>Sample Description</b>                     | : Stack Emission (Dust Collector No. 502) |
| <b>Type of Industry</b>                       | : Paint Industry                          |
| <b>Name of Plant/ Section</b>                 | : Dust Collector                          |
| <b>Date of sampling</b>                       | : 23/03/2023                              |
| <b>Source of Emission</b>                     | : Stack Attached to Dust Collector No. 2  |
| <b>Instrument used</b>                        | : Stack Sampler VSS1 (Sr.No. 673 DTK 09)  |
| <b>Instrument Calibration Status</b>          | : Calibrated (upto 26.12.2023)            |
| <b>Type of Chimney</b>                        | : Metal                                   |
| <b>Type of Fuel used</b>                      | : NA                                      |
| <b>Stack height (from the ground level)</b>   | : 8 Feet                                  |
| <b>Stack diameter (at the sampling point)</b> | : 12 Inch                                 |
| <b>Sample Location</b>                        | : As Per Standard Norms                   |
| <b>Purpose of sampling</b>                    | : Monitoring                              |
| <b>Sample collected by</b>                    | : By our lab. Representative              |

### A Observations

|                                      |           |
|--------------------------------------|-----------|
| 1. Stack gas temperature, °C         | : 30.0    |
| 2. Temperature at Metering point, °C | : 27.0    |
| 3. Avg. stack gas velocity, m/sec    | : 4.75    |
| 4. Sampling flow rate, Lt./min.      | : 20.0    |
| 5. Period of sampling, Minutes       | : 30.0    |
| 6. Volumetric flow rate, Nm3/ Hr     | : 1179.16 |

### B Results

| S.N.   | Test Parameters         | Units  | Result | Standard Limit | Test Method              |
|--|-------------------------|--------|--------|----------------|--------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                         |        |        |                |                          |
| 1  | Particulate Matter (PM) | mg/Nm3 | 17.37  | 50 Max         | IS 11255 (Part-I) : 1985 |

\*\*\*End of Report\*\*\*

*Kim hn*  
28.03.2023  
Review by

Md. Asfak Ansari  
Sr. Manager (Env.)

- Note :
1. The results contained in this test report pertains only to the sample tested not for the whole lot.
  2. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
  3. Sample not drawn by HTH unless otherwise specified.
  4. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
  5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
  6. Total liability of Haryana Test House is limited to the Invoiced amount only.
  7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

|  |   |
|--|---|
| <b>Issued To:</b><br>Asian Paint Ltd<br>Plot No.1, Sector- 30 B, IMT Rohtak (HR) | <b>Report No.</b> : HTH/EP/230323067<br><b>ULR No.</b> : TC781123100002194F<br><b>Party's Ref No.</b> : Letter No. Nil<br><b>Booking Date</b> : 23/03/2023<br><b>Period of Testing</b> : 23/03/2023 To 28/03/2023<br><b>Reporting Date</b> : 28/03/2023 |
|--|---|

**Sample Description** : Stack Emission (Dust Collector No. 504)  
**Type of Industry** : Paint Industry  
**Name of Plant/ Section** : Dust Collector  
**Date of sampling** : 23/03/2023  
**Source of Emission** : Stack Attached to Dust Collector No. 4  
**Instrument used** : Stack Sampler-VSS1 (Sr.No. 673 DTK 09)  
**Instrument Calibration Status** : Calibrated (upto 26.12.2023)  
**Type of Chimney** : Metal  
**Type of Fuel used** : NA  
**Stack height (from the ground level)** : 8 Feet  
**Stack diameter (at the sampling point)** : 12 inch  
**Sample Location** : As Per Standard Norms  
**Purpose of sampling** : Monitoring  
**Sample collected by** : By our lab. Representative

### A Observations

- Stack gas temperature, °C : 29.0
- Temperature at Metering point, °C : 26.0
- Avg. stack gas velocity, m/sec : 5.09
- Sampling flow rate, Lt./min. : 21.0
- Period of sampling, Minutes : 30.0
- Volumetric flow rate, Nm<sup>3</sup>/ Hr : 1267.75

### B Results

| S.N.   | Test Parameters         | Units              | Result | Standard Limit | Test Method              |
|--|-------------------------|--------------------|--------|----------------|--------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                         |                    |        |                |                          |
| 1  | Particulate Matter (PM) | mg/Nm <sup>3</sup> | 19.83  | 50 Max         | IS 11255 (Part-1) : 1985 |

\*\*\*End of Report\*\*\*

Kimh  
 28.03.2023  
 Review by

Md. Asif Ansari  
 Sr. Manager (Env.)

- Note :
- The results contained in this test report pertains only to the sample tested not for the whole lot.
  - Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
  - Sample not drawn by HTH unless otherwise specified.
  - This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
  - Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
  - Total liability of Haryana Test House is limited to the invoiced amount only.
  - The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

|  |   |
|--|---|
| <b>Issued To:</b><br><b>Asian Paint Ltd</b><br><b>Plot No.1, Sector- 30 B, IMT Rohtak (HR)</b> | <b>Report No.</b> : HTH/EP/230323068<br><b>ULR No.</b> : TC781123100002195F<br><b>Party's Ref No.</b> : Letter No. Nil<br><b>Booking Date</b> : 23/03/2023<br><b>Period of Testing</b> : 23/03/2023 To 28/03/2023<br><b>Reporting Date</b> : 28/03/2023 |
|--|---|

|   |   |
|---|---|
| <b>Sample Description</b>                     | : Stack Emission (Dust Collector No. 505) |
| <b>Type of Industry</b>                       | : Paint Industry                          |
| <b>Name of Plant/ Section</b>                 | : Dust Collector                          |
| <b>Date of sampling</b>                       | : 23/03/2023                              |
| <b>Source of Emission</b>                     | : Stack Attached to Dust Collector No. 5  |
| <b>Instrument used</b>                        | : Stack Sampler VSS1 (Sr.No. 673 DTK 09)  |
| <b>Instrument Calibration Status</b>          | : Calibrated (upto 26.12.2023)            |
| <b>Type of Chimney</b>                        | : Metal                                   |
| <b>Type of Fuel used</b>                      | : NA                                      |
| <b>Stack height (from the ground level)</b>   | : 8 Feet                                  |
| <b>Stack diameter (at the sampling point)</b> | : 12 inch                                 |
| <b>Sample Location</b>                        | : As Per Standard Norms                   |
| <b>Purpose of sampling</b>                    | : Monitoring                              |
| <b>Sample collected by</b>                    | : By our lab. Representative              |

**A Observations**

|   |           |
|---|-----------|
| 1. Stack gas temperature, °C                  | : 31.0    |
| 2. Temperature at Metering point, °C          | : 27.0    |
| 3. Avg. stack gas velocity, m/sec             | : 5.73    |
| 4. Sampling flow rate, Lt./min.               | : 23.0    |
| 5. Period of sampling, Minutes                | : 30.0    |
| 6. Volumetric flow rate, Nm <sup>3</sup> / Hr | : 1417.76 |

### B Results

| S.N. Test Parameters                                      | Units              | Result | Standard Limit | Test Method              |
|---|--------------------|--------|----------------|--------------------------|
| <b>Discipline: Chemical, Group: Atmospheric Pollution</b> |                    |        |                |                          |
| 1 Particulate Matter (PM)                                 | mg/Nm <sup>3</sup> | 15.15  | 50 Max         | IS 11255 (Part-I) : 1985 |

\*\*\*End of Report\*\*\*

*Kimh*  
28-03-2023

Review by

Md. Asfak Ansari  
Sr. Manager (Env.)

Note :

- The results contained in this test report pertains only to the sample tested not for the whole lot.
- Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
- Sample not drawn by HTH unless otherwise specified.
- This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
- Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
- Total liability of Haryana Test House is limited to the Invoiced amount only.
- The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

|  |  |
|--|--|
| <b>Issued To:</b><br>Asian Paint Ltd<br>Plot No.1, Sector- 30 B, IMT Rohtak (HR) | <b>Report No. :</b> HTH/EP/230323071<br><b>ULR No. :</b> TC781123100002211F<br><b>Party's Ref No. :</b> Nil<br><br><b>Booking Date :</b> 23/03/2023<br><b>Period of Testing :</b> 23/03/2023 To 29/03/2023<br><b>Reporting Date :</b> 29/03/2023 |
|--|--|

|   |  |
|---|--|
| <b>Sample Description</b>                     | : Stack Emission (GG 2000 KVA, CDCR 504)   |
| <b>Type of Industry</b>                       | : Paint Industry                           |
| <b>Name of Plant/ Section</b>                 | : GG Section                               |
| <b>Date of sampling</b>                       | : 23/03/2023                               |
| <b>Capacity of DG</b>                         | : 2000 KVA (GG CDCR 504)                   |
| <b>Source of Emission</b>                     | : Stack Attached to GG                     |
| <b>Instrument used</b>                        | : Stack Sampler VSS1 (Sr.No. 247 DTK 2019) |
| <b>Instrument Calibration Status</b>          | : Calibrated (upto 26.12.2023)             |
| <b>Type of stack</b>                          | : Metal                                    |
| <b>Type of Fuel used</b>                      | : PNG                                      |
| <b>Stack height (from the ground level)</b>   | : 30 meter                                 |
| <b>Stack diameter (at the sampling point)</b> | : 0.45 meter                               |
| <b>Sample Location</b>                        | : As per standard norms                    |
| <b>Purpose of sampling</b>                    | : Monitoring                               |
| <b>Sample collected by</b>                    | : By our Lab. Representative               |

### A Observations

- Stack gas temperature, °C : 260.0
- Temperature at Metering point, °C : 28.0
- Avg. stack gas velocity, m/sec : 16.36
- Sampling flow rate, Lt./min. : 17.0
- Period of sampling, Minutes : 30.0
- Volumetric flow rate, Nm<sup>3</sup>/ Hr : 5101.32

### B Results

| S.N.   | Test Parameters                      | Units              | Result       | Standard Limit | Test Method                   |
|--|--------------------------------------|--------------------|--------------|----------------|-------------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                                      |                    |              |                |                               |
| 1  | Particulate Matter (PM)              | mg/Nm <sup>3</sup> | 20.81        | 50 Max         | IS 11255 (Part-I) : 1985      |
| 2  | Nitrogen Dioxide (NO <sub>2</sub> )  | mg/Nm <sup>3</sup> | 202.95       | 650 Max        | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 3  | Sulphur Dioxide (SO <sub>2</sub> )   | mg/Nm <sup>3</sup> | BLQ(LOQ:3.0) | -              | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 4  | Carbon Monoxide (CO)                 | mg/Nm <sup>3</sup> | 40.35        | 100 Max        | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 5  | Oxygen (O <sub>2</sub> )             | %                  | 7.50         | -              | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 6  | Total Non-Methyl Hydro Carbon (NMHC) | mg/Nm <sup>3</sup> | 25.90        | 100 Max        | IS 13270 : 1992               |

\*\*\*End of Report\*\*\*

Remarks : PM, NO<sub>2</sub> & CO value Corrected @ 15 % O<sub>2</sub>

Standard Limit as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021 Dated; 14.09.2022

*Kimh*  
29.03.2023  
Review by



Md. Asfak Ansari  
Sr. Manager (Env.)

Note :

- The results contained in this test report pertain only to the sample tested not for the whole lot.
- Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
- Sample not drawn by HTH unless otherwise specified.
- This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
- Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
- Total liability of Haryana Test House is limited to the invoiced amount only.
- The delays received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

### Issued To:

Aslan Paint Ltd  
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/230323070  
ULR No. : TC781123100002210F  
Party's Ref No. : Nil  
Booking Date : 23/03/2023  
Period of Testing : 23/03/2023 To 29/03/2023  
Reporting Date : 29/03/2023

Sample Description : Stack Emission (GG 2000 KVA, CDCR 501)  
Type of Industry : Paint Industry  
Name of Plant/ Section : GG Section  
Date of sampling : 23/03/2023  
Capacity of DG : 2000 KVA (GG CDCR 501)  
Source of Emission : Stack Attached to GG  
Instrument used : Stack Sampler VSS1 (Sr.No. 247 DTK 2019)  
Instrument Calibration Status : Calibrated (upto 26.12.2023)  
Type of stack : Metal  
Type of Fuel used : PNG  
Stack height (from the ground level) : 30 meter  
Stack diameter (at the sampling point) : 0.45 meter  
Sample Location : As per standard norms  
Purpose of sampling : Monitoring  
Sample collected by : By our Lab. Representative

### A Observations

1. Stack gas temperature, °C : 235.0
2. Temperature at Metering point, °C : 28.0
3. Avg. stack gas velocity, m/sec : 15.72
4. Sampling flow rate, Lt./min. : 18.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm<sup>3</sup>/ Hr : 5142.99

### B Results

| S.N.   | Test Parameters                      | Units              | Result       | Standard Limit | Test Method                   |
|--|--------------------------------------|--------------------|--------------|----------------|-------------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                                      |                    |              |                |                               |
| 1  | Particulate Matter (PM)              | mg/Nm <sup>3</sup> | 17.83        | 50 Max         | IS 11255 (Part-I) : 1985      |
| 2  | Nitrogen Dioxide (NO <sub>2</sub> )  | mg/Nm <sup>3</sup> | 201.97       | 650 Max        | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 3  | Sulphur Dioxide (SO <sub>2</sub> )   | mg/Nm <sup>3</sup> | BLQ(LOQ:3.0) | -              | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 4  | Carbon Monoxide (CO)                 | mg/Nm <sup>3</sup> | 43.20        | 100 Max        | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 5  | Oxygen (O <sub>2</sub> )             | %                  | 7.60         | -              | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 6  | Total Non-Methyl Hydro Carbon (NMHC) | mg/Nm <sup>3</sup> | 26.10        | 100 Max        | IS 13270 : 1992               |

\*\*\*End of Report\*\*\*

Remarks : PM, NO<sub>2</sub> & CO value Corrected @ 15 % O<sub>2</sub>

Standard Limit as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021 Dated; 14.09.2022

*Kim h*  
23.03.2023  
Review by

Note :

1. The results contained in this test report pertain only to the sample tested not for the whole lot.
2. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
3. Sample not drawn by HTH unless otherwise specified.
4. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Total liability of Haryana Test House is limited to the involved amount only.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

*Md. Asfaq Ansari*  
29/03/23  
Sr. Manager (Env.)



# HARYANA TEST HOUSE

## & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

**Issued To:**

Asian Paint Ltd  
Plot No.1, Sector- 30 B, IMT Rohtak (HR)

Report No. : HTH/EP/230323069  
ULR No. : TC781123100002196F  
Party's Ref No. : Nil  
Booking Date : 23/03/2023  
Period of Testing : 23/03/2023 To 28/03/2023  
Reporting Date : 28/03/2023

Sample Description : Stack Emission (Boiler, 2 TPH)  
Type of Industry : Paint Industry  
Name of Plant/ Section : Boiler Section  
Date of sampling : 23/03/2023  
Capacity of Boiler : 2 TPH  
Source of Emission : Stack Attached to Boiler No. 501  
Instrument used : Stack Sampler-APM-160 (Sr.No.-88-DTL-2016)  
Instrument Calibration Status : Calibrated (upto 26.12.2023)  
Type of stack : Metal  
Type of Fuel used : LPG  
Stack height (from the ground level) : 30 meter  
Stack diameter (at the sampling point) : 0.83 meter  
Sample Location : As per standard norms  
Purpose of sampling : Monitoring  
Sample collected by : By our Lab. Representative  
Type of APCM : NS

**A Observations**

1. Stack gas temperature, °C : 129.0
2. Temperature at Metering point, °C : 28.0
3. Avg. stack gas velocity, m/sec : 6.69
4. Sampling flow rate, Lt./min. : 21.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm<sup>3</sup>/ Hr : 9282.16

**B Results**

| S.N.   | Test Parameters                     | Units              | Result       | Standard Limit | Test Method                   |
|--|-------------------------------------|--------------------|--------------|----------------|-------------------------------|
| Discipline: Chemical, Group: Atmospheric Pollution |                                     |                    |              |                |                               |
| 1  | Particulate Matter (PM)             | mg/Nm <sup>3</sup> | 16.48        | -              | IS 11255 (Part-I) : 1985      |
| 2  | Sulphur Dioxide (SO <sub>2</sub> )  | mg/Nm <sup>3</sup> | BLQ(LOQ:3.0) | -              | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 3  | Nitrogen Dioxide (NO <sub>2</sub> ) | mg/Nm <sup>3</sup> | 22.58        | -              | HTH/QF/7.2/2/CH-02, SOP No-23 |
| 4  | Carbon Dioxide (CO <sub>2</sub> )   | % v/v              | 8.50         | -              | HTH/QF/7.2/2/CH-02, SOP No-23 |

\*\*\*End of Report\*\*\*

Remarks : Particulate Matter Corrected @ 12 % Carbon Dioxide (CO<sub>2</sub>)

*Kim*  
28.03.2023  
Review by



Md. Asraf Ansari  
Sr. Manager (Env.)

Note :

1. The results contained in this test report pertains only to the sample tested not for the whole lot.
2. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
3. Sample not drawn by HTH unless otherwise specified.
4. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Total liability of Haryana Test House is limited to the Invoiced amount only.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.




## Test Report


|   |   |                      |                      |               |
|---|---|----------------------|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No. I, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170711<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190861<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |                      |               |
| <b>Test Report as per :</b>   | : OSHA Standard   |                      |                      |               |
| <b>Sampling Information :</b>   |   |                      |                      |               |
| <b>Location of Sampling Point</b>   | : Scrap Yard ( Pail Cutting Section)  |                      |                      |               |
| <b>Date of Monitoring</b>   | : 12-10-2022  |                      |                      |               |
| <b>Time of Monitoring</b>   | : 11:00 hrs   |                      |                      |               |
| <b>Purpose of Monitoring</b>  | : For Self Monitoring   |                      |                      |               |
| <b>Duration of Monitoring,minutes</b>   | : 480   |                      |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>  | : 1.0   |                      |                      |               |
| <b>Volume of Air Sampled, Ltr</b>   | : 461.46  |                      |                      |               |
| <b>Avg. Ambient Temperature,°C</b>  | : 28  |                      |                      |               |
| <b>Description</b>  |   |                      |                      |               |
| <b>Description</b>  | Work Zone Air Quality Monitoring  |                      |                      |               |
| <b>S.No.</b>  | <b>Parameters</b>   | <b>Method</b>        | <b>Specification</b> | <b>Result</b> |
|   | <b>Discipline : Chemical</b>  |                      |                      |               |
|   | <b>Group : Atmospheric Pollution</b>  |                      |                      |               |
| <b>1.</b>   | <b>General Parameters</b>   |                      |                      |               |
| a.  | Respirable Suspended Particulate Matter,mg/m3   | NIOSH Method No.0600 | Max. 5 (OSHA)        | 0.043         |

# represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

REMARKS :N/A

  
Sourabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
Prem Kumar  
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itelabs.com  
Visit us: www.itelabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.





# Interstellar Testing Centre Pvt. Ltd.

Page 2 of 2

Document QF : 2501

## Test Report

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170711 |
|  | <b>Sample Reg. Date</b> :17-10-2022    |
|  | <b>Report Date</b> :19-10-2022         |
|  | <b>Report No.</b> :ICE-2210190861      |
|  | <b>Customer Ref. No.:</b> PO           |
|  | <b>Letter Dated</b> :18.04.2022        |

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |   |                      |                      |               |
|--|---|----------------------|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170712<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190862<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |                      |               |
| <b>Test Report as per :</b>  | : OSHA Standard   |                      |                      |               |
| <b>Sampling Information :</b>  |   |                      |                      |               |
| <b>Location of Sampling Point</b>  | : FGG (Dispatch Area)   |                      |                      |               |
| <b>Date of Monitoring</b>  | : 12-10-2022  |                      |                      |               |
| <b>Time of Monitoring</b>  | : 11:30 hrs   |                      |                      |               |
| <b>Purpose of Monitoring</b>   | : For Self Monitoring   |                      |                      |               |
| <b>Duration of Monitoring,minutes</b>  | : 480   |                      |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   | : 1.0   |                      |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  | : 461.46  |                      |                      |               |
| <b>Avg. Ambient Temperature,°C</b>   | : 28  |                      |                      |               |
| <b>Description</b>   |   |                      |                      |               |
| <b>Description</b>   | Work Zone Air Quality Monitoring  |                      |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>   | <b>Method</b>        | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>  |                      |                      |               |
|  | <b>Group : Atmospheric Pollution</b>  |                      |                      |               |
| 1.   | <b>General Parameters</b>   |                      |                      |               |
| a.   | Respirable Suspended Particulate Matter,mg/m3   | NIOSH Method No.0600 | Max. 5 (OSHA)        | 0.046         |

# represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

REMARKS :N/A

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-1,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

**Disclaimer:**

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



# Interstellar Testing Centre Pvt. Ltd.


Page 2 of 2

Document QF : 2501

## Test Report

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170712 |
|  | <b>Sample Reg. Date</b> :17-10-2022    |
|  | <b>Report Date</b> :19-10-2022         |
|  | <b>Report No.</b> :ICE-2210190862      |
|  | <b>Customer Ref. No.:</b> PO           |
|  | <b>Letter Dated</b> :18.04.2022        |

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
{Authorized Signatory}

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-1,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.




## Test Report


|  |   |                      |                      |               |
|--|---|----------------------|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170713<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190863<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |                      |               |
| <b>Test Report as per :</b>  | : OSHA Standard   |                      |                      |               |
| <b>Sampling Information :</b>  |   |                      |                      |               |
| <b>Location of Sampling Point</b>  | : Polymer 2nd Floor Catalytic Charging Area   |                      |                      |               |
| <b>Date of Monitoring</b>  | : 12-10-2022  |                      |                      |               |
| <b>Time of Monitoring</b>  | : 10:50 hrs   |                      |                      |               |
| <b>Purpose of Monitoring</b>   | : For Self Monitoring   |                      |                      |               |
| <b>Duration of Monitoring,minutes</b>  | : 480   |                      |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   | : 1.0   |                      |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  | : 461.46  |                      |                      |               |
| <b>Avg. Ambient Temperature, °C</b>  | : 28  |                      |                      |               |
| <b>Description</b>   | Work Zone Air Quality Monitoring  |                      |                      |               |
| <b>Description</b>   |   |                      |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>   | <b>Method</b>        | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>  |                      |                      |               |
|  | <b>Group : Atmospheric Pollution</b>  |                      |                      |               |
| 1.   | <b>General Parameters</b>   |                      |                      |               |
| a.   | Respirable Suspended Particulate Matter,mg/m3   | NIOSH Method No.0600 | Max. 5 (OSHA)        | 0.048         |

# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

**REMARKS :** N/A

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
Prem Kumar  
{Authorized Signatory}

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825.  
E-mail : customerupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



# Interstellar Testing Centre Pvt. Ltd.


Page 2 of 2

Document QF : 2501

## Test Report

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170713 |
|  | <b>Sample Reg. Date</b> :17-10-2022    |
|  | <b>Report Date</b> :19-10-2022         |
|  | <b>Report No.</b> :ICE-2210190863      |
|  | <b>Customer Ref. No.</b> :PO           |
|  | <b>Letter Dated</b> :18.04.2022        |

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
Prem Kumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |   |   |                      |               |
|--|---|---|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak |   | <b>Sample Reg. No.</b> :E01-2210170714<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190864<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |               |
| <b>Test Report as per :</b>  |   | : OSHA Standard   |                      |               |
| <b>Sampling Information :</b>  |   |   |                      |               |
| <b>Location of Sampling Point</b>  |   | : PMG (Denester Area)   |                      |               |
| <b>Date of Monitoring</b>  |   | : 12-10-2022  |                      |               |
| <b>Time of Monitoring</b>  |   | : 11:40 hrs   |                      |               |
| <b>Purpose of Monitoring</b>   |   | : For Self Monitoring   |                      |               |
| <b>Duration of Monitoring,minutes</b>  |   | : 480   |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   |   | : 1.0   |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  |   | : 461.46  |                      |               |
| <b>Avg. Ambient Temperature,°C</b>   |   | : 28  |                      |               |
| <b>Description</b>   |   | Work Zone Air Quality Monitoring  |                      |               |
| <b>Description</b>   |   |   |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>                             | <b>Method</b>   | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>                  |   |                      |               |
|  | <b>Group : Atmospheric Pollution</b>          |   |                      |               |
| 1.   | <b>General Parameters</b>                     |   |                      |               |
| a.   | Respirable Suspended Particulate Matter,mg/m3 | NIOSH Method No.0600  | Max. 5 (OSHA)        | 0.052         |

# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

**REMARKS :**N/A

*Saurabh*  
Saurabh Sharma  
19-10-2022  
Reviewer

*Prem Kumar*  
19-10-2022  
Prem Kumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825.  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:


1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.




## Test Report

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170714 |
|  | <b>Sample Reg. Date</b> :17-10-2022    |
|  | <b>Report Date</b> :19-10-2022         |
|  | <b>Report No.</b> :ICE-2210190864      |
|  | <b>Customer Ref. No.:</b> PO           |
|  | <b>Letter Dated</b> :18.04.2022        |

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
Prem Kumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |   |                      |                      |               |
|--|---|----------------------|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170715<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190865<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |                      |               |
| <b>Test Report as per :</b>  | : OSHA Standard   |                      |                      |               |
| <b>Sampling Information :</b>  |   |                      |                      |               |
| <b>Location of Sampling Point</b>  | : WBP (Old Block)   |                      |                      |               |
| <b>Date of Monitoring</b>  | : 12-10-2022  |                      |                      |               |
| <b>Time of Monitoring</b>  | : 12:00 hrs   |                      |                      |               |
| <b>Purpose of Monitoring</b>   | : For Self Monitoring   |                      |                      |               |
| <b>Duration of Monitoring, minutes</b>   | : 480   |                      |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   | : 1.0   |                      |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  | : 461.46  |                      |                      |               |
| <b>Avg. Ambient Temperature, °C</b>  | : 28  |                      |                      |               |
| <b>Description</b>   | Work Zone Air Quality Monitoring  |                      |                      |               |
| <b>Description</b>   |   |                      |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>   | <b>Method</b>        | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>  |                      |                      |               |
|  | <b>Group : Atmospheric Pollution</b>  |                      |                      |               |
| 1.   | <b>General Parameters</b>   |                      |                      |               |
| a.   | Respirable Suspended Particulate Matter,mg/m <sup>3</sup>   | NIOSH Method No.0600 | Max. 5 (OSHA)        | 0.059         |

# represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

REMARKS :N/A

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes
7. Legal disputes are subjected to Panchkula Jurisdiction only.





## Test Report

|   |                                 |
|---|---------------------------------|
| Issued To<br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | Sample Reg. No. :E01-2210170715 |
|   | Sample Reg. Date :17-10-2022    |
|   | Report Date :19-10-2022         |
|   | Report No. :ICE-2210190865      |
|   | Customer Ref. No.:PO            |
| Letter Dated :18.04.2022  |                                 |

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
Prem Kumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2563825.  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |   |                             |                      |               |
|--|---|-----------------------------|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170716<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190866<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                             |                      |               |
| <b>Test Report as per :</b>  | : OSHA Standard   |                             |                      |               |
| <b>Sampling Information :</b>  |   |                             |                      |               |
| <b>Location of Sampling Point</b>  | : RMG (Forklift Area)   |                             |                      |               |
| <b>Date of Monitoring</b>  | : 12-10-2022  |                             |                      |               |
| <b>Time of Monitoring</b>  | : 10:00 hrs   |                             |                      |               |
| <b>Purpose of Monitoring</b>   | : For Self Monitoring   |                             |                      |               |
| <b>Duration of Monitoring,minutes</b>  | : 480   |                             |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   | : 1.0   |                             |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  | : 454.69  |                             |                      |               |
| <b>Avg. Ambient Temperature, °C</b>  | : 30  |                             |                      |               |
| <b>Description</b>   | Work Zone Air Quality Monitoring  |                             |                      |               |
| <b>Description</b>   |   |                             |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>   | <b>Method</b>               | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>  |                             |                      |               |
|  | <b>Group : Atmospheric Pollution</b>  |                             |                      |               |
| <b>I.</b>  | <b>General Parameters</b>   |                             |                      |               |
| <b>a.</b>  | <b>Respirable Suspended Particulate Matter,mg/m<sup>3</sup></b>   | <b>NIOSH Method No.0600</b> | <b>Max. 5 (OSHA)</b> | <b>0.054</b>  |

\*# represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

REMARKS :N/A

*Saurabh*  
Saurabh Sharma  
19-10-2022  
Reviewer

*PremKumar*  
19-10-2022  
PremKumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

**Disclaimer:**

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170716 |
|  | <b>Sample Reg. Date</b> :17-10-2022    |
|  | <b>Report Date</b> :19-10-2022         |
|  | <b>Report No.</b> :ICE-2210190866      |
|  | <b>Customer Ref. No.</b> :PO           |
|  | <b>Letter Dated</b> :18.04.2022        |

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825.  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.




## Test Report


|  |   |                      |                      |               |
|--|---|----------------------|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170717<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190867<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |                      |               |
| <b>Test Report as per :</b>  | : OSHA Standard   |                      |                      |               |
| <b>Sampling Information :</b>  |   |                      |                      |               |
| <b>Location of Sampling Point</b>  | : WBP (New Block TSD Area)  |                      |                      |               |
| <b>Date of Monitoring</b>  | : 12-10-2022  |                      |                      |               |
| <b>Time of Monitoring</b>  | : 10:20 hrs   |                      |                      |               |
| <b>Purpose of Monitoring</b>   | : For Self Monitoring   |                      |                      |               |
| <b>Duration of Monitoring,minutes</b>  | : 480   |                      |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   | : 1.0   |                      |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  | : 454.69  |                      |                      |               |
| <b>Avg. Ambient Temperature,°C</b>   | : 30  |                      |                      |               |
| <b>Description</b>   |   |                      |                      |               |
| Description  | Work Zone Air Quality Monitoring  |                      |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>   | <b>Method</b>        | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>  |                      |                      |               |
|  | <b>Group : Atmospheric Pollution</b>  |                      |                      |               |
| <b>1.</b>  | <b>General Parameters</b>   |                      |                      |               |
| a.   | Respirable Suspended Particulate Matter,mg/m3   | NIOSH Method No.0600 | Max. 5 (OSHA)        | 0.048         |

\*# represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

REMARKS :N/A

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.  
36, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170717 |
|  | <b>Sample Reg. Date</b> :17-10-2022    |
|  | <b>Report Date</b> :19-10-2022         |
|  | <b>Report No.</b> :ICE-2210190867      |
|  | <b>Customer Ref. No.:</b> PO           |
|  | <b>Letter Dated</b> :18.04.2022        |

\*\*\*\*\*End Of Report\*\*\*\*\*

*Saurabh*

Saurabh Sharma  
19-10-2022  
Reviewer

*Prem Kumar*

19-10-2022  
PremKumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.




## Test Report

|  |  |   |                      |               |
|--|--|---|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak |  | <b>Sample Reg. No.</b> :E01-2210170718<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190868<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |               |
| <b>Test Report as per :</b>  |  | : OSHA Standard   |                      |               |
| <b>Sampling Information :</b>  |  |   |                      |               |
| <b>Location of Sampling Point</b>  |  | : RMG (FIBC Area)   |                      |               |
| <b>Date of Monitoring</b>  |  | : 12-10-2022  |                      |               |
| <b>Time of Monitoring</b>  |  | : 10:00 hrs   |                      |               |
| <b>Purpose of Monitoring</b>   |  | : For Self Monitoring   |                      |               |
| <b>Duration of Monitoring,minutes</b>  |  | : 480   |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   |  | : 1.0   |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  |  | : 454.69  |                      |               |
| <b>Avg. Ambient Temperature,°C</b>   |  | : 30  |                      |               |
| <b>Description</b>   |  | Work Zone Air Quality Monitoring  |                      |               |
| <b>Description</b>   |  |   |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>                                    | <b>Method</b>   | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>                         |   |                      |               |
|  | <b>Group : Atmospheric Pollution</b>                 |   |                      |               |
| <b>1.</b>  | <b>General Parameters</b>                            |   |                      |               |
| <b>a.</b>  | <b>Respirable Suspended Particulate Matter,mg/m3</b> | <b>NIOSH Method No.0600</b>   | <b>Max. 5 (OSHA)</b> | <b>0.053</b>  |

# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

**REMARKS :** N/A

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
Prem Kumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



# Interstellar Testing Centre Pvt. Ltd.


Page 2 of 2


Document QF : 2501

## Test Report

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170718<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190868<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |
|--|---|

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |   |                      |                      |               |
|--|---|----------------------|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170719<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190869<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |                      |               |
| <b>Test Report as per :</b>  | : OSHA Standard   |                      |                      |               |
| <b>Sampling Information :</b>  |   |                      |                      |               |
| <b>Location of Sampling Point</b>  | : RMG (Bag Folding Area)  |                      |                      |               |
| <b>Date of Monitoring</b>  | : 12-10-2022  |                      |                      |               |
| <b>Time of Monitoring</b>  | : 10:30 hrs   |                      |                      |               |
| <b>Purpose of Monitoring</b>   | : For Self Monitoring   |                      |                      |               |
| <b>Duration of Monitoring,minutes</b>  | : 480   |                      |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   | : 1.0   |                      |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  | : 454.69  |                      |                      |               |
| <b>Avg. Ambient Temperature,°C</b>   | : 30  |                      |                      |               |
| <b>Description</b>   | Work Zone Air Quality Monitoring  |                      |                      |               |
| <b>Description</b>   |   |                      |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>   | <b>Method</b>        | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>  |                      |                      |               |
|  | <b>Group : Atmospheric Pollution</b>  |                      |                      |               |
| 1.   | <b>General Parameters</b>   |                      |                      |               |
| a.   | Respirable Suspended Particulate Matter,mg/m3   | NIOSH Method No.0600 | Max. 5 (OSHA)        | 0.052         |

\*# represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

REMARKS :N/A

*Saurabh*  
Saurabh Sharma  
19-10-2022  
Reviewer

*PremKumar*  
19-10-2022  
PremKumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itelabs.com  
Visit us : www.itelabs.com

**Disclaimer:**

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.





## Test Report

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170719<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190869<br><b>Customer Ref. No.</b> :PO<br><b>Letter Dated</b> :18.04.2022 |
|--|---|

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of TTC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & return as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.




## Test Report

|  |   |   |                      |               |
|--|---|---|----------------------|---------------|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak |   | <b>Sample Reg. No.</b> :E01-2210170720<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190870<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |                      |               |
| <b>Test Report as per :</b>  |   | : OSHA Standard   |                      |               |
| <b>Sampling Information :</b>  |   |   |                      |               |
| <b>Location of Sampling Point</b>  |   | : RMG (Unloading Area)  |                      |               |
| <b>Date of Monitoring</b>  |   | : 12-10-2022  |                      |               |
| <b>Time of Monitoring</b>  |   | : 10:00 hrs   |                      |               |
| <b>Purpose of Monitoring</b>   |   | : For Self Monitoring   |                      |               |
| <b>Duration of Monitoring,minutes</b>  |   | : 480   |                      |               |
| <b>Avg. Flow Rate of Sampling, LPM</b>   |   | : 1.0   |                      |               |
| <b>Volume of Air Sampled, Ltr</b>  |   | : 454.69  |                      |               |
| <b>Avg. Ambient Temperature,°C</b>   |   | : 30  |                      |               |
| <b>Description</b>   |   | Work Zone Air Quality Monitoring  |                      |               |
| <b>Description</b>   |   |   |                      |               |
| <b>S.No.</b>   | <b>Parameters</b>                             | <b>Method</b>   | <b>Specification</b> | <b>Result</b> |
|  | <b>Discipline : Chemical</b>                  |   |                      |               |
|  | <b>Group : Atmospheric Pollution</b>          |   |                      |               |
| <b>I.</b>  | <b>General Parameters</b>                     |   |                      |               |
| <b>a.</b>  | Respirable Suspended Particulate Matter,mg/m3 | NIOSH Method No.0600  | Max. 5 (OSHA)        | 0.047         |

\*W represents Customer Defined Fields

**NOTE :** NA- Not Applicable, Requirements as per OSHA, Sampling Procedure - SOP/ITC/EW/056

**REMARKS :**N/A

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



# Interstellar Testing Centre Pvt. Ltd.


Page 2 of 2

Document QF : 2501

## Test Report

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2210170720<br><b>Sample Reg. Date</b> :17-10-2022<br><b>Report Date</b> :19-10-2022<br><b>Report No.</b> :ICE-2210190870<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |
|--|---|

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
19-10-2022  
Reviewer

  
19-10-2022  
PremKumar  
[Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**  
86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
E-mail : customersupport@itclabs.com  
Visit us: www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If samples not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purposes.
7. Legal disputes are subjected to Panchkula Jurisdiction only.

---

# Annexure –III

Renewal  
**Certificate**

A Luthra Group company  
**GUJARAT ENVIRO PROTECTION  
& INFRASTRUCTURE (HARYANA) Pvt.Ltd.**  
CIN - U29197MH2005PTC262236  
Near Pali-Mohabatbad Stone Crusher Zone,  
Pali, Faridabad - 121004  
Tel. : +91 129-4004954, +91 9711890001  
e-mail : haryana@luthraindia.com



**To whomsoever it may concern**  
This is to certify that

**Certificate No : 4100003976**

**ASIAN PAINTS LTD**

**PLOT NO - 01, SECTOR-30B,  
IMT, VILLAGE - KHERISADH,  
ROHTAK  
Haryana**

is a valid member of

**Gujarat Enviro-Protection And Infrastructure (Haryana) Pvt Limited**

for Integrated Common Hazardous Waste Management Facility.

This membership is valid for a period of  
**5 Years**

For, Gujarat Enviro-Protection And Infrastructure (Haryana)  
Pvt Limited

Date of issue : 15.03.2021  
Date of expiration : 14.03.2026  
Place of issue : SURAT

Director/Authorised signatory

**Waste Information**

| SrNo | Type Of Waste                         | Sign Qty(TPA) | SrNo | Type Of Waste                   | Sign Qty(TPA)  |
|------|---------------------------------------|---------------|------|---------------------------------|----------------|
| 1    | CHEMICAL RESIDUE FROM DECONTAMINATION | 10.000        | 2    | CHEMICAL SLUDGE.                | 225.000        |
| 3    | DISCARDED LINER CONTAINERS.           | 25.000        | 4    | FILTER CONTAMINATED WITH OIL.   | 10.000         |
| 5    | OIL & GREASE SKIMMING RESIDU.         | 5.000         | 6    | OIL CONTAMINATED WITH WW SLUDGE | 10.000         |
| 7    | PROCESS WASTE.                        | 125.000       | 8    | SPENT CARBON.                   | 5.000          |
| 9    | WASTE RESIDUE.                        | 80.000        | 10   | WASTE SOLVENT.                  | 30.000         |
|      |                                       |               |      | <b>Total Sign Qty (TPA)</b>     | <b>525.000</b> |

**SUBJECT TO FARIDABAD JURISDICTION**

---

# Annexure –IV



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadb,<br>Rohtak (Haryana) - 24001 India.. |                   | <b>SUBJECT :</b> WORK ZONE NOISE MONITORING<br><b>PRINCIPLE &amp; METHODS:</b> Based on EPA: dB eq.<br><b>INSTRUMENTS :</b> Noise Level Meter N 700543/SL-4012 |  |
|---|-------------------|--|--|
| <b>Sample Details :</b> Noise<br><b>Sample Reference:</b> EIL/APL-R/01/23/WN - 1-15                                   |                   | <b>Sample Collection Date:</b> 5,6,7/01/23<br><b>Sample Reporting Date:</b> 20/01/23   |  |
| Sampling Station  | Monitoring Report | Prescribed Standard As per<br>Factories Act 1948<br>(For 8 hrs working in dB)  |  |
| PMG Crane 2 Front Side  | 68                | 90   |  |
| PMG Line No. 301  | 67                | 90   |  |
| PMG Line No. 331  | 69                | 90   |  |
| PMG Reject line 1-51-10   | 73                | 90   |  |
| RMG BLR 1210  | 74                | 90   |  |
| RMG BLR 246   | 80                | 90   |  |
| RMG BLR 168   | 73                | 90   |  |
| RMG FIBC-C  | 71                | 90   |  |
| RMG FIBC-G  | 70                | 90   |  |
| Polymer PET 418   | 68                | 90   |  |
| Polymer Near UCRA Pump  | 80                | 90   |  |
| Polymer PET 414   | 62                | 90   |  |
| Polymer Reactor 404   | 68                | 90   |  |
| ETP Near Blower No.1  | 70                | 90   |  |
| ETP Near Chemical Storage Rack No.02  | 69                | 90   |  |

Checked By  
R.P. Marwah

Analyst/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 308  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. |                   | <b>SUBJECT :</b> WORK ZONE NOISE MONITORING<br><b>PRINCIPLE &amp; METHODS:</b> Based on EPA: dB eq.<br><b>INSTRUMENTS :</b> Noise Level Meter N 700543/SL-4012 |  |
|---|-------------------|--|--|
| <b>Sample Details :</b> Noise<br><b>Sample Reference:</b> EIL/APL-R/01/23/WN - 16-31                                  |                   | <b>Sample Collection Date:</b> 5,6,7/01/23<br><b>Sample Reporting Date:</b> 20/01/23   |  |
| Sampling Station  | Monitoring Report | Prescribed Standard As per<br>Factories Act 1948<br>(For 8 hrs working in dB)  |  |
| Utility Chiller Area R 501  | 80                | 90   |  |
| Utility Chiller Area Compressor R 503   | 83                | 90   |  |
| Utility DG/Boiler Area R 503  | 77                | 90   |  |
| Utility DG /Boiler Area DG 501  | 83                | 90   |  |
| Finished Goods Area ASRS/BCI Panel  | 69                | 90   |  |
| Finished Goods Area Bridge Profiler PFS T-2   | 60                | 90   |  |
| Finished Goods Area DAIFUKUU  | 58                | 90   |  |
| Finished Goods Area Empty Pallet conveyor near crane 8  | 65                | 90   |  |
| LQC near Vibro Shaker   | 62                | 90   |  |
| LQC Near Printer  | 64                | 90   |  |
| PEL Lab TSD 50 liters   | 72                | 90   |  |
| EHS Lab Near Oven   | 62                | 90   |  |
| EHS Lab Near BOD Incubator  | 65                | 90   |  |
| RM Lab GC Room Fume Hood  | 66                | 90   |  |
| Instrument Room( Salicitor)   | 72                | 90   |  |
| PM QA Drop Test M/C   | 90                | 90   |  |

Checked By

R.P. Marwah

Lab-In-Charge

Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007





# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT


| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. |                   | <b>SUBJECT :</b> WORK ZONE NOISE MONITORING<br><b>PRINCIPLE &amp; METHODS:</b> Based on EPA: dB eq.<br><b>INSTRUMENTS :</b> Noise Level Meter N 700543/SL-4012 |
|---|-------------------|--|
| <b>Sample Details :</b> Noise<br><b>Sample Reference:</b> EIL/APL-R/01/23/WN - 32-48                                  |                   | <b>Sample Collection Date:</b> 5,6,7/01/23<br><b>Sample Reporting Date:</b> 20/01/23   |
| Sampling Station  | Monitoring Report | Prescribed Standard As per Factories Act 1948 (For 8 hrs working in dB)  |
| ECT Machine   | 59                | 90   |
| Centre Of Lab   | 58                | 90   |
| WBP Block Centre of TSD107 & 108  | 70                | 90   |
| WBP Block Centre of TSD 105 & 106   | 89                | 90   |
| TSD-110   | 76                | 90   |
| WBP Block TSD 114   | 72                | 90   |
| WBP Block Centre of Mixer 113 & 114   | 68                | 90   |
| Packing Area Line 104 corton maker  | 72                | 90   |
| Packing Area Centre of Line Area 105 & 108 Robot Area   | 68                | 90   |
| Packing Area line no. 111 & 112 filter area   | 71                | 90   |
| Packing Area line No06 Pack lab   | 69                | 90   |
| Packing Area Line No. 113 & 114 Pick & Place Carton   | 78                | 90   |
| FPH( Fire Pump) Hydrant Jockey Pump   | 70                | 90   |
| FPH( Fire Pump) Main Electrical Pump-1  | 82                | 90   |
| FPH( Fire Pump) DG Pump No.03   | 90                | 90   |
| FPH( Fire Pump) Main Electrical Pump-III  | 82                | 90   |
| FPH( Fire Pump) RO 502 DMF Feed Pump  | 78                | 90   |

Checked by  
R.P. Marwaha

Lab-In-Charge  
Dr. Vipul Kumar

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: enviroInternationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. |                   | <b>SUBJECT :</b> WORK ZONE NOISE MONITORING<br><b>PRINCIPLE &amp; METHODS:</b> Based on EPA: dB eq.<br><b>INSTRUMENTS :</b> Noise Level Meter N 700543/SL-4012 |  |
|---|-------------------|--|--|
| <b>Sample Details :</b> Noise<br><b>Sample Reference:</b> EIL/APL-R/01/23/WN - 49-53                                  |                   | <b>Sample Collection Date:</b> 5,6,7/01/23<br><b>Sample Reporting Date:</b> 20/01/23   |  |
| Sampling Station  | Monitoring Report | Prescribed Standard As per<br>Factories Act 1948<br>(For 8 hrs working in dB)  |  |
| Silo Area Blower-171  | 85                | 90   |  |
| Silo Area Blower 1223   | 79                | 90   |  |
| Silo Area Blower 175  | 81                | 90   |  |
| Silo Area Blower 105  | 80                | 90   |  |
| Silo Area Blower 1229   | 78                | 90   |  |

Checked by  
R.P. Marwah

EIL/Lab-In-Charge  
Dr. Vipul Kumar



### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result Indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007




|   |                                  |
|---|----------------------------------|
| Issued To<br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | Sample Reg. No. :E01-2303180685  |
|   | Sample Reg. Date :18-03-2023     |
|   | Report Date :28-03-2023          |
|   | Report No. :ICE-2303281482       |
|   | NABL ULR No. :TC592623000003788F |
|   | Customer Ref. No.:PO             |
| Letter Dated :18.04.2022  |                                  |

|  |                       |
|--|-----------------------|
| Test Report as per :                           | : NAAQS 2009          |
| <b>Sampling Information :</b>                  |                       |
| Location of Sampling Point                     | : Near ETP            |
| Date of Monitoring                             | : 16-03-2023          |
| Time of Monitoring                             | : 13:05 hrs           |
| Purpose of Monitoring                          | : For Self Monitoring |
| Duration of Monitoring,minutes                 | : 1440                |
| Avg. Flow Rate of Sampling,m <sup>3</sup> /min | : 1.23                |
| Volume of air sampled,m <sup>3</sup>           | : 1680.09             |
| Avg. Ambient Temperature,°C                    | : 30                  |

| Description |   |                                |                       |               |        |
|-------------|---|--------------------------------|-----------------------|---------------|--------|
| Description |   | Ambient Air Quality Monitoring |                       |               |        |
| S. No.      | Parameters  | Instrument                     | Method                | Specification | Result |
| 1.          | Ambient Air Quality Parameters(Time weighted Avg- 24 Hours) |                                |                       |               |        |
| a.          | Sulphur Dioxide(SO <sub>2</sub> ),µg/m <sup>3</sup>         | UV-Spectrophotometer           | IS: 5182 (P-2): 2017  | 80 Max        | 12.41  |
| b.          | Nitrogen Dioxide(NO <sub>2</sub> ),µg/m <sup>3</sup>        | UV-Spectrophotometer           | IS: 5182 (P-6): 2017  | 80 Max        | 20.21  |
| c.          | Particulate Matter (PM <sub>10</sub> ),µg/m <sup>3</sup>    | Gravimetric                    | IS: 5182 (P-23): 2017 | 100 Max       | 102.61 |
| d.          | Particulate matter (PM 2.5),µg/m <sup>3</sup>               | Gravimetric                    | IS: 5182 (P-24)-2019  | 60 Max        | 56.40  |

  
Saurabh Sharma  
28-03-2023  
Reviewer

  
29-03-2023  
PremKumar  
[Authorized Signatory]

## Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

## Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.:</b> E01-2303180685  |
|  | <b>Sample Reg. Date:</b> 18-03-2023     |
|  | <b>Report Date:</b> 28-03-2023          |
|  | <b>Report No.:</b> ICE-2303281482       |
|  | <b>NABL ULR No.:</b> TC592623000003788F |
|  | <b>Customer Ref. No.:</b> PO            |
|  | <b>Letter Dated:</b> 18.04.2022         |

| Sl. No. | Parameter   | Method               | IS                    | Limit    | Result       |
|---------|---|----------------------|-----------------------|----------|--------------|
| e.      | Ammonia(NH <sub>3</sub> ),µg/m <sup>3</sup>                       | UV-Spectrophotometer | IS: 5182 (P-25):2018  | 400 Max  | 32.11        |
|         | Lead(As Pb),µg/m <sup>3</sup>                                     | ICPOES               | STP/ITC/EW/002        | 1.0 Max  | BLQ(LOQ:0.1) |
| 2.      | <b>Ambient Air Quality Parameters(Time weighted Avg- 8 Hours)</b> |                      |                       |          |              |
| a.      | Ozone(O <sub>3</sub> ),µg/m <sup>3</sup>                          | UV-Spectrophotometer | IS: 5182 (P-9): 2019  | 100 Max. | 24.50        |
| b.      | Carbon Monoxide(CO),mg/m <sup>3</sup>                             | GC                   | IS: 5182 (P-10): 2019 | 2 Max.   | 1.4          |
| 3.      | <b>Ambient Air Quality Parameters(Time weighted Avg- Annual*)</b> |                      |                       |          |              |
| a.      | Benzene(C <sub>6</sub> H <sub>6</sub> ),µg/m <sup>3</sup>         | GC                   | IS: 5182 (P-11): 2017 | 5 Max    | BLQ(LOQ:1.0) |
| b.      | Benzo(a) Pyrene Particulate Phase only,ng/m <sup>3</sup>          | GCMSMS               | IS: 5182 (P-12): 2019 | 1 Max    | BLQ(LOQ:0.5) |
| c.      | Arsenic(as As),ng/m <sup>3</sup>                                  | ICPOES               | STP/ITC/EW/002        | 6 Max.   | BLQ(LOQ:1.0) |
| d.      | Nickel(As Ni),ng/m <sup>3</sup>                                   | ICPOES               | STP/ITC/EW/002        | 20 Max.  | BLQ(LOQ:1.0) |


# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirements as per NAAQS 2009, Sampling Procedure - SOP/ITC/EW/056,

**REMARKS :** \*Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
28-03-2023  
Reviewer

  
29-03-2023  
PremKumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2303180684  |
|  | <b>Sample Reg. Date</b> :18-03-2023     |
|  | <b>Report Date</b> :28-03-2023          |
|  | <b>Report No.</b> :ICE-2303281481       |
|  | <b>NABL ULR No.</b> :TC592623000003785F |
|  | <b>Customer Ref. No.:</b> PO            |
|  | <b>Letter Dated</b> :18.04.2022         |

|  |                       |
|--|-----------------------|
| <b>Test Report as per :</b>              | : NAAQS 2009          |
| <b>Sampling Information :</b>            |                       |
| <b>Location of Sampling Point</b>        | : Near Gate No.3      |
| <b>Date of Monitoring</b>                | : 15-03-2023          |
| <b>Time of Monitoring</b>                | : 09:50 hrs           |
| <b>Purpose of Monitoring</b>             | : For Self Monitoring |
| <b>Duration of Monitoring,minutes</b>    | : 1440                |
| <b>Avg. Flow Rate of Sampling,m3/min</b> | : 1.23                |
| <b>Volume of air sampled,m3</b>          | : 1677.79             |
| <b>Avg. Ambient Temperature,°C</b>       | : 30                  |

### Description

Description : Ambient Air Quality Monitoring

| S.No. | Parameters   | Instrument           | Method                | Specification | Result |
|-------|--|----------------------|-----------------------|---------------|--------|
| 1.    | <b>Ambient Air Quality Parameters(Time weighted Avg- 24 Hours)</b> |                      |                       |               |        |
| a.    | Sulphur Dioxide(SO <sub>2</sub> ),µg/m <sup>3</sup>                | UV-Spectrophotometer | IS: 5182 (P-2): 2017  | 80 Max        | 10.27  |
| b.    | Nitrogen Dioxide(NO <sub>2</sub> ),µg/m <sup>3</sup>               | UV-Spectrophotometer | IS: 5182 (P-6): 2017  | 80 Max        | 17.62  |
| c.    | Particulate Matter (PM <sub>10</sub> ),µg/m <sup>3</sup>           | Gravimetric          | IS: 5182 (P-23): 2017 | 100 Max       | 90.18  |
| d.    | Particulate matter (PM <sub>2.5</sub> ),µg/m <sup>3</sup>          | Gravimetric          | IS: 5182 (P-24)-2019  | 60 Max        | 47.14  |

*Saurabh*  
Saurabh Sharma  
28-03-2023  
Reviewer

*Prem Kumar*  
29-03-2023  
Prem Kumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (0) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

Document QF : 2501

Page 2 of 2

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2303180684  |
|  | <b>Sample Reg. Date</b> :18-03-2023     |
|  | <b>Report Date</b> :28-03-2023          |
|  | <b>Report No.</b> :ICE-2303281481       |
|  | <b>NABL ULR No.</b> :TC592623000003785F |
|  | <b>Customer Ref. No.</b> :PO            |
|  | <b>Letter Dated</b> :18.04.2022         |

|    |   |                      |                       |          |              |
|----|---|----------------------|-----------------------|----------|--------------|
| e. | Ammonia(NH <sub>3</sub> ),µg/m <sup>3</sup>                       | UV-Spectrophotometer | IS: 5182 (P-25):2018  | 400 Max  | 32.50        |
| 1. | Lead(As Pb),µg/m <sup>3</sup>                                     | ICPOES               | STP/ITC/EW/002        | 1.0 Max  | BLQ(LOQ:0.1) |
| 2. | <b>Ambient Air Quality Parameters(Time weighted Avg- 8 Hours)</b> |                      |                       |          |              |
| a. | Ozone(O <sub>3</sub> ),µg/m <sup>3</sup>                          | UV-Spectrophotometer | IS: 5182 (P-9): 2019  | 100 Max. | 26.11        |
| b. | Carbon Monoxide(CO),mg/m <sup>3</sup>                             | GC                   | IS: 5182 (P-10): 2019 | 2 Max.   | 1.2          |
| 3. | <b>Ambient Air Quality Parameters(Time weighted Avg- Annual*)</b> |                      |                       |          |              |
| a. | Benzene(C <sub>6</sub> H <sub>6</sub> ),µg/m <sup>3</sup>         | GC                   | IS: 5182 (P-11): 2017 | 5 Max    | BLQ(LOQ:1.0) |
| b. | Benzo(a) Pyrene Particulate Phase only,ng/m <sup>3</sup>          | GCMSMS               | IS: 5182 (P-12): 2019 | 1 Max    | BLQ(LOQ:0.5) |
| c. | Arsenic(as As),ng/m <sup>3</sup>                                  | ICPOES               | STP/ITC/EW/002        | 6 Max.   | BLQ(LOQ:1.0) |
| d. | Nickel(As Ni),ng/m <sup>3</sup>                                   | ICPOES               | STP/ITC/EW/002        | 20 Max.  | BLQ(LOQ:1.0) |


\*# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirements as per NAAQS 2009, Sampling Procedure - SOP/ITC/EW/056,

**REMARKS :** \*Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
28-03-2023  
Reviewer

  
29-03-2023  
Prem Kumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total Liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



|   |                                  |
|---|----------------------------------|
| Issued To<br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | Sample Reg. No. :E01-2303130401  |
|   | Sample Reg. Date :13-03-2023     |
|   | Report Date :17-03-2023          |
|   | Report No. :ICE-2303171004       |
|   | NABL ULR No. :TC592623000003165F |
|   | Customer Ref. No.:PO             |
| Letter Dated :18.04.2022  |                                  |

|                                   |                       |
|-----------------------------------|-----------------------|
| Test Report as per :              | : NAAQS 2009          |
| Sampling Information :            |                       |
| Location of Sampling Point        | : Near Gate No.2      |
| Date of Monitoring                | : 10-03-2023          |
| Time of Monitoring                | : 13:45 Hrs           |
| Purpose of Monitoring             | : For Self Monitoring |
| Duration of Monitoring,minutes    | : 1440                |
| Avg. Flow Rate of Sampling,m3/min | : 1.25                |
| Volume of air sampled,m3          | : 1713.06             |
| Avg. Ambient Temperature,°C       | : 29                  |

| Description |   |                                |                       |               |        |
|-------------|---|--------------------------------|-----------------------|---------------|--------|
| Description |   | Ambient Air Quality Monitoring |                       |               |        |
| S.No.       | Parameters  | Instrument                     | Method                | Specification | Result |
| 1.          | Ambient Air Quality Parameters(Time weighted Avg- 24 Hours) |                                |                       |               |        |
| a.          | Sulphur Dioxide(SO <sub>2</sub> ),µg/m <sup>3</sup>         | UV-Spectrophotometer           | IS: 5182 (P-2): 2017  | 80 Max        | 8.15   |
| b.          | Nitrogen Dioxide(NO <sub>2</sub> ),µg/m <sup>3</sup>        | UV-Spectrophotometer           | IS: 5182 (P-6): 2017  | 80 Max        | 19.26  |
| c.          | Particulate Matter (PM <sub>10</sub> ),µg/m <sup>3</sup>    | Gravimetric                    | IS: 5182 (P-23): 2017 | 100 Max       | 102.16 |
| d.          | Particulate matter (PM 2.5),µg/m <sup>3</sup>               | Gravimetric                    | IS: 5182 (P-24)-2019  | 60 Max        | 54.29  |

  
Saurabh Sharma  
17-03-2023  
Reviewer

  
17-03-2023  
PremKumar  
Authorized Signatory

## Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

## Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.

## Test Report

Document QF : 2501

Page 2 of 2

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2303130401  |
|  | <b>Sample Reg. Date</b> :13-03-2023     |
|  | <b>Report Date</b> :17-03-2023          |
|  | <b>Report No.</b> :ICE-2303171004       |
|  | <b>NABL ULR No.</b> :TC592623000003165F |
|  | <b>Customer Ref. No.:</b> PO            |
| <b>Letter Dated</b> :18.04.2022  |   |

|  |   |                      |                       |          |               |
|--|---|----------------------|-----------------------|----------|---------------|
| e.   | Ammonia(NH <sub>3</sub> ),µg/m <sup>3</sup>               | UV-Spectrophotometer | IS: 5182 (P-25):2018  | 400 Max  | 28.41         |
| f.   | Lead(As Pb),µg/m <sup>3</sup>                             | ICPOES               | STP/ITC/EW/002        | 1.0 Max  | BLQ(LOQ:0.1)  |
| <b>Ambient Air Quality Parameters(Time weighted Avg- 8 Hours)</b>    |   |                      |                       |          |               |
| a.   | Ozone(O <sub>3</sub> ),µg/m <sup>3</sup>                  | UV-Spectrophotometer | IS: 5182 (P-9): 2019  | 100 Max. | 22.18         |
| b.   | Carbon Monoxide(CO),mg/m <sup>3</sup>                     | GC                   | IS: 5182 (P-10): 2019 | 2 Max.   | 1.2           |
| <b>3. Ambient Air Quality Parameters(Time weighted Avg- Annual*)</b> |   |                      |                       |          |               |
| a.   | Benzene(C <sub>6</sub> H <sub>6</sub> ),µg/m <sup>3</sup> | GC                   | IS: 5182 (P-11): 2017 | 5 Max    | BLQ(LOQ:1.14) |
| b.   | Benzo(a) Pyrene Particulate Phase only,ng/m <sup>3</sup>  | GCMSMS               | IS: 5182 (P-12): 2019 | 1 Max    | BLQ(LOQ:0.5)  |
| c.   | Arsenic(as As),ng/m <sup>3</sup>                          | ICPOES               | STP/ITC/EW/002        | 6 Max.   | BLQ(LOQ:1.0)  |
| d.   | Nickel(As Ni),ng/m <sup>3</sup>                           | ICPOES               | STP/ITC/EW/002        | 20 Max.  | BLQ(LOQ:1.0)  |

# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirements as per NAAQS 2009, Sampling Procedure - SOP/ITC/EW/056,

**REMARKS :**\*Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

\*\*\*\*\*End Of Report\*\*\*\*\*

  
 Saurabh Sharma  
 17-03-2023  
 Reviewer

  
 17-03-2023  
 Prem Kumar  
 [Authorized Signatory]

**Interstellar Testing Centre Pvt. Ltd.**

86, Industrial Area, Phase-I,  
 Panchkula-134109 (Haryana)  
 Phone : (O) 0172-2561543, 2565825  
 E-mail : customersupport@itclabs.com  
 Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.





## Test Report

Document QF : 2501

Page 1 of 2

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2303130400<br><b>Sample Reg. Date</b> :13-03-2023<br><b>Report Date</b> :17-03-2023<br><b>Report No.</b> :ICE-2303170992<br><b>NABL ULR No.</b> :TC592623000003167F<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2022 |
|--|--|

|  |                       |
|--|-----------------------|
| <b>Test Report as per :</b>              | : NAAQS 2009          |
| <b>Sampling Information :</b>            |                       |
| <b>Location of Sampling Point</b>        | : Near Gate No.1      |
| <b>Date of Monitoring</b>                | : 09-03-2023          |
| <b>Time of Monitoring</b>                | : 11:15 Hrs           |
| <b>Purpose of Monitoring</b>             | : For Self Monitoring |
| <b>Duration of Monitoring,minutes</b>    | : 1440                |
| <b>Avg. Flow Rate of Sampling,m3/min</b> | : 1.25                |
| <b>Volume of air sampled,m3</b>          | : 1710.72             |
| <b>Avg. Ambient Temperature,°C</b>       | : 29                  |

| Description |  |                                |                       |               |        |
|-------------|--|--------------------------------|-----------------------|---------------|--------|
| Description |  | Ambient Air Quality Monitoring |                       |               |        |
| No.         | Parameters   | Instrument                     | Method                | Specification | Result |
| 1.          | <b>Ambient Air Quality Parameters(Time weighted Avg- 24 Hours)</b> |                                |                       |               |        |
| a.          | Sulphur Dioxide(SO <sub>2</sub> ),µg/m <sup>3</sup>                | UV-Spectrophotometer           | IS: 5182 (P-2): 2017  | 80 Max        | 7.14   |
| b.          | Nitrogen Dioxide(NO <sub>2</sub> ),µg/m <sup>3</sup>               | UV-Spectrophotometer           | IS: 5182 (P-6): 2017  | 80 Max        | 21.43  |
| c.          | Particulate Matter (PM <sub>10</sub> ),µg/m <sup>3</sup>           | Gravimetric                    | IS: 5182 (P-23): 2017 | 100 Max       | 102.12 |
| d.          | Particulate matter (PM 2.5),µg/m <sup>3</sup>                      | Gravimetric                    | IS: 5182 (P-24)-2019  | 60 Max        | 58.50  |

  
Saurabh Sharma  
17-03-2023  
Reviewer

  
17-03-2023  
PremKumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

Document QF : 2501

Page 2 of 2

|   |                                  |
|---|----------------------------------|
| Issued To<br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | Sample Reg. No. :E01-2303130400  |
|   | Sample Reg. Date :13-03-2023     |
|   | Report Date :17-03-2023          |
|   | Report No. :ICE-2303170992       |
|   | NABL ULR No. :TC592623000003167F |
|   | Customer Ref. No. :PO            |
| Letter Dated :18.04.2022  |                                  |


|    |  |                      |                       |          |              |
|----|--|----------------------|-----------------------|----------|--------------|
| e. | Ammonia(NH <sub>3</sub> ),µg/m <sup>3</sup>                | UV-Spectrophotometer | IS: 5182 (P-25):2018  | 400 Max  | 27.40        |
|    | Lead(As Pb),µg/m <sup>3</sup>                              | ICPOES               | STP/ITC/EW/002        | 1.0 Max  | BLQ(LOQ:0.1) |
| 2. | Ambient Air Quality Parameters(Time weighted Avg- 8 Hours) |                      |                       |          |              |
| a. | Ozone(O <sub>3</sub> ),µg/m <sup>3</sup>                   | UV-Spectrophotometer | IS: 5182 (P-9): 2019  | 100 Max. | 24.14        |
| b. | Carbon Monoxide(CO),mg/m <sup>3</sup>                      | GC                   | IS: 5182 (P-10): 2019 | 2 Max.   | 1.3          |
| 3. | Ambient Air Quality Parameters(Time weighted Avg- Annual*) |                      |                       |          |              |
| a. | Benzene(C <sub>6</sub> H <sub>6</sub> ),µg/m <sup>3</sup>  | GC                   | IS: 5182 (P-11): 2017 | 5 Max    | BLQ(LOQ:1.0) |
| b. | Benzo(a) Pyrene Particulate Phase only,ng/m <sup>3</sup>   | GCMSMS               | IS: 5182 (P-12): 2019 | 1 Max    | BLQ(LOQ:0.5) |
| c. | Arsenic(as As),ng/m <sup>3</sup>                           | ICPOES               | STP/ITC/EW/002        | 6 Max.   | BLQ(LOQ:1.0) |
| d. | Nickel(As Ni),ng/m <sup>3</sup>                            | ICPOES               | STP/ITC/EW/002        | 20 Max.  | BLQ(LOQ:1.0) |

# represents Customer Defined Fields

NOTE : NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAAQS 2009.  
Sampling Procedure: SOP/ITC/EW/056

REMARKS : \*Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
17-03-2023  
Reviewer

  
17-03-2023  
Prem Kumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (P) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

Document QF : 2501

Page 1 of 2

|  |  |
|--|--|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2303060167<br><b>Sample Reg. Date</b> :06-03-2023<br><b>Report Date</b> :13-03-2023<br><b>Report No.</b> :ICE-2303130629<br><b>NABL ULR No.</b> :TC592623000002937F<br><b>Customer Ref. No.:</b> PO<br><b>Letter Dated</b> :18.04.2023 |
|--|--|

|  |                       |
|--|-----------------------|
| <b>Test Report as per :</b>                          | : NAAQS 2009          |
| <b>Sampling Information :</b>                        |                       |
| <b>Location of Sampling Point</b>                    | : Near Gate No.3      |
| <b>Date of Monitoring</b>                            | : 03-03-2023          |
| <b>Time of Monitoring</b>                            | : 13:10 Hrs           |
| <b>Purpose of Monitoring</b>                         | : For Self Monitoring |
| <b>Duration of Monitoring, minutes</b>               | : 1440                |
| <b>Avg. Flow Rate of Sampling, m<sup>3</sup>/min</b> | : 1.26                |
| <b>Volume of air sampled, m<sup>3</sup></b>          | : 1724.41             |
| <b>Avg. Ambient Temperature, °C</b>                  | : 29                  |

| Description |   |                                |                       |               |        |
|-------------|---|--------------------------------|-----------------------|---------------|--------|
| Description |   | Ambient Air Quality Monitoring |                       |               |        |
| S.No.       | Parameters  | Instrument                     | Method                | Specification | Result |
| 1.          | Ambient Air Quality Parameters(Time weighted Avg- 24 Hours) |                                |                       |               |        |
| a.          | Sulphur Dioxide(SO <sub>2</sub> ), µg/m <sup>3</sup>        | UV-Spectrophotometer           | IS: 5182 (P-2): 2017  | 80 Max        | 10.23  |
| b.          | Nitrogen Dioxide(NO <sub>2</sub> ), µg/m <sup>3</sup>       | UV-Spectrophotometer           | IS: 5182 (P-6): 2017  | 80 Max        | 18.29  |
| c.          | Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>   | Gravimetric                    | IS: 5182 (P-23): 2017 | 100 Max       | 112.56 |
| d.          | Particulate matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>  | Gravimetric                    | IS: 5182 (P-24)-2019  | 60 Max        | 57.24  |

  
Saurabh Sharma  
13-03-2023  
Reviewer

  
13-03-2023  
Prem Kumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

Document QF : 2501

Page 2 of 2

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | Sample Reg. No. :E01-2303060167<br>Sample Reg. Date :06-03-2023<br>Report Date :13-03-2023<br>Report No. :ICE-2303130629<br>NABL ULR No. :TC59262300002937F<br>Customer Ref. No.:PO<br>Letter Dated :18.04.2023 |
|--|---|

|  |   |                      |                       |          |              |
|--|---|----------------------|-----------------------|----------|--------------|
| e.   | Ammonia(NH <sub>3</sub> ),µg/m <sup>3</sup>               | UV-Spectrophotometer | IS: 5182 (P-25):2018  | 400 Max  | 28.10        |
|  | Lead(As Pb),µg/m <sup>3</sup>                             | ICPOES               | STP/ITC/EW/002        | 1.0 Max  | BLQ(LOQ:0.1) |
| <b>2. Ambient Air Quality Parameters(Time weighted Avg- 8 Hours)</b> |   |                      |                       |          |              |
| a.   | Ozone(O <sub>3</sub> ),µg/m <sup>3</sup>                  | UV-Spectrophotometer | IS: 5182 (P-9): 2019  | 100 Max. | 25.52        |
| b.   | Carbon Monoxide(CO),mg/m <sup>3</sup>                     | GC                   | IS: 5182,(P-10): 2019 | 2 Max.   | 1.3          |
| <b>3. Ambient Air Quality Parameters(Time weighted Avg- Annual*)</b> |   |                      |                       |          |              |
| a.   | Benzene(C <sub>6</sub> H <sub>6</sub> ),µg/m <sup>3</sup> | GC                   | IS: 5182 (P-11): 2017 | 5 Max    | BLQ(LOQ:1.0) |
| b.   | Benzo(a) Pyrene Particulate Phase only,ng/m <sup>3</sup>  | GCMSMS               | IS: 5182 (P-12): 2019 | 1 Max    | BLQ(LOQ:0.5) |
| c.   | Arsenic(as As),ng/m <sup>3</sup>                          | ICPOES               | STP/ITC/EW/002        | 6 Max.   | BLQ(LOQ:1.0) |
| d.   | Nickel(As Ni),ng/m <sup>3</sup>                           | ICPOES               | STP/ITC/EW/002        | 20 Max.  | BLQ(LOQ:1.0) |


\*# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirements as per NAAQS 2009, Sampling Procedure - SOP/ITC/EW/056,

**REMARKS :** \*Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

\*\*\*\*\*End Of Report\*\*\*\*\*

  
 Saurabh Sharma  
 13-03-2023  
 Reviewer

  
 13-03-2023  
 PremKumar  
 [Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
 Panchkula-134109 (Haryana)  
 Phone : (O) 0172-2561543, 2565825  
 E-mail : customersupport@itclabs.com  
 Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

Document QF : 2501

Page 1 of 2

|   |                                  |
|---|----------------------------------|
| Issued To<br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | Sample Reg. No. :E01-2303060166  |
|   | Sample Reg. Date :06-03-2023     |
|   | Report Date :13-03-2023          |
|   | Report No. :ICE-2303130628       |
|   | NABL ULR No. :TC592623000002928F |
|   | Customer Ref. No.:PO             |
| Letter Dated :18.04.2022  |                                  |

|   |                       |
|---|-----------------------|
| Test Report as per :                            | : NAAQS 2009          |
| Sampling Information :                          |                       |
| Location of Sampling Point                      | : ETP Area            |
| Date of Monitoring                              | : 02-03-2023          |
| Time of Monitoring                              | : 10:40 Hrs           |
| Purpose of Monitoring                           | : For Self Monitoring |
| Duration of Monitoring, minutes                 | : 1440                |
| Avg. Flow Rate of Sampling, m <sup>3</sup> /min | : 1.28                |
| Volume of air sampled, m <sup>3</sup>           | : 1751.78             |
| Avg. Ambient Temperature, °C                    | : 29                  |

|             |                                |
|-------------|--------------------------------|
| Description |                                |
| Description | Ambient Air Quality Monitoring |

| S.No. | Parameters  | Instrument           | Method                | Specification | Result |
|-------|---|----------------------|-----------------------|---------------|--------|
| 1.    | Ambient Air Quality Parameters(Time weighted Avg- 24 Hours) |                      |                       |               |        |
| a.    | Sulphur Dioxide(SO <sub>2</sub> ), µg/m <sup>3</sup>        | UV-Spectrophotometer | IS: 5182 (P-2): 2017  | 80 Max        | 12.26  |
| b.    | Nitrogen Dioxide(NO <sub>2</sub> ), µg/m <sup>3</sup>       | UV-Spectrophotometer | IS: 5182 (P-6): 2017  | 80 Max        | 23.26  |
| c.    | Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>   | Gravimetric          | IS: 5182 (P-23): 2017 | 100 Max       | 138.15 |
| d.    | Particulate matter (PM 2.5), µg/m <sup>3</sup>              | Gravimetric          | IS: 5182 (P-24)-2019  | 60 Max        | 37.04  |

*Saurabh*  
Saurabh Sharma  
13-03-2023  
Reviewer

*Prem Kumar*  
13-03-2023  
Prem Kumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-I,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.



## Test Report

Document QF : 2501

Page 2 of 2

|  |   |
|--|---|
| <b>Issued To</b><br>Asian Paints Limited<br>Plot No.1, IMT Rohtak, Village: Kherisadh, Distt. Rohtak<br>Rohtak | <b>Sample Reg. No.</b> :E01-2303060166  |
|  | <b>Sample Reg. Date</b> :06-03-2023     |
|  | <b>Report Date</b> :13-03-2023          |
|  | <b>Report No.</b> :ICE-2303130628       |
|  | <b>NABL ULR No.</b> :TC592623000002928F |
|  | <b>Customer Ref. No.</b> :PO            |
|  | <b>Letter Dated</b> :18.04.2022         |

|  |   |                      |                       |          |              |
|--|---|----------------------|-----------------------|----------|--------------|
| e.   | Ammonia(NH <sub>3</sub> ),µg/m <sup>3</sup>               | UV-Spectrophotometer | IS: 5182 (P-25):2018  | 400 Max  | 35.18        |
| f.   | Lead(As Pb),µg/m <sup>3</sup>                             | ICPOES               | STP/ITC/EW/002        | 1.0 Max  | BLQ(LOQ:0.1) |
| <b>Ambient Air Quality Parameters(Time weighted Avg- 8 Hours)</b>    |   |                      |                       |          |              |
| a.   | Ozone(O <sub>3</sub> ),µg/m <sup>3</sup>                  | UV-Spectrophotometer | IS: 5182 (P-9): 2019  | 100 Max. | 24.18        |
| b.   | Carbon Monoxide(CO),mg/m <sup>3</sup>                     | GC                   | IS: 5182 (P-10): 2019 | 2 Max.   | 1.2          |
| <b>3. Ambient Air Quality Parameters(Time weighted Avg- Annual*)</b> |   |                      |                       |          |              |
| a.   | Benzene(C <sub>6</sub> H <sub>6</sub> ),µg/m <sup>3</sup> | GC                   | IS: 5182 (P-11): 2017 | 5 Max    | BLQ(LOQ:1.0) |
| b.   | Benzo(a) Pyrene Particulate Phase only,ng/m <sup>3</sup>  | GCMSMS               | IS: 5182 (P-12): 2019 | 1 Max    | BLQ(LOQ:0.5) |
| c.   | Arsenic(as As),ng/m <sup>3</sup>                          | ICPOES               | STP/ITC/EW/002        | 6 Max.   | BLQ(LOQ:1.0) |
| d.   | Nickel(As Ni),ng/m <sup>3</sup>                           | ICPOES               | STP/ITC/EW/002        | 20 Max.  | BLQ(LOQ:1.0) |

# represents Customer Defined Fields

**NOTE :** NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirements as per NAAQS 2009, Sampling Procedure - SOP/ITC/EW/056,

**REMARKS :** \*Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

\*\*\*\*\*End Of Report\*\*\*\*\*

  
Saurabh Sharma  
13-03-2023  
Reviewer

  
13-03-2023  
Prem Kumar  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-1,  
Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825  
E-mail : customersupport@itclabs.com  
Visit us : www.itclabs.com

### Disclaimer:

1. The report is only for the sample tested.
2. Total liability of ITC Labs is limited to invoiced amount.
3. The test report shall not be reproduced except in full without the written approval of the laboratory.
4. If sample not consumed during analysis, it will be stored & retain as per company policy.
5. Samples not drawn by us unless otherwise stated.
6. Test report in full or parts shall not be used for promotional or publicity purpose.
7. Legal disputes are subjected to Panchkula Jurisdiction only.

---

**Jan-23**

VOC-AAQ

**M/s ASIAN PAINTS LIMITED**  
**Plot No. – 01, IMT, Kheri Sadh,**  
**Rohtak (Haryana) – 24001 India**



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s. ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | <b>SUBJECT :</b> VOC-AAQ<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |             |
|---|-------------------|---|-------------|
| <b>Sample Details :</b> VOC-AAQ<br><b>Sample Reference:</b> EIL/APL-R /01/23/AAQ-1                                    |                   | <b>Sample Collection Date:</b> 14/01/2023<br><b>Sample Reporting Date:</b> 20/01/2023                                   |             |
| ANALYSIS REPORT   |                   |   |             |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH   | Gate No.1   |
| Sampling Code   | --                | --  | WZ - 01     |
| Sampling Duration   | --                | --  | 480 Minutes |
| Weather   | --                | --  | Normal      |
| Ambient Temperature   | °K                | --  | 291         |
| Acetone   | mg/m <sup>3</sup> | <1780   | 48          |
| Ammonia   | mg/m <sup>3</sup> | <18   | 06          |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710  | 31          |
| n-Butyl alcohol   | mg/m <sup>3</sup> | <150  | 08          |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400   | 25          |
| Ethyl alcohol   | mg/m <sup>3</sup> | <1900   | 37          |
| Formaldehyde  | mg/m <sup>3</sup> | <1.5  | BDL         |
| Isobutyl alcohol  | mg/m <sup>3</sup> | <150  | 12          |
| Manganese dust and compounds (as Mn)  | mg/m <sup>3</sup> | <05   | BDL         |
| Phosphoric Acid   | mg/m <sup>3</sup> | <01   | BDL         |
| Pyridine  | mg/m <sup>3</sup> | <15   | BDL         |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205  | BDL         |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184  | BDL         |
| Xylene  | mg/m <sup>3</sup> | <435  | 25          |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01   | BDL         |
| Toluene   | mg/m <sup>3</sup> | <375  | 30          |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376  | 21          |
| Butanol   | mg/m <sup>3</sup> | <152  | 05          |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123  | BDL         |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55   | BDL         |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560  | 40          |
| Acetic Acid   | mg/m <sup>3</sup> | <25   | BDL         |
| 2 - Butanone (Methyl ethyl Ketone - MEK)  | mg/m <sup>3</sup> | <590  | BDL         |
| sec/tert. Butyl Acetate   | mg/m <sup>3</sup> | <250  | BDL         |
| Chromic Acid & Chromates as Cr  | mg/m <sup>3</sup> | <0.05   | BDL         |
| Dibutyl Phthalate   | mg/m <sup>3</sup> | <5  | BDL         |
| Hydrogen Fluoride as F  | mg/m <sup>3</sup> | <2.5  | BDL         |
| Iron Oxide Fume (Fe <sub>2</sub> O <sub>3</sub> )   | mg/m <sup>3</sup> | --  | BDL         |
| Nitric Acid   | mg/m <sup>3</sup> | <05   | BDL         |
| Phenol  | mg/m <sup>3</sup> | <19   | BDL         |
| Styrene   | mg/m <sup>3</sup> | <215  | BDL         |
| Methanol  | mg/m <sup>3</sup> | <260  | BDL         |
| Cyclohexanol  | mg/m <sup>3</sup> | --  | BDL         |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142  | BDL         |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410  | BDL         |
| Lead  | mg/m <sup>3</sup> | <0.15   | BDL         |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01   | BDL         |
| Benzene   | mg/m <sup>3</sup> | <1.5  | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.


Checked

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

ATL Lab-In-Charge

Dr. Vipul Kumar



Off. & Lab : 138-139, Udyog Kandra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007





# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|  |   |
|--|---|
| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. | <b>SUBJECT :</b> VOC-AAQ<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |
| <b>Sample Details :</b> VOC-AAQ<br><b>Sample Reference:</b> EIL/APL-R/01/23/AAQ-2                                    | <b>Sample Collection Date:</b> 14/01/2023<br><b>Sample Reporting Date:</b> 20/01/2023                                   |

### ANALYSIS REPORT

| SAMPLING SITE                                     | UNIT              | STANDARD/NORMS<br>NIOSH | Gate No 02  |
|---|-------------------|-------------------------|-------------|
| Sampling Code                                     | --                | --                      | WZ - 02     |
| Sampling Duration                                 | --                | --                      | 480 Minutes |
| Weather   | --                | --                      | Normal      |
| <b>Ambient Temperature</b>                        | <b>°K</b>         | --                      | 291         |
| Acetone   | mg/m <sup>3</sup> | <1780                   | 50          |
| Ammonia   | mg/m <sup>3</sup> | <18                     | 05          |
| n-Butyl acetate                                   | mg/m <sup>3</sup> | <710                    | 09          |
| n-Butyl alcohol                                   | mg/m <sup>3</sup> | <150                    | BDL         |
| Ethyl acetate                                     | mg/m <sup>3</sup> | <1400                   | 17          |
| Ethyl alcohol                                     | mg/m <sup>3</sup> | <1900                   | 26          |
| Formaldehyde                                      | mg/m <sup>3</sup> | <1.5                    | BDL         |
| Isobutyl alcohol                                  | mg/m <sup>3</sup> | <150                    | 12          |
| Manganese dust and compounds (as Mn)              | mg/m <sup>3</sup> | <05                     | BDL         |
| Phosphoric Acid                                   | mg/m <sup>3</sup> | <01                     | BDL         |
| Pyridine  | mg/m <sup>3</sup> | <15                     | BDL         |
| Methyl isobutyl ketone (MIBK)                     | mg/m <sup>3</sup> | <205                    | BDL         |
| Ethylene Oxide                                    | mg/m <sup>3</sup> | <0.184                  | BDL         |
| Xylene  | mg/m <sup>3</sup> | <435                    | 32          |
| Phthalic Anhydride                                | mg/m <sup>3</sup> | <01                     | BDL         |
| Toluene   | mg/m <sup>3</sup> | <375                    | 27          |
| 2 - Ethylhexanoic acid (2-EHA)                    | mg/m <sup>3</sup> | <376                    | 12          |
| Butanol   | mg/m <sup>3</sup> | <152                    | BDL         |
| Butyl Cellosolve                                  | mg/m <sup>3</sup> | <123                    | BDL         |
| Ethyl Cellosolve Acetate                          | mg/m <sup>3</sup> | <55                     | BDL         |
| Mineral Turpentine Oil (MTO)                      | mg/m <sup>3</sup> | <560                    | 35          |
| Acetic Acid                                       | mg/m <sup>3</sup> | <25                     | BDL         |
| 2 - Butanone (Methyl ethyl Ketone - MEK)          | mg/m <sup>3</sup> | <590                    | BDL         |
| sec/tert. Butyl Acetate                           | mg/m <sup>3</sup> | <950                    | BDL         |
| Chromic Acid & Chromates as Cr                    | mg/m <sup>3</sup> | <0.05                   | BDL         |
| Dibutyl Phthalate                                 | mg/m <sup>3</sup> | <5                      | BDL         |
| Hydrogen Fluoride as F                            | mg/m <sup>3</sup> | <2.5                    | BDL         |
| Iron Oxide Fume (Fe <sub>2</sub> O <sub>3</sub> ) | mg/m <sup>3</sup> | --                      | BDL         |
| Nitric Acid                                       | mg/m <sup>3</sup> | <05                     | BDL         |
| Phenol  | mg/m <sup>3</sup> | <19                     | BDL         |
| Styrene   | mg/m <sup>3</sup> | <215                    | BDL         |
| Methanol  | mg/m <sup>3</sup> | <260                    | BDL         |
| Cyclohexanol                                      | mg/m <sup>3</sup> | --                      | BDL         |
| Toluene diisocyanate (TDI)                        | mg/m <sup>3</sup> | <0.142                  | BDL         |
| Methyl Methacrylate                               | mg/m <sup>3</sup> | <410                    | BDL         |
| Lead  | mg/m <sup>3</sup> | <0.15                   | BDL         |
| Chromium Metal & Insoluble Compound               | mg/m <sup>3</sup> | <01                     | BDL         |
| Benzene   | mg/m <sup>3</sup> | <1.5                    | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.


Checked

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

EIL Lab-In-Charge

Dr. Vipul Kumar



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098684, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-8545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASLAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 248001 India. |                   | <b>SUBJECT :</b> VOC-AAQ<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |             |
|---|-------------------|---|-------------|
| <b>Sample Details :</b> VOC-AAQ<br><b>Sample Reference:</b> EIL/APL-R/01/23/AAQ-3                                     |                   | <b>Sample Collection Date:</b> 14/01/2023<br><b>Sample Reporting Date:</b> 20/01/2023                                   |             |
| ANALYSIS REPORT   |                   |   |             |
| SAMPLING SITE   | UNIT              | STANDARD/NORMS<br>NIOSH   | Gate No.03  |
| Sampling Code   | --                | --  | WZ - 03     |
| Sampling Duration   | --                | --  | 480 Minutes |
| Weather   | --                | --  | Normal      |
| Ambient Temperature   | °K                | --  | 291         |
| Acetone   | mg/m <sup>3</sup> | <1780   | 59          |
| Ammonia   | mg/m <sup>3</sup> | <18   | BDL         |
| n-Butyl acetate   | mg/m <sup>3</sup> | <710  | 12          |
| n-Butyl alcohol   | mg/m <sup>3</sup> | <150  | BDL         |
| Ethyl acetate   | mg/m <sup>3</sup> | <1400   | 21          |
| Ethyl alcohol   | mg/m <sup>3</sup> | <1900   | 27          |
| Formaldehyde  | mg/m <sup>3</sup> | <1.5  | BDL         |
| Isobutyl alcohol  | mg/m <sup>3</sup> | <150  | 05          |
| Manganese dust and compounds (as Mn)  | mg/m <sup>3</sup> | <05   | BDL         |
| Phosphoric Acid   | mg/m <sup>3</sup> | <01   | BDL         |
| Pyridine  | mg/m <sup>3</sup> | <15   | BDL         |
| Methyl isobutyl ketone (MIBK)   | mg/m <sup>3</sup> | <205  | BDL         |
| Ethylene Oxide  | mg/m <sup>3</sup> | <0.184  | BDL         |
| Xylene  | mg/m <sup>3</sup> | <435  | 09          |
| Phthalic Anhydride  | mg/m <sup>3</sup> | <01   | BDL         |
| Toluene   | mg/m <sup>3</sup> | <375  | 18          |
| 2 - Ethylhexanoic acid (2-EHA)  | mg/m <sup>3</sup> | <376  | 11          |
| Butanol   | mg/m <sup>3</sup> | <152  | BDL         |
| Butyl Cellosolve  | mg/m <sup>3</sup> | <123  | BDL         |
| Ethyl Cellosolve Acetate  | mg/m <sup>3</sup> | <55   | BDL         |
| Mineral Turpentine Oil (MTO)  | mg/m <sup>3</sup> | <560  | 46          |
| Acetic Acid   | mg/m <sup>3</sup> | <25   | BDL         |
| 2 - Butanone (Methyl ethyl Ketone - MEK)  | mg/m <sup>3</sup> | <590  | BDL         |
| sec/tert. Butyl Acetate   | mg/m <sup>3</sup> | <950  | BDL         |
| Chromic Acid & Chromates as Cr  | mg/m <sup>3</sup> | <0.05   | BDL         |
| Dibutyl Phthalate   | mg/m <sup>3</sup> | <5  | BDL         |
| Hydrogen Fluoride as F  | mg/m <sup>3</sup> | <2.5  | BDL         |
| Iron Oxide Fume (Fe <sub>2</sub> O <sub>3</sub> )   | mg/m <sup>3</sup> | --  | BDL         |
| Nitric Acid   | mg/m <sup>3</sup> | <05   | BDL         |
| Phenol  | mg/m <sup>3</sup> | <19   | BDL         |
| Styrene   | mg/m <sup>3</sup> | <215  | BDL         |
| Methanol  | mg/m <sup>3</sup> | <260  | BDL         |
| Cyclohexanol  | mg/m <sup>3</sup> | --  | BDL         |
| Toluene diisocyanate (TDI)  | mg/m <sup>3</sup> | <0.142  | BDL         |
| Methyl Methacrylate   | mg/m <sup>3</sup> | <410  | BDL         |
| Lead  | mg/m <sup>3</sup> | <0.15   | BDL         |
| Chromium Metal & Insoluble Compound   | mg/m <sup>3</sup> | <01   | BDL         |
| Benzene   | mg/m <sup>3</sup> | <1.5  | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>


Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.  
Checked

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

EIL/Lab-In-Charge

Dr. Vipul Kumar



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# — ENVIRO-INTERNATIONAL —

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India. |                   | <b>SUBJECT :</b> VOC-AAQ<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |                    |
|--|-------------------|---|--------------------|
| <b>Sample Details :</b> VOC-AAQ<br><b>Sample Reference:</b> ELL/APL-R/01/23/AAQ-4                                    |                   | <b>Sample Collection Date:</b> 14/01/2023<br><b>Sample Reporting Date:</b> 20/01/2023                                   |                    |
| ANALYSIS REPORT  |                   |   |                    |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH   | Polymer Block Area |
| Sampling Code  | --                | --  | WZ-04              |
| Sampling Duration  | --                | --  | 480 Minutes        |
| Weather  | --                | --  | Normal             |
| Ambient Temperature  | °K                | --  | 291                |
| Acetone  | mg/m <sup>3</sup> | <1780   | 57                 |
| Ammonia  | mg/m <sup>3</sup> | <18   | 08                 |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710  | 39                 |
| n-Butyl alcohol  | mg/m <sup>3</sup> | <150  | 04                 |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400   | 22                 |
| Ethyl alcohol  | mg/m <sup>3</sup> | <1900   | 16                 |
| Formaldehyde   | mg/m <sup>3</sup> | <1.5  | BDL                |
| IsoButyl alcohol   | mg/m <sup>3</sup> | <150  | 07                 |
| Manganese dust and compounds (as Mn)   | mg/m <sup>3</sup> | <0.5  | BDL                |
| Phosphoric Acid  | mg/m <sup>3</sup> | <0.1  | BDL                |
| Pyridine   | mg/m <sup>3</sup> | <15   | BDL                |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205  | BDL                |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184  | BDL                |
| Xylene   | mg/m <sup>3</sup> | <435  | 33                 |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <0.1  | BDL                |
| Toluene  | mg/m <sup>3</sup> | <375  | 28                 |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376  | 04                 |
| Butanol  | mg/m <sup>3</sup> | <152  | 07                 |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123  | 03                 |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55   | 05                 |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560  | 22                 |
| Acetic Acid  | mg/m <sup>3</sup> | <25   | BDL                |
| 2 - Butanone (Methyl ethyl Ketone - MEK)   | mg/m <sup>3</sup> | <590  | BDL                |
| sec/tert. Butyl Acetate  | mg/m <sup>3</sup> | <950  | BDL                |
| Chromic Acid & Chromates as Cr   | mg/m <sup>3</sup> | <0.05   | BDL                |
| Dibutyl Phthalate  | mg/m <sup>3</sup> | <5  | BDL                |
| Hydrogen Fluoride as F   | mg/m <sup>3</sup> | <2.5  | BDL                |
| Iron Oxide Fume (Fe <sub>2</sub> O <sub>3</sub> )  | mg/m <sup>3</sup> | --  | BDL                |
| Nitric Acid  | mg/m <sup>3</sup> | <0.5  | BDL                |
| Phenol   | mg/m <sup>3</sup> | <19   | BDL                |
| Styrene  | mg/m <sup>3</sup> | <215  | BDL                |
| Methanol   | mg/m <sup>3</sup> | <260  | BDL                |
| Cyclohexanol   | mg/m <sup>3</sup> | --  | BDL                |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142  | BDL                |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410  | BDL                |
| Lead   | mg/m <sup>3</sup> | <0.15   | BDL                |
| Chromium Metal & Insoluble Compound  | mg/m <sup>3</sup> | <0.1  | BDL                |
| Benzene  | mg/m <sup>3</sup> | <1.5  | BDL                |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>

Sample Done By Mr Shiv Singh & Mr Purshotam Singh.


Checked

N. B. :

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

EN/Lab-In-Charge

Dr. Vipul Kumar



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
 : 9810098664, 9810725668, 9910233668  
 : vipul\_kumar4@rediffmail.com  
 : envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IM1, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India... |                   | <b>SUBJECT :</b> VOC-AAQ<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc. |             |
|--|-------------------|---|-------------|
| <b>Sample Details :</b> VOC-AAQ<br><b>Sample Reference:</b> EIL/APL-R/01/23/AAQ-5                                      |                   | <b>Sample Collection Date:</b> 14/01/2023<br><b>Sample Reporting Date:</b> 20/01/2023                                   |             |
| ANALYSIS REPORT  |                   |   |             |
| SAMPLING SITE  | UNIT              | STANDARD/NORMS<br>NIOSH   | WBP Area    |
| Sampling Code  | --                | --  | WZ-05       |
| Sampling Duration  | --                | --  | 480 Minutes |
| Weather  | --                | --  | Normal      |
| Ambient Temperature  | °K                | --  | 29.1        |
| Acetone  | mg/m <sup>3</sup> | <1780   | 68          |
| Ammonia  | mg/m <sup>3</sup> | <18   | 05          |
| n-Butyl acetate  | mg/m <sup>3</sup> | <710  | 40          |
| n-Butyl alcohol  | mg/m <sup>3</sup> | <150  | 03          |
| Ethyl acetate  | mg/m <sup>3</sup> | <1400   | 19          |
| Ethyl alcohol  | mg/m <sup>3</sup> | <1900   | 32          |
| Formaldehyde   | mg/m <sup>3</sup> | <1.5  | BDL         |
| Isobutyl alcohol   | mg/m <sup>3</sup> | <150  | 06          |
| Manganese dust and compounds (as Mn)   | mg/m <sup>3</sup> | <05   | BDL         |
| Phosphoric Acid  | mg/m <sup>3</sup> | <01   | BDL         |
| Pyridine   | mg/m <sup>3</sup> | <15   | BDL         |
| Methyl isobutyl ketone (MIBK)  | mg/m <sup>3</sup> | <205  | BDL         |
| Ethylene Oxide   | mg/m <sup>3</sup> | <0.184  | BDL         |
| Xylene   | mg/m <sup>3</sup> | <435  | 40          |
| Phthalic Anhydride   | mg/m <sup>3</sup> | <01   | BDL         |
| Toluene  | mg/m <sup>3</sup> | <375  | 23          |
| 2 - Ethylhexanoic acid (2-EHA)   | mg/m <sup>3</sup> | <376  | 33          |
| Butanol  | mg/m <sup>3</sup> | <152  | 27          |
| Butyl Cellosolve   | mg/m <sup>3</sup> | <123  | 12          |
| Ethyl Cellosolve Acetate   | mg/m <sup>3</sup> | <55   | 08          |
| Mineral Turpentine Oil (MTO)   | mg/m <sup>3</sup> | <560  | 48          |
| Acetic Acid  | mg/m <sup>3</sup> | <25   | BDL         |
| 2 - Butanone (Methyl ethyl Ketone - MEK)   | mg/m <sup>3</sup> | <590  | BDL         |
| sec/tert. Butyl Acetate  | mg/m <sup>3</sup> | <950  | BDL         |
| Chromic Acid & Chromates as Cr   | mg/m <sup>3</sup> | <0.05   | BDL         |
| Dibutyl Phthalate  | mg/m <sup>3</sup> | <5  | BDL         |
| Hydrogen Fluoride as F   | mg/m <sup>3</sup> | <2.5  | BDL         |
| Iron Oxide Fume (Fe <sub>2</sub> O <sub>3</sub> )  | mg/m <sup>3</sup> | --  | BDL         |
| Nitric Acid  | mg/m <sup>3</sup> | <05   | BDL         |
| Phenol   | mg/m <sup>3</sup> | <19   | BDL         |
| Styrene  | mg/m <sup>3</sup> | <215  | BDL         |
| Methanol   | mg/m <sup>3</sup> | <260  | BDL         |
| Cyclohexanol   | mg/m <sup>3</sup> | --  | BDL         |
| Toluene diisocyanate (TDI)   | mg/m <sup>3</sup> | <0.142  | BDL         |
| Methyl Methacrylate  | mg/m <sup>3</sup> | <410  | BDL         |
| Lead   | mg/m <sup>3</sup> | <0.15   | BDL         |
| Chromium Metal & insoluble Compound  | mg/m <sup>3</sup> | <01   | BDL         |
| Benzene  | mg/m <sup>3</sup> | <1.5  | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.

N.B.:-

- The Sample/Samples Received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

EM/Lab-In-Charge

Dr Vipul Kumar



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233688  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

|   |  |
|---|--|
| <b>ISSUED TO :</b><br>M/s. ASIAN PAINTS LIMITED<br>Plot No. - 01, IATF, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.<br>Sample Details : VOC-AAQ<br>Sample Reference: EIL/APL-R/01/23/AAQ-6 | <b>SUBJECT :</b> VOC-AAQ<br><b>METHODS :</b> Based on NIOSH, OSHA<br><b>INSTRUMENTS:</b> Handy Sampler, CT, GC, UV etc.<br><b>Sample Collection Date:</b> 14/01/2023<br><b>Sample Reporting Date:</b> 20/01/2023 |
|---|--|

### ANALYSIS REPORT

| SAMPLING SITE                                     | UNIT              | STANDARD/NORMS<br>NIOSH | ETP Area    |
|---|-------------------|-------------------------|-------------|
| Sampling Code                                     | --                | --                      | WZ-06       |
| Sampling Duration                                 | --                | --                      | 480 Minutes |
| Weather   | --                | --                      | Normal      |
| Ambient Temperature                               | °K                | --                      | 291         |
| Acetone   | mg/m <sup>3</sup> | <1780                   | 42          |
| Ammonia   | mg/m <sup>3</sup> | <18                     | 03          |
| n-Butyl acetate                                   | mg/m <sup>3</sup> | <710                    | 19          |
| n-Butyl alcohol                                   | mg/m <sup>3</sup> | <150                    | BDL         |
| Ethyl acetate                                     | mg/m <sup>3</sup> | <1400                   | 23          |
| Ethyl alcohol                                     | mg/m <sup>3</sup> | <1900                   | 10          |
| Formaldehyde                                      | mg/m <sup>3</sup> | <1.5                    | BDL         |
| Isobutyl alcohol                                  | mg/m <sup>3</sup> | <150                    | 05          |
| Manganese dust and compounds (as Mn)              | mg/m <sup>3</sup> | <05                     | BDL         |
| Phosphoric Acid                                   | mg/m <sup>3</sup> | <01                     | BDL         |
| Pyridine  | mg/m <sup>3</sup> | <15                     | BDL         |
| Methyl isobutyl ketone (MIBK)                     | mg/m <sup>3</sup> | <205                    | BDL         |
| Ethylene Oxide                                    | mg/m <sup>3</sup> | <0.184                  | BDL         |
| Xylene  | mg/m <sup>3</sup> | <435                    | 29          |
| Phthalic Anhydride                                | mg/m <sup>3</sup> | <01                     | BDL         |
| Toluene   | mg/m <sup>3</sup> | <375                    | 23          |
| 2 - Ethylhexanoic acid (2-EHA)                    | mg/m <sup>3</sup> | <376                    | 10          |
| Butanol   | mg/m <sup>3</sup> | <152                    | 25          |
| Butyl Cellosolve                                  | mg/m <sup>3</sup> | <123                    | 31          |
| Ethyl Cellosolve Acetate                          | mg/m <sup>3</sup> | <55                     | 08          |
| Mineral Turpentine Oil (MTO)                      | mg/m <sup>3</sup> | <560                    | 36          |
| Acetic Acid                                       | mg/m <sup>3</sup> | <25                     | BDL         |
| 2 - Butanone (Methyl ethyl Ketone - MEK)          | mg/m <sup>3</sup> | <590                    | BDL         |
| sec/tert. Butyl Acetate                           | mg/m <sup>3</sup> | <950                    | BDL         |
| Chromic Acid & Chromates as Cr                    | mg/m <sup>3</sup> | <0.05                   | BDL         |
| Dibutyl Phthalate                                 | mg/m <sup>3</sup> | <5                      | BDL         |
| Hydrogen Fluoride as F                            | mg/m <sup>3</sup> | <2.5                    | BDL         |
| Iron Oxide Fume (Fe <sub>2</sub> O <sub>3</sub> ) | mg/m <sup>3</sup> | --                      | BDL         |
| Nitric Acid                                       | mg/m <sup>3</sup> | <05                     | BDL         |
| Phenol  | mg/m <sup>3</sup> | <19                     | BDL         |
| Styrene   | mg/m <sup>3</sup> | <215                    | BDL         |
| Methanol  | mg/m <sup>3</sup> | <260                    | BDL         |
| Cyclohexanol                                      | mg/m <sup>3</sup> | --                      | BDL         |
| Toluene diisocyanate (TDI)                        | mg/m <sup>3</sup> | <0.142                  | BDL         |
| Methyl Methacrylate                               | mg/m <sup>3</sup> | <410                    | BDL         |
| Lead  | mg/m <sup>3</sup> | <0.15                   | BDL         |
| Chromium Metal & Insoluble Compound               | mg/m <sup>3</sup> | <01                     | BDL         |
| Benzene   | mg/m <sup>3</sup> | <1.5                    | BDL         |

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m<sup>3</sup>  
Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.

Checked


N.B.:-

R. B. Murwah

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

EIL/Lab-In-Charge

Dr. Vipul Kumar



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
 : 9810098664, 9810725666, 9910233668  
 : vipul\_kumar4@rediffmail.com  
 : envirointernationalec@gmail.com

ISO : 9001 : 2015; ISO : 14001 : 2015

OHSAS : 18001 : 2007

---

# Annexure –V

---



# ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India  
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

## TEST REPORT

| <b>ISSUED TO :</b><br>M/s ASIAN PAINTS LIMITED<br>Plot No. - 01, IMT, Kheri Sadh,<br>Rohtak (Haryana) - 24001 India.. |     | <b>SUBJECT :</b> NOISE MONITORING<br><b>PRINCIPLE &amp; METHODS:</b> Based on EPA: dB eq.<br><b>INSTRUMENTS :</b> Noise Level Meter N 700543/SL-4012 |                        |
|---|-----|--|------------------------|
| <b>Sample Details :</b> Noise<br>Sample Reference: EIL/APL-R/01/23/AN - 1-20  |     | <b>Sample Collection Date:</b> 12/01/23<br><b>Sample Reporting Date:</b> 20/01/23  |                        |
| Monitoring Station  | Day | Night  | Standard*              |
| Gate No.1   | 58  | 54   | 75 (Day)<br>70 (Night) |
| Gate No.2   | 60  | 54   | 75 (Day)<br>70 (Night) |
| Gate No.3   | 58  | 55   | 75 (Day)<br>70 (Night) |
| Engineering Store   | 58  | 50   | 75 (Day)<br>70 (Night) |
| RMG Park  | 58  | 50   | 75 (Day)<br>70 (Night) |
| FPH Back Side   | 57  | 49   | 75 (Day)<br>70 (Night) |
| PMG Back Side   | 60  | 53   | 75 (Day)<br>70 (Night) |
| ETP Watch Tower   | 58  | 50   | 75 (Day)<br>70 (Night) |
| Storm Water Tank  | 56  | 48   | 75 (Day)<br>70 (Night) |
| Green Belt Area-1   | 59  | 55   | 75 (Day)<br>70 (Night) |

Unit: dB (A) Eq.

Checked by  
R.P. Marwan

EIL/Lab-In-Charge  
Dr. Vipul Kumar

### N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306  
: 9810098664, 9810725666, 9910233668  
: vipul\_kumar4@rediffmail.com  
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

OHSAS : 18001 : 2007

At Asian paints Rohtak plant we have taken below steps for Sensitization of employees and implementation of ban on Single Use Plastic (SUP) –

1. Circulation of emailers to all employees regarding the ban on single use plastic along with the item's details:

#### Single-Use Plastic Ban in the Premises



Kumari Anubhuti

To: Rohtak Managers; Rohtak Executives; Rohtak Team Members  
Cc: Godwinkumar Joel; Aditya Sinha; ANAND OSWAL; Vishal Kumar Varshney; Armerdeep Jain

You forwarded this message on 7/14/2022 10:22 AM.  
This message was sent with High Importance.

Reply Reply All Forward

Sat 7/2/2022 12:35 PM

Hello All,

In adherence to the Single-Use Plastic Ban in Haryana, Please find the following list of items, usage of which is to be banned immediately in the plant premises.

| S. No. | Items                   | Plant - Usage                                   | Remarks |
|--------|-------------------------|---|---------|
| 1      | Candy Sticks            | NA  |         |
| 2      | Ice-Cream Sticks        | NA  |         |
| 3      | Plastic Straw           | Used in Juice-boxes, usage stopping immediately |         |
| 4      | Plastic Stirrer/Earbuds | NA  |         |

|    |   |   |  |
|----|---|---|--|
| 5  | Plastic Cutlery Items<br>Plates/Forks/Knives      | NA  |  |
| 6  | Plastic Cups                                      | Used for Lime-Juice, usage stopping immediately           |  |
| 7  | Packaging/Wrapping<br>Films on Sweet Box          | NA  |  |
| 8  | Packaging/ Wrapping<br>Films<br>Invitation cards  | NA  |  |
| 9  | Packaging/ Wrapping<br>Films<br>Cigarette Packets | NA  |  |
| 10 | PVC Banners < 100 µm                              | Banners not to be used <100 microns, Existing needs to be | Please ensure the same requirement is also mentioned |



|    |   |  |  |
|----|---|--|--|
| 11 | Polystyrene/ Thermocol for decoration                   | NA   |  |
| 12 | Plastic Carry Bags                                      | Respective departments to ensure compliance                  |  |
| 13 | Plastic Sheets <75µm till 31st Dec 22 after that 120 µm | Respective departments to ensure compliance with the vendors | Please ensure the same requirement is also mentioned in the next PO. |

Please note these items are banned for personal use as well. Please DO NOT bring these items inside the premises in any case, even for personal use.

In case of clarity needed for usage of any item, please get in touch with the EHS team immediately.

Regards,  
Anubhuti

## 2. Add clause on restricting single use plastic in purchase orders.

### FW: Single-Use Plastic Ban in the Premises



Kumari Anubhuti

To Akshu Gupta; Sunny Khurana

Cc Bhupender Singh

This message was sent with High importance.

Classification: Internal

Hi Akshu,

As discussed yesterday on call, Please find the following notification for the single use plastic ban.

Request you to please mention point no. 10 (PVC Banners < 100 µm) and point no. 13 (Plastic Sheets <75µm till 31st Dec 22 after that 120 µm) in the list of requirements/pre-requisite while getting a P.O.

Please initiate/do the needful on priority.

Regards,  
Anubhuti

This message has been classified Internal by Kumari Anubhuti on 06 August 2022 at 08:01:40.



Sat 8/6/2022 8:02

### 3. Awareness created through conducting online webinar to all employees and their families.

RE: Rethinking Plastic Usage - Register Now!



Sustainability Cmnid  
To: Gaurav  
Cc: Astha Walia; Vivek Khanchandani

Reply Reply All Forward ...

Fri 8/19/2022 12:22 PM

Hi,

We are almost a day away from the Trash Talks, where we will be talking about Rethinking Plastic Usage.  
#SustainabilityStartsWithMe

We're excited to have you join us for this event!

**About the Webinar:** Over 8.3 billion tonnes of plastic have been produced since 1950, and about 60% of that has ended up in landfills or in the natural environment. Plastic waste, whether in a river, an ocean, or on land can persist in the environment for centuries, hence by 2050, the amount of plastic in seas and oceans across the world will weigh more than the fish. Isn't it time to switch to more eco-friendly products and find ways of living sustainably?

If you are as concerned about the plastic pollution crisis as much as we are, then this webinar is for you!

Participate in a conversation where we discuss the environmental impact of the Plastic Problem and what we can do about it, alternatives for single-use plastic, how one can contribute and re-purposing plastic into planters and other decors- is that really sustainable?

Place for this fun yet informative webinar on Rethinking Plastic Usage is going away, so RSVP right away to save your seat.  
This webinar is open for all. Please join in with your family and friends

To register, [CLICK HERE!](#)

Rethinking Plastic Usage - Register Now!



Sustainability Cmnid  
To: Gaurav  
Cc: Astha Walia; Vivek Khanchandani

Reply Reply All Forward ...

Wed 8/17/2022 3:48 PM

Hi!

Hurry up and Register for the "TRASH TALKS" webinar -20<sup>th</sup> August 2022; 3:00 -4:00 pm IST.

Join us on the live webinar on "Rethinking Plastic Usage" to learn about:

- The Plastic Problem and what we can do about it.
- Alternatives for Single-use plastic.
- Re-purposing plastic into planters and other decors- is that really sustainable?
- How you can contribute?

It's time for you to start living life in a sustainable way.




---


## **Action taken for reduction plastic waste**

## Action -2

**Before**





**After**





Wrapped pallets were received from 2 vendors to avoid moisture in rainy session.  
Stop the wrapping activity, now pallets are receiving without wrapping.

4. Nukkad Natak on Plastic waste during Work Environment Week celebration:





5. Plastic Wrapping has been removed from packing material packaging.



## **Bhupender Singh**

**From:** Sustainability Cmnd  
**Sent:** 18 May 2023 13:06  
**Cc:** Astha Walia  
**Subject:** A 7R's Journey in Upcycling- Register Now!

**Hurry!** 🙌

Registration for our upcoming webinar on "[A 7R's Journey in Upcycling](#)" is ending tomorrow....



- ✓ Join us and learn more ways to reduce your carbon footprint beyond the 3R's of Reduce, Reuse and Recycle...
- ✓ Learn and lead a circular lifestyle by practicing 7R's of Sustainability...
- ✓ Master the 7R's and learn the art of upcycling the waste paper...

Join the webinar on: 

 20th May 2023,  
 3:00-4:00 PM

*This webinar is open to all. Please join in with your family and friends.*  
**#SustainabilityStartsWithMe**

**To Register: [CLICK HERE](#)**



*This webinar is open for all, please join in with your family & friends*

**Registration link : <https://forms.office.com/r/LeF3NjZZKw>**

**Please note :** If you wish to register your family/friends for webinar, you may share the concerned person's email ID in the registration form. Alternatively, you can scan below QR code and join the 'Sustainability Champions' WhatsApp group. We will share the webinar link on the group and you may forward the link from there to your family/friends.



See You Online! ☺

Regards,  
Team Environment





See you 😊

Regards,  
Team Environment



From: Sustainability Cmnid <sustainability@asianpaints.com>

Sent: 16 May 2023 14:29

Cc: Astha Walla <astha.walia@asianpaints.com>

Subject: A 7R's Journey in Upcycling- Register Now!

*dh.*