



APL/ROH/EC/23-24/H1

<Dial 18002666668> <Wear Masks> **भारतीय डाक**
India Post
EH4534098131N IVR:6972453409813
SPP ROHTAK SECTOR I SO <124001>
Counter No:1,29/11/2023,12:52
To:THE MEMBER SE,PANCHKULA
PIN:134109, Panchkula Sector B S.O
From:ASIAN PAINTS LTD ,ROHTAK
Wt:600gms
Amt:76.70(Cash)Tax:11.70
<Track on www.indiapost.gov.in>

Asian Paints Limited
Asian Paints House
6A, Shantinagar
Santacruz (E)
Mumbai 400 055
T: (022) 6218 1000
F: (022) 6218 1111
www.asianpaints.com

24th Nov 2023

Received
[Signature]
Haryana State Pollution Control Board
SCO-A6,7,8, Near Vishal Hotel,
Suncity, Sec - 36, Rohtak

To,

The Joint Director
Ministry of Environment & Forests (IA Division)
Paryavaran Bhawan, CGO Complex, Lodhi Road
NEW DELHI – 110 003

Dear Sir,

Subject: Half Yearly Compliance Report- Environmental clearance for Asian Paints Limited, Rohtak.

Reference: Environmental clearance granted to integrated paint unit at IMT Rohtak vide Letter no. J-11011/1158/2007-IA-II (I) dated 9th April 2008

Please find herewith the enclosed Environment compliance status with respect to the Environmental Clearance given to Asian Paints Limited, Rohtak for the period of 1st April 2023 to 30th September 2023.

Thanking you,

Yours Sincerely,

[Signature]
FOR ASIAN PAINTS LTD.

CC:

- The Director
Ministry of Environment & Forests
Regional Office (NEZ), Bays No. 24-25, Sector 31-A,
Dakshim Marg,
CHANDIGARH – 160 022
- The Member Secretary
HSPCB, Sector-6, C-11, Panchkula, Haryana
- The Regional officer, HSPCB Rohtak, Haryana

<Dial 18002666668> <Wear Masks> **भारतीय डाक**
India Post
697951N IVR:6972453409795
SPP ROHTAK SECTOR I SO <124001>
Counter No:1,29/11/2023,12:52
To:THE DIR MIN E,SEC 31 A CHANDIG
PIN:160022, Sector 22 Chandigarh SO
From:ASIAN PAINTS LTD ,ROHTAK
Wt:650gms
Amt:106.20(Cash)Tax:16.20
<Track on www.indiapost.gov.in>

<Dial 18002666668> <Wear Masks> **भारतीय डाक**
India Post
EH4534096711N IVR:6972453409671
SPP ROHTAK SECTOR I SO <124001>
Counter No:1,29/11/2023,12:52
To:THE JOINT DIR,NEW DELHI
PIN:110003, Lodi Road HD
From:ASIAN PAINTS LTD ,ROHTAK
Wt:630gms
Amt:76.70(Cash)Tax:11.70
<Track on www.indiapost.gov.in>

Enclosure: Environmental Clearance conditions compliance status for the period from 1st Apr' 2023 to 30th Sep' 2023 with Annexure (I to V) and compliance with Single use plastic.



Asian Paints Limited, Rohtak, Compliance Status

Period: 1st April 2023 to Sep'2023

Sr.No	Condition	Compliance Status
A	SPECIFIC CONDITIONS	
I	The project authorities shall ensure periodical monitoring of the solvents like Xylene and Toluene. No Benzene shall be used in the process.	Periodic Monitoring of solvents are regularly conducted. No benzene is used in the process Reports of tests conducted attached as annexure-I
II	The project authorities shall provide vents with condensers to control solvent emissions and recover the same. The recovery of the solvents shall not be less than 98%.	Noted and complied. Currently we are manufacturing only water based paints, Putty and intermediates.
III	The gaseous emissions (SO ₂ , NO _x , HCl, Toluene, xylene, butane) and particulate matters from various process units shall conform to the standards prescribed by the concerned authorities from time to time and monitoring report shall be submitted to the Ministry's Regional Office, CPCB and Haryana PCB. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	Noted and Complied Monitoring of gaseous emissions and particulate matter is being carried out at various process units. Reports of tests conducted attached as annexure-II
IV	Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by Haryana PCB. For control of fugitive emission and VOCs following steps shall be followed : A. Closed handling system shall be provided for chemicals. B. Reflux condenser shall be provided over reducer. C. Chemical handling pump shall be provided with mechanical seals to prevent leakages D. System of leak detection and repair of pump/pipeline based on preventive maintenance. E. Chemicals shall be taken to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.	Noted and Complied 1. Fugitive emissions is being monitored regularly. 2. Closed handling system has been provided for bulk liquid chemicals. 3. All the conditions as per A, B, C & D are complied. 4. For point E, Chemicals are taken to reactors through pipeline only. Condensers are being provided for the storage tanks of highly volatile chemicals. Venting through trap receiver and condenser operated on chilled water cannot be practical provided for all storage tanks 5. Compliance to given conditions for control of VOCs and fugitive emissions is being ensured and is well within the limits stipulated.
V	During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	Noted and Complied Garland drains are constructed at all tanker unloading areas which are connected to trade effluent pits
VI	The project authorities shall install acoustic enclosures to the DG Sets for noise control and the stack heights of DG Sets and thermic fluid heaters shall be as per the guideline of CPCB.	Noted and Complied 1. Acoustic enclosure for DG sets has been provided. 2. Stack of height 30 meter has been provided for DG sets.
VII	Total water requirement shall not exceed 1312 m ³ /d. A full fledged treatment plant shall be installed for treatment of the wastewater to achieve the standards prescribed by the State Pollution Control Board. The treated wastewater shall be reused and zero discharge condition shall be maintained.	Complied. 1. Fresh water requirement has not exceeded 1312 KLD. 2. ETP is operational for effluent treatment. 3. Treated wastewater is being utilized for plant operations and zero discharge condition is maintained
VIII	Hazardous waste (996 MT/annum) and Non-hazardous waste (2130 MT/annum) shall be generated from the proposed project. Incinerable hazardous waste will be incinerated and incineration ash and other hazardous waste shall be disposed in TSDF. Non hazardous solid waste shall be sold and recycled/incinerated. Used/spent oil from power generator sets shall be separately collected and sold to authorized oil recycler.	1. Hazardous waste generation and disposal is 48.60 MT & 62.31 respectively in first half of FY_2023-24 (1st Apr'2023 to Sep'2023). 2. Non-hazardous solid waste generation is 650.90 MT in First half of FY_2023-24 (1st Apr'2023 to Sep'2023). 3. Hazardous waste is being disposed through TSDF facility of GEPIL (Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd.) at Faridabad. 4. Used/spent oil is being collected separately and is being sold to authorized oil recycler. 5. Non-Hazardous solid waste is sold to scrap vendors and authorized recyclers.
IX	The project authorities shall store ETP sludge in leachate proof storage facility at site and shall be disposed of to TSDF. The company shall obtain membership of TSDF and copy of the same shall be submitted to the Ministry.	Noted and Complied. 1. Leachate-proof storage facility has been provided for storage of ETP sludge. 2. ETP sludge is being disposed to TSDF facility at GEPIL (Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd.) at Faridabad. 3. Membership of TSDF facility has been taken and a copy of certificate is enclosed as Annexure -III
X	The project authorities shall obtain necessary commitment from IMT and HSIIDC authorities for supply of requisite water within three month. The copy of the same shall be submitted to Ministry's Regional Office at Chandigarh.	Noted and complied.
XI	The company shall develop 33% of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.	Complied
XII	The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Noted and Complied Adequate funds have been allocated for adherence to all statutory and other environment related requirements.
XIII	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Noted and Complied

Asian Paints Limited, Rohtak, Compliance Status

Period: 1st April 2023 to Sep'2023

Sr.No	Condition	Compliance Status
B	GENERAL CONDITIONS	
I	The project authorities shall strictly adhere to the stipulations made by the state government, State Pollution Control Board and any other statutory body.	Compliance to all legal conditions is being ensured.
II	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and complied
III	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	Noted and complied
IV	Levels of HC and VOC at various probable locations in the ambient air will be monitored. Regular monitoring of HC and VOC may be carried out in the ambient air in and around the plant.	Noted and Complied Monitoring for levels of HC and VOC is being carried out at regular intervals at various locations in the ambient air and sample reports are enclosed for your reference as Annexure IV
V	The locations of ambient air quality monitoring stations shall be reviewed in consultation with the State Pollution Control Board (SPCB) and additional stations shall be installed, if required, in the downwind direction as well as where maximum ground level concentrations are anticipated.	Noted and Complied Ambient air quality monitoring is being conducted at identified monitoring locations. Test reports for same is enclosed along with Annexure-IV
VI	Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.	Noted and Complied 1. Scrubbers have been provided at vents and height of all the stacks are as per CPCB guidelines. 2. Scrubber water is being sent to ETP for treatment.
VII	All the storage tanks shall be under negative pressure to avoid any leakages. Breather valves, N2 blanketing and secondary condensers with brine chilling system shall be provided for all the storage tanks to minimize Vapour losses. All liquid raw material shall be stored in storage Tanks and Drums.	Liquid raw materials are being stored in storage tank and barrels. Adequate leakage control infrastructure has been provided for all liquid raw material storage tanks. Breather valve, N2 blanketing and secondary condenser with chilling system (basis material property) has been provided for identified material storage tanks.
VIII	The company shall undertake following Waste Minimization measures. 1. Metering and control of quantities of active ingredients to minimize waste. 2. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. 3. Use of automated filling to minimize spillage. 4. Use of "Closed Feed" system into batch reactors. 5. Venting equipment through Vapour recovery system. 6. Use of high pressure hoses for equipment cleaning to reduce wastewater generation.	1. Active ingredients are being added in closed loop manner and is metered for controlled addition in the equipment. 2. Reactors' / Mixers' washings are being collected & reused back in our products 3. Automated filling system has been provided 4. All liquid RMs is being charged from storage tank to process vessels in a closed system. 5. Vapor recovery system has been provided for required processing equipment. 6. High pressure hoses of pressure 100 bar & more are being used for equipment cleaning.
IX	The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management and Handling) Rules, 1989, as amended from time to time. Authorization from the SPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.	We are complying to the rules and guidelines stipulated under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and The Hazardous and Other Wastes [Management and Transboundary Movement) Rules, 2016. Consent to operate under Air Act, Water Act & authorization under Hazardous Wastes Rules are obtained and are valid till 30/9/2027.
X	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied Acoustic enclosures are provided for noise generating equipment's. Regular Noise monitoring is being conducted at locations identified as high noise areas in plant. Test reports for same are enclosed as Annexure -V .
XI	The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.	Complied Rain water harvesting system has been developed and is reused.
XII	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of receipt of this letter for approval.	Agreed and Complied Environment-related CSR activities has been undertaken. 1. Rainwater harvesting project has been implemented and being maintained at BD Sharma university of health science, Foot ware Design Institute (FDDI) Rohtak. 2. Lake desilting project done at Bohar and Gandhra village, Rohtak. 3. Health & Hygiene activity are being carried out in nearby villages. 4. Continuous potable water is being supplied in Kherisadh Govt School and Village after implementation of pipeline project at Baliyana village, Rohtak. 5. 3100 meter long Canal channel lining project has been done in Kharawar Village, Rohtak. 6. 1500 meter long Canal channel lining project has been done in Nonand Village, Rohtak. 7. Waterbody Rejuvenation work at Gandhara. 8. 4550 meter long canal lining takeup in Nonand & Chuliana village.

Asian Paints Limited, Rohtak, Compliance Status

Period: 1st April 2023 to Sep'2023

Sr.No	Condition	Compliance Status
XIII	The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the EIA/EMP report.	Noted and Complied
XIV	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Noted and Complied An Environment Department is operational in plant and it has an environment laboratory with state-of-the art equipment, for management and monitoring of environmental parameters.
XV	The implementation of the project vis-à-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	Noted and complied
XVI	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Noted and Complied Press advertisements were done in The Times of India (Chandigarh Edition) and Haribhoomi (Rohtak Edition) on 16th April 2008. The copies of the same were forwarded to concerned Regional Office of the ministry.
XVII	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied

Annexure -I



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-89		Sample Collection Date: 29/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	ETP CHEMICAL STORAGE ROOM
Sampling Code	--	--	WZ - 89
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	304
Ammonia	mg/m ³	<18	03
n-Butyl acetate	mg/m ³	<710	33
Ethyl acetate	mg/m ³	<1400	58
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	37
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	68
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	10
Butanol	mg/m ³	<152	02
Butyl Cellosolve	mg/m ³	<123	03
Ethyl Cellosolve Acetate	mg/m ³	<55	04
Mineral Turpentine Oil (MTO)	mg/m ³	<560	51
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	0.1

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotom Singh.

Checked

R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89


TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-90		Sample Collection Date: 21/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- GROUND FLOOR-OLD BLOCK
Sampling Code	--	--	WZ - 90
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m ³	<18	05
n-Butyl acetate	mg/m ³	<710	26
Ethyl acetate	mg/m ³	<1400	26
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	13
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	35
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	04
Butanol	mg/m ³	<152	03
Butyl Cellosolve	mg/m ³	<123	03
Ethyl Cellosolve Acetate	mg/m ³	<55	01
Mineral Turpentine Oil (MTO)	mg/m ³	<560	46
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-91	Sample Collection Date: 21/07/2023 Sample Reporting Date: 04/08/2023


ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- GROUND FLOOR-NEW BLOCK
Sampling Code	--	--	WZ - 91
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m ³	<18	05
n-Butyl acetate	mg/m ³	<710	22
Ethyl acetate	mg/m ³	<1400	35
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	27
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	46
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	21
Butanol	mg/m ³	<152	04
Butyl Cellosolve	mg/m ³	<123	03
Ethyl Cellosolve Acetate	mg/m ³	<55	01
Mineral Turpentine Oil (MTO)	mg/m ³	<560	69
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	---	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
: envirointernationaliec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL

24
YEARS EXPERIENCE

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA	
Sample Details : ORGANIC SOLVENT		METHODS : Based on NIOSH, OSHA	
Sample Reference: EIL/APL-R/07/23/WZ-92		INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
		Sample Collection Date: 21/07/2023	
		Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- 1st FLOOR OLD BLOCK
Sampling Code	--	--	WZ - 92
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m ³	<18	06
n-Butyl acetate	mg/m ³	<710	47
Ethyl acetate	mg/m ³	<1400	31
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	55
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	43
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	18
Butanol	mg/m ³	<152	02
Butyl Cellosolve	mg/m ³	<123	18
Ethyl Cellosolve Acetate	mg/m ³	<55	07
Mineral Turpentine Oil (MTO)	mg/m ³	<560	74
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	---	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Mehra

EIL/Lab-In-Charge
Dr Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-93		Sample Collection Date: 21/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- 1st FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 93
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	14
Ethyl acetate	mg/m ³	<1400	52
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	35
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m³	<375	35
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	31
Butanol	mg/m ³	<152	09
Butyl Cellosolve	mg/m ³	<123	06
Ethyl Cellosolve Acetate	mg/m ³	<55	02
Mineral Turpentine Oil (MTO)	mg/m ³	<560	62
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	---	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL


N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05mg/m³
Sampling Done By Mr Shiv Singh & Mr Purehotum Singh.

Checked

R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89


TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-94		Sample Collection Date: 21/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- II nd FLOOR OLD BLOCK
Sampling Code	--	--	WZ - 94
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m ³	<18	06
n-Butyl acetate	mg/m ³	<710	55
Ethyl acetate	mg/m ³	<1400	78
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	06
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	42
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	08
Butanol	mg/m ³	<152	17
Butyl Cellosolve	mg/m ³	<123	07
Ethyl Cellosolve Acetate	mg/m ³	<55	02
Mineral Turpentine Oil (MTO)	mg/m ³	<560	74
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306
9810098664, 9810725666, 9910233668
vipul_kumar4@rediffmail.com
envirointernational.ec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-95	Sample Collection Date: 21/07/2023 Sample Reporting Date: 04/08/2023

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- IInd FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 95
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m ³	<18	05
n-Butyl acetate	mg/m ³	<710	35
Ethyl acetate	mg/m ³	<1400	15
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	51
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	39
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	23
Butanol	mg/m ³	<152	33
Butyl Cellosolve	mg/m ³	<123	15
Ethyl Cellosolve Acetate	mg/m ³	<55	11
Mineral Turpentine Oil (MTO)	mg/m ³	<560	87
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Pureshotum Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-96		Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER GROUND FLOOR OLDBLOCK
Sampling Code	--	--	WZ - 96
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m³	<18	05
n-Butyl acetate	mg/m³	<710	46
Ethyl acetate	mg/m³	<1400	68
Methyl isobutyl ketone (MIBK)	mg/m³	<205	BDL
Ethylene Oxide	mg/m³	<0.184	BDL
Xylene	mg/m³	<435	32
Phthalic Anhydride	mg/m³	<01	BDL
Toluene	mg/m³	<375	95
2 - Ethylhexanoic acid (2-EHA)	mg/m³	<376	29
Butanol	mg/m³	<152	63
Butyl Cellosolve	mg/m³	<123	04
Ethyl Cellosolve Acetate	mg/m³	<55	12
Mineral Turpentine Oil (MTO)	mg/m³	<560	93
Styrene	mg/m³	<215	BDL
Methanol	mg/m³	<260	BDL
Cyclohexanol	mg/m³	--	BDL
Toluene diisocyanate (TDI)	mg/m³	<0.142	BDL
Methyl Methacrylate	mg/m³	<410	BDL
Lead	mg/m³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m³	<01	BDL
Benzene	mg/m³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m3

Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Narwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098864, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/AVZ-97	Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER GROUND FLOOR NEW BLOCK
Sampling Code	--	--	WZ-97
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	60
Ethyl acetate	mg/m ³	<1400	72
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	28
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	67
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	92
Butanol	mg/m ³	<152	03
Butyl Cellosolve	mg/m ³	<123	11
Ethyl Cellosolve Acetate	mg/m ³	<55	06
Mineral Turpentine Oil (MTO)	mg/m ³	<560	78
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89



TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India...	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-98	Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER 1st FLOOR OLD BLOCK
Sampling Code	--	--	WZ - 98
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	04
n-Butyl acetate	mg/m ³	<710	30
Ethyl acetate	mg/m ³	<1400	23
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	30
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	69
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	21
Butanol	mg/m ³	<152	14
Butyl Cellosolve	mg/m ³	<123	10
Ethyl Cellosolve Acetate	mg/m ³	<55	04
Mineral Turpentine Oil (MTO)	mg/m ³	<560	90
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purohit Singh.

Checked
R.P. Marwah

EIL/Lab In-Charge
Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, INT, Kheri Sadh, Rohtak (Haryana) - 24001 India.	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-99	Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER 1st FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 99
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	27
Ethyl acetate	mg/m ³	<1400	38
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	18
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	50
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	39
Butanol	mg/m ³	<152	31
Butyl Cellosolve	mg/m ³	<123	07
Ethyl Cellosolve Acetate	mg/m ³	<55	03
Mineral Turpentine Oil (MTO)	mg/m ³	<560	86
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
9810098664, 9810725686, 9910233668
vipul_kumar4@rediffmail.com
envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89



TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-100	Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER IInd FLOOR OLD BLOCK
Sampling Code	--	--	WZ - 100
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	03
n-Butyl acetate	mg/m ³	<710	45
Ethyl acetate	mg/m ³	<1400	59
Methyl Isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	24
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	32
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	25
Butanol	mg/m ³	<152	40
Butyl Cellosolve	mg/m ³	<123	22
Ethyl Cellosolve Acetate	mg/m ³	<55	04
Mineral Turpentine Oil (MTO)	mg/m ³	<560	66
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Furshotum Singh.

Checked
R.P. Marwari

EIL/Lab-In-Charge
Dr. Vipul Kumar
Greater Noida

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-101		Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	POLYMER IInd FLOOR NEW BLOCK
Sampling Code	--	--	WZ - 101
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	03
n-Butyl acetate	mg/m ³	<710	29
Ethyl acetate	mg/m ³	<1400	18
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	21
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	57
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	21
Butanol	mg/m ³	<152	16
Butyl Cellosolve	mg/m ³	<123	24
Ethyl Cellosolve Acetate	mg/m ³	<55	03
Mineral Turpentine Oil (MTO)	mg/m ³	<560	63
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.06 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result Indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



— ENVIRO-INTERNATIONAL —



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-102		Sample Collection Date: 28/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	QUALITY ASSURANCE QA CHEMICAL ROOM
Sampling Code	--	--	WZ - 102
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	^o K	--	301
Ammonia	mg/m ³	<18	04
n-Butyl acetate	mg/m ³	<710	36
Ethyl acetate	mg/m ³	<1400	24
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	15
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	52
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	63
Butanol	mg/m ³	<152	17
Butyl Cellosolve	mg/m ³	<123	26
Ethyl Cellosolve Acetate	mg/m ³	<55	10
Mineral Turpentine Oil (MTO)	mg/m ³	<560	118
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. MaFwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CLJ/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-103		Sample Collection Date: 28/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	QUALITY ASSURANCE QA GC ROOM
Sampling Code	--	--	WZ - 103
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	^o K	--	300
Ammonia	mg/m ³	<18	06
n-Butyl acetate	mg/m ³	<710	45
Ethyl acetate	mg/m ³	<1400	29
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	23
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	46
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	05
Butanol	mg/m ³	<152	08
Butyl Cellosolve	mg/m ³	<123	13
Ethyl Cellosolve Acetate	mg/m ³	<55	09
Mineral Turpentine Oil (MTO)	mg/m ³	<560	70
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	---	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³

Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge

Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO: M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India...	SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-104	Sample Collection Date: 28/07/2023 Sample Reporting Date: 04/08/2023

ANALYSIS REPORT

SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	QUALITY ASSURANCE QA HPLC ROOM
			WZ - 104
Sampling Code	--	--	480 Minutes
Sampling Duration	--	--	Normal
Weather	°K	--	300
Ambient Temperature			02
Ammonia	mg/m ³	<18	28
n-Butyl acetate	mg/m ³	<710	46
Ethyl acetate	mg/m ³	<1400	BDL
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	31
Xylene	mg/m ³	<435	BDL
Phthalic Anhydride	mg/m ³	<01	37
Toluene	mg/m ³	<375	28
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	03
Butanol	mg/m ³	<152	08
Butyl Cellosolve	mg/m ³	<123	04
Ethyl Cellosolve Acetate	mg/m ³	<55	44
Mineral Turpentine Oil (MTO)	mg/m ³	<560	BDL
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1946. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Pureshotum Singh.

Checked
R.P. Marwah

EIL/Lab In-Charge
Dr. Vipul Kumar
Greater Noida

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725868, 9910233688
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-105		Sample Collection Date: 28/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	QUALITY ASSURANCE QA MICRO ROOM
Sampling Code	--	--	WZ - 105
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	300
Ammonia	mg/m ³	<18	04
n-Butyl acetate	mg/m ³	<710	28
Ethyl acetate	mg/m ³	<1400	23
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	05
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	31
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	19
Butanol	mg/m ³	<152	08
Butyl Cellosolve	mg/m ³	<123	03
Ethyl Cellosolve Acetate	mg/m ³	<55	05
Mineral Turpentine Oil (MTO)	mg/m ³	<560	31
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotum Singh.

Checked
R.P. Misra

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com



ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL

Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89



TEST REPORT

ISSUED TO: M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-106		Sample Collection Date: 21/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	LQC
Sampling Code	--	--	WZ - 106
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	300
Ammonia	mg/m ³	<18	05
n-Butyl acetate	mg/m ³	<710	23
Ethyl acetate	mg/m ³	<1400	06
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	03
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	19
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	02
Butanol	mg/m ³	<152	03
Butyl Cellosolve	mg/m ³	<123	17
Ethyl Cellosolve Acetate	mg/m ³	<55	04
Mineral Turpentine Oil (MTO)	mg/m ³	<560	46
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Macwah

EIL/Lab-In-Charge
Dr. Vipul Kumar
ENVIRO-INTERNATIONAL
Greater Noida

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@radiffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/AVZ-107		Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BG-1 NEW BLOCK
Sampling Code	--	--	WZ - 107
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	03
n-Butyl acetate	mg/m ³	<710	55
Ethyl acetate	mg/m ³	<1400	35
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	38
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	66
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	11
Butanol	mg/m ³	<152	50
Butyl Cellosolve	mg/m ³	<123	27
Ethyl Cellosolve Acetate	mg/m ³	<55	11
Mineral Turpentine Oil (MTO)	mg/m ³	<560	52
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab In-Charge
Dr. Vipul Kumar
Greater Noida

N.B. :-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-5545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Harvana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-108		Sample Collection Date: 27/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BG-1 OLD BLOCK
Sampling Code	--	--	WZ - 108
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	03
n-Butyl acetate	mg/m ³	<710	64
Ethyl acetate	mg/m ³	<1400	49
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	15
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	20
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	51
Butanol	mg/m ³	<152	03
Butyl Cellosolve	mg/m ³	<123	25
Ethyl Cellosolve Acetate	mg/m ³	<55	04
Mineral Turpentine Oil (MTO)	mg/m ³	<560	77
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL


N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked

R.P. Marwan

EIL/Lab-In-Charge

Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/AWZ-109		Sample Collection Date: 28/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BG-2 OLD BLOCK
Sampling Code	--	--	WZ - 109
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	301
Ammonia	mg/m ³	<18	04
n-Butyl acetate	mg/m ³	<710	74
Ethyl acetate	mg/m ³	<1400	20
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	40
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	62
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	18
Butanol	mg/m ³	<152	04
Butyl Cellosolve	mg/m ³	<123	36
Ethyl Cellosolve Acetate	mg/m ³	<55	02
Mineral Turpentine Oil (MTO)	mg/m ³	<560	61
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purohotum Singh.

Checked
R.P. Macwan

EIL/Lab-In-Charge
Sh. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725866, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com



ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CLJ/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kberi Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CF, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-110		Sample Collection Date: 28/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BG-2 NEW BLOCK
Sampling Code	--	--	WZ - 110
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	301
Ammonia	mg/m ³	<18	05
n-Butyl acetate	mg/m ³	<710	47
Ethyl acetate	mg/m ³	<1400	39
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	22
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	59
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	31
Butanol	mg/m ³	<152	22
Butyl Cellosolve	mg/m ³	<123	63
Ethyl Cellosolve Acetate	mg/m ³	<55	06
Mineral Turpentine Oil (MTO)	mg/m ³	<560	81
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	---	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m3
Sampling Done By Mr Shiv Singh & Mr Purohotam Singh.

Checked
R.P. Mirwah

EIL Lab In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO: M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/AWZ-111		Sample Collection Date: 29/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	MTF
Sampling Code	--	--	WZ - 111
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	306
Ammonia	mg/m ³	<18	04
n-Butyl acetate	mg/m ³	<710	13
Ethyl acetate	mg/m ³	<1400	41
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	35
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	65
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	28
Butanol	mg/m ³	<152	12
Butyl Cellosolve	mg/m ³	<123	09
Ethyl Cellosolve Acetate	mg/m ³	<55	07
Mineral Turpentine Oil (MTO)	mg/m ³	<560	92
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done by Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul.kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India .		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT , GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/VZ-112		Sample Collection Date: 28/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	BCY
Sampling Code	--	--	WZ - 112
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	303
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	19
Ethyl acetate	mg/m ³	<1400	28
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	32
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	20
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	16
Butanol	mg/m ³	<152	08
Butyl Cellosolve	mg/m ³	<123	12
Ethyl Cellosolve Acetate	mg/m ³	<55	02
Mineral Turpentine Oil (MTO)	mg/m ³	<560	63
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Parahotum Singh.

Checked
R.F. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-II, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018





ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-113		Sample Collection Date: 29/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	ETP CHEMICAL PREPARATION AREA
Sampling Code	--	--	WZ - 113
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	305
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	31
Ethyl acetate	mg/m ³	<1400	17
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	44
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	59
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	30
Butanol	mg/m ³	<152	34
Butyl Cellosolve	mg/m ³	<123	21
Ethyl Cellosolve Acetate	mg/m ³	<55	15
Mineral Turpentine Oil (MTO)	mg/m ³	<560	70
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL


N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked

R.P. Marwaha

EIL/Lab-In-Charge

Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89


TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-114		Sample Collection Date: 21/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	WPB- PEL
Sampling Code	--	--	WZ - 114
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	30.1
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	59
Ethyl acetate	mg/m ³	<1400	72
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	67
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	42
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	25
Butanol	mg/m ³	<152	03
Butyl Cellosolve	mg/m ³	<123	33
Ethyl Cellosolve Acetate	mg/m ³	<55	05
Mineral Turpentine Oil (MTO)	mg/m ³	<560	81
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.R. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
☎ : 9810098664, 9810725666, 9910233668
✉ : vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India.		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-115		Sample Collection Date: 29/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	PACKING AREA OLD BLOCK
Sampling Code	--	--	WZ - 115
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	05
n-Butyl acetate	mg/m ³	<710	47
Ethyl acetate	mg/m ³	<1400	14
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	19
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	29
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	24
Butanol	mg/m ³	<152	06
Butyl Cellosolve	mg/m ³	<123	02
Ethyl Cellosolve Acetate	mg/m ³	<55	04
Mineral Turpentine Oil (MTO)	mg/m ³	<560	55
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.P. Manchah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.

Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com



ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89


TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-116		Sample Collection Date: 29/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	PACKING AREA NEW BLOCK
Sampling Code	--	--	WZ - 116
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	302
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	28
Ethyl acetate	mg/m ³	<1400	19
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	61
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	18
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	31
Butanol	mg/m ³	<152	23
Butyl Cellosolve	mg/m ³	<123	04
Ethyl Cellosolve Acetate	mg/m ³	<55	03
Mineral Turpentine Oil (MTO)	mg/m ³	<560	72
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotum Singh.

Checked
R.P. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar



N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.



Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018



ENVIRO-INTERNATIONAL



Lab Recognised Under: Ministry of Environment, Forest & Climate Change, Govt. of India
Gazette Notification S.O. 3744 (E), S. No. 32, N.A.B.L. TC-6545, U.P.P.C.B. H-15623/CL/89

TEST REPORT

ISSUED TO : M/s ASIAN PAINTS LIMITED Plot No. - 01, IMT, Kheri Sadh, Rohtak (Haryana) - 24001 India..		SUBJECT : ORGANIC SOLVENT AREA SAMPLING-TWA METHODS : Based on NIOSH, OSHA INSTRUMENTS: Handy Sampler, CT, GC, UV etc.	
Sample Details : ORGANIC SOLVENT Sample Reference: EIL/APL-R/07/23/WZ-117		Sample Collection Date: 29/07/2023 Sample Reporting Date: 04/08/2023	
ANALYSIS REPORT			
SAMPLING SITE	UNIT	STANDARD/NORMS NIOSH	SCRAP YARD
Sampling Code	--	--	WZ - 117
Sampling Duration	--	--	480 Minutes
Weather	--	--	Normal
Ambient Temperature	°K	--	306
Ammonia	mg/m ³	<18	02
n-Butyl acetate	mg/m ³	<710	26
Ethyl acetate	mg/m ³	<1400	04
Methyl isobutyl ketone (MIBK)	mg/m ³	<205	BDL
Ethylene Oxide	mg/m ³	<0.184	BDL
Xylene	mg/m ³	<435	27
Phthalic Anhydride	mg/m ³	<01	BDL
Toluene	mg/m ³	<375	35
2 - Ethylhexanoic acid (2-EHA)	mg/m ³	<376	06
Butanol	mg/m ³	<152	02
Butyl Cellosolve	mg/m ³	<123	03
Ethyl Cellosolve Acetate	mg/m ³	<55	09
Mineral Turpentine Oil (MTO)	mg/m ³	<560	80
Styrene	mg/m ³	<215	BDL
Methanol	mg/m ³	<260	BDL
Cyclohexanol	mg/m ³	--	BDL
Toluene diisocyanate (TDI)	mg/m ³	<0.142	BDL
Methyl Methacrylate	mg/m ³	<410	BDL
Lead	mg/m ³	<0.15	BDL
Chromium Metal & Insoluble Compound	mg/m ³	<01	BDL
Benzene	mg/m ³	<1.5	BDL

N. B. A. Methods Based on NIOSH, OSHA & CPCB. B. Standard as per Fact Act 1948. C. BDL :- <0.05 mg/m³
Sampling Done By Mr Shiv Singh & Mr Purshotam Singh.

Checked
R.F. Marwah

EIL/Lab-In-Charge
Dr. Vipul Kumar

N.B.:-

- The Sample/Samples received shall be destroyed after 2 weeks unless specified otherwise.
- The Result indicated only refer to the tested samples.
- The Certificate shall not be used in any media or as evidence in the court of law without prior written consent of the laboratory.




Off. & Lab : 138-139, Udyog Kendra-II Extn, Eco Tech-III, Greater Noida-201 306
: 9810098664, 9810725666, 9910233668
: vipul_kumar4@rediffmail.com
: envirointernationalec@gmail.com

ISO : 9001 : 2015, ISO : 14001 : 2015

ISO : 45001 : 2018

Annexure -II



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909011 ULR No. : TC781123100006381F Party's Ref No. : Nil Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	--

Sample Description	: Stack Emission (Boiler, 2 TPH)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Boiler Section
Date of sampling	: 08/09/2023
Capacity of Boiler	: 2 TPH
Source of Emission	: Stack Attached to Boiler No. 501
Instrument used	: Stack Sampler APM 160 (Sr.No. 88 DTL 2016)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of stack	: Metal
Type of Fuel used	: LPG
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.83 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative
Type of APCM	: NS

A Observations	
1. Stack gas temperature, °C	: 124.0
2. Temperature at Metering point, °C	: 35.0
3. Avg. stack gas velocity, m/sec	: 7.71
4. Sampling flow rate, Lt./min.	: 25.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 10932.10

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	18.57	80 Max	IS 11255 (Part-I) : 1985
2	Sulphur Dioxide (SO ₂)	mg/Nm ³	7.85	-	HTH/QF/7.2/2/CH-02, SOP No-23
3	Nitrogen Dioxide (NO ₂)	mg/Nm ³	30.10	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Dioxide (CO ₂)	% v/v	7.90	-	HTH/QF/7.2/2/CH-02, SOP No-23

End of Report


Remarks : Standard Limit as per Commission for Air Quality Management in NCR and Adjoining Areas F.NO.A- 110018101/2021-CAQM/7267-7298, dated: 17.03.2022.

Kimh.
Review by
16/09/2023



Page No.: 1 of

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Sample not drawn by HTH unless otherwise specified.
6. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909012 ULR No. : TC781123100006382F Party's Ref No. : Nil Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	--

Sample Description	: Stack Emission (Boiler, 2 TPH)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Boiler Section
Date of sampling	: 08/09/2023
Capacity of Boiler	: 2 TPH
Source of Emission	: Stack Attached to Boiler No. 502
Instrument used	: Stack Sampler APM 160 (Sr.No. 88 DTL 2016)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of stack	: Metal
Type of Fuel used	: PNG
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.83 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative
Type of APCM	: NS
A Observations	
1. Stack gas temperature, °C	: 121.0
2. Temperature at Metering point, °C	: 35.0
3. Avg. stack gas velocity, m/sec	: 7.48
4. Sampling flow rate, Lt./min.	: 24.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 10588.98


B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	15.82	80 Max	IS 11255 (Part-I) : 1985
2	Sulphur Dioxide (SO ₂)	mg/Nm ³	5.24	-	HTH/QF/7.2/2/CH-02, SOP No-23
3	Nitrogen Dioxide (NO ₂)	mg/Nm ³	24.46	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Dioxide (CO ₂)	% v/v	7.30	-	HTH/QF/7.2/2/CH-02, SOP No-23

End of Report


Remarks : Standard Limit as per Commission for Air Quality Management In NCR and Adjoining Areas F.NO.A- 110018101/2021-CAQM/7267-7298, dated: 17.03.2022.

Kimh
16.09.2023
Review by



Page No.: 1 of

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230901005 ULR No. : TC781123100006156F Party's Ref No. : Nil Booking Date : 01/09/2023 Period of Testing : 01/09/2023 To 06/09/2023 Reporting Date : 06/09/2023
--	--

Sample Description	: Stack Emission (DG 1010 KVA, CDCR 502)
Type of Industry	: Paint Industry
Name of Plant/ Section	: DG Section
Date of sampling	: 01/09/2023
Capacity of DG	: 1010 KVA (DG CDCR 502)
Source of Emission	: Stack Attached to DG
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Callibrated (upto 26.12.2023)
Type of stack	: Metal
Type of Fuel used	: HSD
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.35 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative

A Observations

1. Stack gas temperature, °C	: 302.0
2. Temperature at Metering point, °C	: 34.0
3. Avg. stack gas velocity, m/sec	: 18.94
4. Sampling flow rate, Lt./min.	: 19.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 3266.94

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	35.72	80 Max	IS 11255 (Part-I) : 1985
2	Nitrogen Dioxide (NO ₂)	mg/Nm ³	175.62	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Sulphur Dioxide (SO ₂)	mg/Nm ³	7.85	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Monoxide (CO)	mg/Nm ³	82.72	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5	Oxygen (O ₂)	%	14.20	-	HTH/QF/7.2/2/CH-02, SOP No-23
6	Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	24.10	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.

Standard Limit of PM as per client CTO.

Standard Limit as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021 Dated; 14.09.2022.

Kimh
06-09-2023
Review by

Md. Asfak Ansari
06/09/23
Sr. Manager (Env.)

Page No.: 1 of

- Note :
1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on his own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230901006 ULR No. : TC781123100006157F Party's Ref No. : Nil Booking Date : 01/09/2023 Period of Testing : 01/09/2023 To 06/09/2023 Reporting Date : 06/09/2023
--	--

Sample Description	: Stack Emission (DG 2000 KVA, CDCR 505)
Type of Industry	: Paint Industry
Name of Plant/ Section	: DG Section
Date of sampling	: 01/09/2023
Capacity of DG	: 2000 KVA (DG CDCR 505)
Source of Emission	: Stack Attached to DG
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of stack	: Metal
Type of Fuel used	: HSD
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.45 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative

- A Observations**
1. Stack gas temperature, °C : 362.0
 2. Temperature at Metering point, °C : 35.0
 3. Avg. stack gas velocity, m/sec : 22.03
 4. Sampling flow rate, Lt./min. : 21.0
 5. Period of sampling, Minutes : 30.0
 6. Volumetric flow rate, Nm³/ Hr : 5687.99

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	42.22	80 Max	IS 11255 (Part-I) : 1985
2	Nitrogen Dioxide (NO ₂)	mg/Nm ³	193.81	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Sulphur Dioxide (SO ₂)	mg/Nm ³	10.47	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Monoxide (CO)	mg/Nm ³	81.54	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5	Oxygen (O ₂)	%	14.60	-	HTH/QF/7.2/2/CH-02, SOP No-23
6	Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	26.50	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.
Standard Limit of PM as per client CTO.
Standard Limit as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021 Dated; 14.09.2022.

Kimh'
28.09.2023
Review by

Amir
06/09/23
Md. Asif Ansari
Sr. Manager (Env.)

Page No.: 1 of

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on his own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector-30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230901007 ULR No. : TC781123100006158F Party's Ref No. : Nil Booking Date : 01/09/2023 Period of Testing : 01/09/2023 To 06/09/2023 Reporting Date : 06/09/2023
---	--

Sample Description	: Stack Emission (DG 2000 KVA, CDCR 506)
Type of Industry	: Paint Industry
Name of Plant/ Section	: DG Section
Date of sampling	: 01/09/2023
Capacity of DG	: 2000 KVA (DG CDCR 506)
Source of Emission	: Stack Attached to DG
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of stack	: Metal
Type of Fuel used	: HSD
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.45 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative

A Observations	
1. Stack gas temperature, °C	: 359.0
2. Temperature at Metering point, °C	: 33.0
3. Avg. stack gas velocity, m/sec	: 22.57
4. Sampling flow rate, Lt./min.	: 21.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 5855.07

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Particulate Matter (PM)	mg/Nm ³	40.63	80 Max	IS 11255 (Part-I) : 1985
2 Nitrogen Dioxide (NO ₂)	mg/Nm ³	189.05	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3 Sulphur Dioxide (SO ₂)	mg/Nm ³	15.71	-	HTH/QF/7.2/2/CH-02, SOP No-23
4 Carbon Monoxide (CO)	mg/Nm ³	87.66	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5 Oxygen (O ₂)	%	14.50	-	HTH/QF/7.2/2/CH-02, SOP No-23
6 Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	27.10	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.

Standard Limit of PM as per client CTO.


Standard Limit as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021 Dated; 14.09.2022.

Kimh
06.09.2023
Review by

Ansari
06/09/23
Md. Asif Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909013 ULR No. : TC781123100006269F Party's Ref No. : Nil Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 12/09/2023 Reporting Date : 12/09/2023
--	--

Sample Description	: Stack Emission (GG 2875 KVA, CDCR 501)
Type of Industry	: Paint Industry
Name of Plant/ Section	: GG Section
Date of sampling	: 08/09/2023
Capacity of DG	: 2875 KVA (GG CDCR 501)
Source of Emission	: Stack Attached to GG
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of stack	: Metal
Type of Fuel used	: PNG
Stack height (from the ground level)	: 30 meter
Stack diameter (at the sampling point)	: 0.45 meter
Sample Location	: As per standard norms
Purpose of sampling	: Monitoring
Sample collected by	: By our Lab. Representative
A Observations	
1. Stack gas temperature, °C	: 323.0
2. Temperature at Metering point, °C	: 36.0
3. Avg. stack gas velocity, m/sec	: 20.75
4. Sampling flow rate, Lt./min.	: 21.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 5708.07

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	14.15	80 Max	IS 11255 (Part-I) : 1985
2	Nitrogen Dioxide (NO ₂)	mg/Nm ³	103.35	650 Max	HTH/QF/7.2/2/CH-02, SOP No-23
3	Sulphur Dioxide (SO ₂)	mg/Nm ³	7.85	-	HTH/QF/7.2/2/CH-02, SOP No-23
4	Carbon Monoxide (CO)	mg/Nm ³	41.18	100 Max	HTH/QF/7.2/2/CH-02, SOP No-23
5	Oxygen (O ₂)	%	12.20	-	HTH/QF/7.2/2/CH-02, SOP No-23
6	Total Non-Methyl Hydro Carbon (NMHC)	mg/Nm ³	24.21	100 Max	IS 5182 : Part 21 : 2001

End of Report

Remarks : PM, NO₂ & CO value Corrected @ 15 % O₂.

Standard Limit of PM as per client CTO.


Standard Limit of NO₂, CO & NMHC as per Commission for Air Quality Management in National Capital Region and Adjoining Areas Act, 2021

Dated; 14.09.2022

Md. Asjak Ansari
Sr. Manager (Env.)

Page No.: 1 of

- Note
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909005 ULR No. : TC781123100006386F Party's Ref No. : Letter No. Nil Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	---

Sample Description : Stack Emission (Dust Collector No. 501)
Type of Industry : Paint Industry
Name of Plant/ Section : Dust Collector
Date of sampling : 09/09/2023
Source of Emission : Stack Attached to Dust Collector No. 1
Instrument used : Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status : Calibrated (upto 26.12.2023)
Type of Chimney : Metal
Type of Fuel used : NA
Stack height (from the ground level) : 8 Feet
Stack diameter (at the sampling point) : 12 inch
Sample Location : As Per Standard Norms
Purpose of sampling : Monitoring
Sample collected by : By our lab. Representative

A Observations

1. Stack gas temperature, °C : 47.0
2. Temperature at Metering point, °C : 38.0
3. Avg. stack gas velocity, m/sec : 4.02
4. Sampling flow rate, Lt./min. : 16.0
5. Period of sampling, Minutes : 30.0
6. Volumetric flow rate, Nm³/ Hr : 944.93

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	13.64	50 Max	IS 11255 (Part-I) : 1985


End of Report

Kimh's
16-09-2023
Review by



Page No.: 1 of

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



TC-7871



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909006 ULR No. : TC781123100006387F Party's Ref No. : Letter No. Nil Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	---


Sample Description	: Stack Emission (Dust Collector No. 503)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 09/09/2023
Source of Emission	: Stack Attached to Dust Collector No. 3
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative
A Observations	
1. Stack gas temperature, °C	: 45.0
2. Temperature at Metering point, °C	: 38.0
3. Avg. stack gas velocity, m/sec	: 4.16
4. Sampling flow rate, Lt./min.	: 17.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 983.99

B Results

S.N. Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Particulate Matter (PM)	mg/Nm ³	16.81	50 Max	IS 11255 (Part-I) : 1985

End of Report

Kimh
16-09-2023
Review by



Page No.: 1 of

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Sample not drawn by HTH unless otherwise specified.
6. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909007 ULR No. : TC781123100006388F Party's Ref No. : Letter No. Nil Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	---

Sample Description	: Stack Emission (Dust Collector No. 504)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 09/09/2023
Source of Emission	: Stack Attached to Dust Collector No. 4
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative

A Observations	
1. Stack gas temperature, °C	: 46.0
2. Temperature at Metering point, °C	: 38.0
3. Avg. stack gas velocity, m/sec	: 5.22
4. Sampling flow rate, Lt./min.	: 21.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1230.84

B Results


S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	15.34	50 Max	IS 11255 (Part-I) : 1985

End of Report

Kimh
16.09.2023
Review by

Auth. Sign.
 16/09/2023
 Basudev Singh
 T. M. (Chemical)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net. e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Palnt Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909008 ULR No. : TC781123100006389F Party's Ref No. : Letter No. Nil Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	---

Sample Description	: Stack Emission (Dust Collector No. 505)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 09/09/2023
Source of Emission	: Stack Attached to Dust Collector No. 5
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative

A Observations

1. Stack gas temperature, °C	: 42.0
2. Temperature at Metering point, °C	: 38.0
3. Avg. stack gas velocity, m/sec	: 4.94
4. Sampling flow rate, Lt./min.	: 20.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1179.61

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	18.18	50 Max	IS 11255 (Part-I) : 1985


End of Report

Kimh
16-09-2023
Review by

16/09/2023
Auth. Sign.
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility, Lab does not confirm about it and hence does not taken any responsibility whatsoever. 8.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230922028 ULR No. : TC781123100006726F Party's Ref No. : Letter No. Nil Booking Date : 22/09/2023 Period of Testing : 22/09/2023 To 28/09/2023 Reporting Date : 28/09/2023
--	---

Sample Description	: Stack Emission (Dust Collector No. 501)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 22/09/2023
Source of Emission	: Stack Attached to Dust Collector No. 1
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 Inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative

A Observations


1. Stack gas temperature, °C	: 38.0
2. Temperature at Metering point, °C	: 33.0
3. Avg. stack gas velocity, m/sec	: 6.21
4. Sampling flow rate, Lt./min.	: 25.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1501.94

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	11.29	50 Max	IS 11255 (Part-I) : 1985

End of Report

Kimh
28.09.2023
Review by



Page No.: 1 of 1

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230922029 ULR No. : TC781123100006727F Party's Ref No. : Letter No. Nil Booking Date : 22/09/2023 Period of Testing : 22/09/2023 To 28/09/2023 Reporting Date : 28/09/2023
--	---

Sample Description	: Stack Emission (Dust Collector No. 503)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 22/09/2023
Source of Emission	: Stack Attached to Dust Collector No. 3
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative

A Observations

1. Stack gas temperature, °C	: 39.0
2. Temperature at Metering point, °C	: 33.0
3. Avg. stack gas velocity, m/sec	: 6.13
4. Sampling flow rate, Lt./min.	: 25.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1477.84

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	14.14	50 Max	IS 11255 (Part-I) : 1985

End of Report

Kimh
28.08.2023
Review by

Basudev Singh
24/09/2023
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230922030 ULR No. : TC781123100006729F Party's Ref No. : Letter No. Nil Booking Date : 22/09/2023 Period of Testing : 22/09/2023 To 28/09/2023 Reporting Date : 28/09/2023
--	---

Sample Description	: Stack Emission (Dust Collector No. 504)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 22/09/2023
Source of Emission	: Stack Attached to Dust Collector No. 4
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative

A Observations

1. Stack gas temperature, °C	: 37.0
2. Temperature at Metering point, °C	: 34.0
3. Avg. stack gas velocity, m/sec	: 6.58
4. Sampling flow rate, Lt./min.	: 27.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1596.57

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	12.37	50 Max	IS 11255 (Part-I) : 1985

End of Report

Kimh
28.09.2023
Review by

Basudev Singh
28/09/2023
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1


- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230922031 ULR No. : TC781123100006728F Party's Ref No. : Letter No. Nil Booking Date : 22/09/2023 Period of Testing : 22/09/2023 To 28/09/2023 Reporting Date : 28/09/2023
--	---

Sample Description	: Stack Emission (Dust Collector No. 505)
Type of Industry	: Paint Industry
Name of Plant/ Section	: Dust Collector
Date of sampling	: 22/09/2023
Source of Emission	: Stack Attached to Dust Collector No. 5
Instrument used	: Stack Sampler VSS1 (Sr.No. 247 DTK 2019)
Instrument Calibration Status	: Calibrated (upto 26.12.2023)
Type of Chimney	: Metal
Type of Fuel used	: NA
Stack height (from the ground level)	: 8 Feet
Stack diameter (at the sampling point)	: 12 inch
Sample Location	: As Per Standard Norms
Purpose of sampling	: Monitoring
Sample collected by	: By our lab. Representative

A Observations


1. Stack gas temperature, °C	: 36.0
2. Temperature at Metering point, °C	: 32.0
3. Avg. stack gas velocity, m/sec	: 5.90
4. Sampling flow rate, Lt./min.	: 24.0
5. Period of sampling, Minutes	: 30.0
6. Volumetric flow rate, Nm ³ / Hr	: 1436.20

B Results

S.N.	Test Parameters	Units	Result	Standard Limit	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Particulate Matter (PM)	mg/Nm ³	16.03	50 Max	IS 11255 (Part-I) : 1985


End of Report

Kimh
28-09-2023
Review by



Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230503018 ULR No. : TC781123100003245F Party's Ref No. : Nil Booking Date : 03/05/2023 Period of Testing : 03/05/2023 To 09/05/2023 Reporting Date : 09/05/2023
Sample Description : Indoor Air Quality for RSPM	

Type of Industry : Paint Industry
Date & time of sampling : 03/05/2023
Sample Location : Putti Plant (Packing Area)
Instrument used : Handy Sampler APM 821 (Sr. No. 835 DTB 2016)
Instrument Calibration Status : Calibrated (upto 06.07.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative

A. Observations:

1. Sampling flow rate (Avg.) : 1.90 LPM
2. Total volume of air sampled : 0.912 m³
3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m ³	1.853	5.0 Max	NIOSH 600 : 1998

End of Report


Remarks : Limits for Air Contaminants as per OSHA.

K.M.B.
03-05-2023
Review by

Md. Asfak Ansari
09/05/23
Sr. Manager (Env.)

Page No.: 1 of 1

- Note :
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230503019 ULR No. : TC781123100003246F Party's Ref No. : Nil Booking Date : 03/05/2023 Period of Testing : 03/05/2023 To 09/05/2023 Reporting Date : 09/05/2023
Sample Description : Indoor Air Quality for RSPM	

Type of Industry : Paint Industry
Date & time of sampling : 03/05/2023
Sample Location : Putti Plant (BSM Area)
Instrument used : Handy Sampler APM 821 (Sr. No. 801 DTL 2016)
Instrument Calibration Status : Calibrated (upto 06.07.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative

A. Observations:
1. Sampling flow rate (Avg.) : 1.95 LPM
2. Total volume of air sampled : 0.936 m³
3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m ³	1.496	5.0 Max	NIOSH 600 : 1998

End of Report


Remarks : Limits for Air Contaminants as per OSHA.

Kimh
09.05.2023
Review by

Md. Asfak Ahsari
09/05/23
Md. Asfak Ahsari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630011 ULR No. : TC781123100004588F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
--	--

Sample Description : Indoor Air Quality for RSPM

Type of Industry : Paint Industry
Date & time of sampling : 29/06/2023 (09:30 Hrs to 17:30 Hrs)
Sample Location : FG (Nr. Battery Charging)
Instrument used : Handy Sampler APM 821 (Sr. No. 801 DTL 2016)
Instrument Calibration Status : Calibrated (upto 06.07.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative
A. Observations:
1. Sampling flow rate (Avg.) : 2.10 LPM
2. Total volume of air sampled : 1.008 m³
3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m ³	3.204	5.0 Max	NIOSH 600 : 1998


End of Report

Remarks : Limit for Air Contaminants as per OSHA

Signature
07/07/2023
Basudev Singh
T. M. (Chemical)

Page No.: 1 of :

- Review by*
hobmy
7-7-23
- Note** : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630012 ULR No. : TC781123100004589F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
Sample Description : Indoor Air Quality for RSPM	

Type of Industry : Paint Industry
Date & time of sampling : 29/06/2023 (09:45 Hrs to 17:45 Hrs)
Sample Location : Polymer (1st Floor)
Instrument used : Handy Sampler APM 821 (Sr. No. 838 DTB 2017)
Instrument Calibration Status : Calibrated (upto 06.07.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative
A. Observations:
1. Sampling flow rate (Avg.) : 2.05 LPM
2. Total volume of air sampled : 0.984 m3
3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m3	2.876	5.0 Max	NIOSH 600 : 1998

End of Report


Remarks : Limit for Air Contaminants as per OSHA

On
07/07/2023
Basudev Singh
T. M. (Chemical)

Review by
Basudev Singh

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on his own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7871



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630010 ULR No. : TC781123100004587F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
Sample Description : Indoor Air Quality for RSPM	

Type of Industry : Paint Industry
Date & time of sampling : 29/06/2023 (09:15 Hrs to 17:15 Hrs)
Sample Location : PMG (Nr. Machine 103)
Instrument used : Handy Sampler APM 821 (Sr. No. 835 DTB 2016)
Instrument Calibration Status : Calibrated (upto 06.07.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative

A. Observations:

1. Sampling flow rate (Avg.) : 2.20 LPM
2. Total volume of air sampled : 1.056 m3
3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m3	3.248	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA


Review by

Abhik
7/7/23

Basudev Singh
07/07/2023
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecc@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630016 ULR No. : TC781123100004593F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
Sample Description : Indoor Air Quality for RSPM	

Type of industry	: Paint Industry
Date & time of sampling	: 30/06/2023 (09:30 Hrs to 17:30 Hrs)
Sample Location	: RMG (Nr. Silo Side)
Instrument used	: Handy Sampler APM 821 (Sr. No. 801 DTL 2016)
Instrument Calibration Status	: Calibrated (upto 06.07.2023)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative
A. Observations:	
1. Sampling flow rate (Avg.)	: 2.20 LPM
2. Total volume of air sampled	: 1.056 m ³
3. Period of sampling	: 8 Hrs

S.N. Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1 Respirable Aerosols Mass	mg/m ³	3.210	5.0 Max	NIOSH 600 : 1998

End of Report


Remarks : Limit for Air Contaminants as per OSHA

Review by

Auth. Sign.
Dt
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1

- Notes: 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.baryanatesthouse.net, e-mail : haryanatesthouse@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630014 ULR No. : TC781123100004591F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
Sample Description : Indoor Air Quality for RSPM	

Type of Industry : Paint Industry
Date & time of sampling : 29/06/2023 (10:15 Hrs to 18:15 Hrs)
Sample Location : RMG (Nr. Bag Folding Area)
Instrument used : Handy Sampler APM 821 (Sr. No. 1002 DTL 2019)
Instrument Calibration Status : Calibrated (upto 24.12.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative
A. Observations:
 1. Sampling flow rate (Avg.) : 2.20 LPM
 2. Total volume of air sampled : 1.056 m3
 3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m3	2.870	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA

07-07-2023
 Review by

Auth. Sign.
 Dt. 07-07-2023
 Basudev Singh
 T. M. (Chemical)

Page No.: 1 of 1

- Note:** 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.
 8. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630013 ULR No. : TC781123100004590F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
Sample Description : Indoor Air Quality for RSPM	

Type of Industry : Paint Industry
Date & time of sampling : 29/06/2023 (10:00 Hrs to 18:00 Hrs)
Sample Location : RMG (Nr. Charging Area)
Instrument used : Handy Sampler APM 821 (Sr. No. 1001 DTL 2019)
Instrument Calibration Status : Calibrated (upto 24.12.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative
A. Observations:
 1. Sampling flow rate (Avg.) : 2.05 LPM
 2. Total volume of air sampled : 0.984 m3
 3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m3	2.410	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHA

(Signature)
07.07.2023

Review by

HARYANA TEST HOUSE
 Auth. Sign. Dr. Basudev Singh
 T. M. (Chemical)

Page No.: 1 of 1

- Note :**
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested and not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630017 ULR No. : TC781123100004594F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
Sample Description : Indoor Air Quality for RSPM	


Type of Industry : Paint Industry
Date & time of sampling : 30/06/2023 (09:45 Hrs to 17:45 Hrs)
Sample Location : WBP (Nr. Dust Collector-1)
Instrument used : Handy Sampler APM 821 (Sr. No. 838 DTB 2017)
Instrument Calibration Status : Calibrated (upto 06.07.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative
A. Observations:
1. Sampling flow rate (Avg.) : 2.05 LPM
2. Total volume of air sampled : 0.984 m³
3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m ³	3.450	5.0 Max	NIOSH 600 : 1998

End of Report


Remarks : Limit for Air Contaminants as per OSHA


07-07-2023
Review by


Auth. Sign
DL
Basudev
T. M. (Chemical)

Page No.: 1 of 1

- Note** : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouse@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asfan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630018 ULR No. : TC781123100004595F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
Sample Description : Indoor Air Quality for RSPM	

Type of Industry : Paint Industry
Date & time of sampling : 30/06/2023 (10:00 Hrs to 18:00 Hrs)
Sample Location : WBP (Nr. Dust Collector-5)
Instrument used : Handy Sampler APM 821 (Sr. No. 1001 DTL 2019)
Instrument Calibration Status : Calibrated (upto 24.12.2023)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab. Representative

A. Observations:
1. Sampling flow rate (Avg.) : 2.05 LPM
2. Total volume of air sampled : 0.984 m3
3. Period of sampling : 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m ³	4.120	5.0 Max	NIOSH 600 : 1998

End of Report


Remarks : Limit for Air Contaminants as per OSHA


07.07.2023
Review by


Auth. Sign.
Dt. 07/07/2023
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details provided from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230630019 ULR No. : TC781123100004596F Party's Ref No. : Nil Booking Date : 30/06/2023 Period of Testing : 30/06/2023 To 07/07/2023 Reporting Date : 07/07/2023
--	--

Sample Description : Indoor Air Quality for RSPM

Type of Industry	: Paint Industry
Date & time of sampling	: 30/06/2023 (10:15 Hrs to 18:15 Hrs)
Sample Location	: Scrapyard
Instrument used	: Handy Sampler APM 821 (Sr. No. 1002 DTL 2019)
Instrument Calibration Status	: Calibrated (upto 24.12.2023)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab. Representative

A. Observations:

1. Sampling flow rate (Avg.)	: 2.20 LPM
2. Total volume of air sampled	: 1.056 m ³
3. Period of sampling	: 8 Hrs

S.N.	Test Parameters	Unit	Result	Requirement as per OSHA	Test Method
Discipline: Chemical, Group: Atmospheric Pollution					
1	Respirable Aerosols Mass	mg/m ³	3.485	5.0 Max	NIOSH 600 : 1998

End of Report

Remarks : Limit for Air Contaminants as per OSHAReviewed by
Chobik
27.7.23On
07/07/2023
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

Annexure -III

Renewal
Certificate

A Luthra Group company
**GUJARAT ENVIRO PROTECTION
& INFRASTRUCTURE (HARYANA) Pvt.Ltd.**
CIN - U29197MH2005PTC262236
Near Pali-Mohabatbad Stone Crusher Zone,
Pali, Faridabad - 121004
Tel. : +91 129-4004954, +91 9711890001
e-mail : haryana@luthraindia.com



Certificate No : 4100003976

To whomsoever it may concern
This is to certify that

ASIAN PAINTS LTD

**PLOT NO - 01, SECTOR-30B,
IMT, VILLAGE - KHERISADH,
ROHTAK
Haryana**

Is a valid member of

Gujarat Enviro-Protection And Infrastructure (Haryana) Pvt Limited

for Integrated Common Hazardous Waste Management Facility.

This membership is valid for a period of
5 Years

For, Gujarat Enviro-Protection And Infrastructure (Haryana)
Pvt Limited

Date of issue : 15.03.2021
Date of expiration : 14.03.2026
Place of issue : SURAT

Director/Authorised signatory

Waste Information

SrNo	Type Of Waste	Sign Qty(TPA)	SrNo	Type Of Waste	Sign Qty(TPA)
1	CHEMICAL RESIDUE FROM DECONTAMINATION	10.000	2	CHEMICAL SLUDGE.	225.000
3	DISCARDED LINER CONTAINERS.	25.000	4	FILTER CONTAMINATED WITH OIL.	10.000
5	OIL & GREASE SKIMMING RESIDU.	5.000	6	OIL CONTAMINATED WITH WW SLUDGE	10.000
7	PROCESS WASTE.	125.000	8	SPENT CARBON.	5.000
9	WASTE RESIDUE.	80.000	10	WASTE SOLVENT.	30.000
				Total Sign Qty (TPA)	525.000

SUBJECT TO FARIDABAD JURISDICTION

Annexure -IV



HARYANA TEST HOUSE & Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230904007 ULR No. : TC781123100006225F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 04/09/2023 Period of Testing : 04/09/2023 To 11/09/2023 Reporting Date : 11/09/2023
Sample Description : Ambient Air Quality Monitoring	

Type of Industry : Paint Industry
 Date & time of sampling : 01/09/2023 (10:00 Hrs) to 02/09/2023 (10:00 Hrs)
 Sample Location : Near ETP Area
 Instrument used : RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
 Instrument Calibration Status : Calibrated (upto 29.03.2024)
 Purpose of analysis : Monitoring
 Sample collected/ supplied by : By our Lab. Representative.

A. Observations:

1. Sampling flow rate (Avg.) : 1.30 m³/min
2. Total volume of air sampled : 1928.94 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	88.23	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	39.64	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	16.34	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	32.97	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	44.59	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/ m ³	21.20	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.458	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ:0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ:0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ:0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report


Remarks : Standard limits are as per CPCB notification Nov. 2009
 BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

 11/9/23

Md. Asif Ansari
 Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. The details received from customer on his own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.
 5. The results contained in this test report pertains only to the sample tested not for the whole lot.
 6. Total liability of Haryana Test House is limited in the invoiced amount only.
 7. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE & Consultancy Services



TC-78T1

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230904008 ULR No. : TC781123100006226F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 04/09/2023 Period of Testing : 04/09/2023 To 11/09/2023 Reporting Date : 11/09/2023
Sample Description : Ambient Air Quality Monitoring	


Type of Industry : Paint Industry
Date & time of sampling : 01/09/2023 (10:00 Hrs) to 02/09/2023 (10:00 Hrs)
Sample Location : Near Gate No.2
Instrument used : RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status : Calibrated (upto 29.03.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative

A. Observations:
1. Sampling flow rate (Avg.) : 1.30 m³/min
2. Total volume of air sampled : 1847.04 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	86.73	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	41.89	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	18.23	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	35.41	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	47.63	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/ m ³	18.59	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.687	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report


Remarks : Standard limits are as per CPCB notification Nov. 2009
BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Reviewed by

11/9/23


Md. Asif Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : MTH/EP/230909003 ULR No. : TC781123100006379F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	--

Sample Description : Ambient Air Quality Monitoring

Type of Industry : Paint Industry
 Date & time of sampling : 08/09/2023 (10:00 Hrs) to 09/09/2023 (10:00 Hrs)
 Sample Location : Near Main Gate
 Instrument used : RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
 Instrument Calibration Status : Calibrated (upto 29.03.2024)
 Purpose of analysis : Monitoring
 Sample collected/ supplied by : By our Lab. Representative

A. Observations:

1. Sampling flow rate (Avg.) : 1.22 m³/min
2. Total volume of air sampled : 1698.24 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	91.98	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	50.76	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	23.54	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	41.84	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	26.57	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/ m ³	18.52	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.687	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17


End of Report

Remarks : Standard limits are as per CPCB notification Nov, 2009
 BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kimh'
 16.09.2023
 Review by

HARYANA TEST HOUSE
 16/09/2023
 Basudev Singh
 T. M. (Chemical)

1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



TC-7811

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230909004 ULR No. : TC781123100006380F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 09/09/2023 Period of Testing : 09/09/2023 To 16/09/2023 Reporting Date : 16/09/2023
--	--

Sample Description : Ambient Air Quality Monitoring

Type of Industry : Paint Industry
Date & time of sampling : 08/09/2023 (10:00 Hrs) to 09/09/2023 (10:00 Hrs)
Sample Location : Near Gate No.3
Instrument used : RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status : Calibrated (upto 29.03.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative

A. Observations:

1. Sampling flow rate (Avg.) : 1.20 m³/min
2. Total volume of air sampled : 1549.10 m³
3. Period of sampling : 24 Hrs

S.N. Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution				
1 Particulate Matter (PM10)	µg/ m ³	95.14	100 max	IS 5182 (Part-23) : 2006
2 Particulate Matter (PM 2.5)	µg/ m ³	52.07	60 max	IS 5182 (Part-24) : 2019
3 Sulphur Dioxide (SO ₂)	µg/ m ³	21.06	80 max	IS 5182 (Part-2) : 2001
4 Nitrogen Dioxide (NO ₂)	µg/ m ³	39.83	80 max	IS 5182 (Part-6) : 2006
5 Ammonia (NH ₃)	µg/ m ³	25.96	400 max	IS 5182 (Part-25) : 2018
6 Ozone (O ₃)	µg/ m ³	19.18	100 max	IS 5182 (Part-9) : 1974
7 Carbon Monoxide (CO)	mg/ m ³	0.458	4 max	IS 5182 (Part-10) : 1999
8 Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9 Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10 Lead (Pb)	µg/ m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11 Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12 Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009


BLQ : Below Limit of Quantification / LOQ : Limit of Quantification

Kimh
16.09.2023
Review by

HTH TEST HOUSE
16/09/2023
Auth. Sign
Basudev Singh
T. M. (Chemical)

Page No.: 1 of 1

1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230913001 ULR No. : TC781123100006433F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 13/09/2023 Period of Testing : 13/09/2023 To 19/09/2023 Reporting Date : 19/09/2023
Sample Description : Ambient Air Quality Monitoring	

Type of Industry : Paint Industry
Date & time of sampling : 12/09/2023 (10:00 Hrs) to 13/09/2023 (10:00 Hrs)
Sample Location : Near ETP Area
Instrument used : RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status : Calibrated (upto 29.03.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative

A. Observations:

1. Sampling flow rate (Avg.) : 1.30 m³/min
2. Total volume of air sampled : 1857.96 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	84.29	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	43.24	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	17.50	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	32.55	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	24.44	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/ m ³	21.73	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.687	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17


End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009

BLQ : Below limit of Quantification / LOQ : Limit of Quantification


Kimh.
19.09.2023

Review by



Page No.: 1 of 1

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230913002 ULR No. : TC781123100006434F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 13/09/2023 Period of Testing : 13/09/2023 To 19/09/2023 Reporting Date : 19/09/2023
Sample Description : Ambient Air Quality Monitoring	

Type of Industry : Paint Industry
Date & time of sampling : 12/09/2023 (10:00 Hrs) to 13/09/2023 (10:00 Hrs)
Sample Location : Near Gate No.1
Instrument used : RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
Instrument Calibration Status : Calibrated (upto 29.03.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative

A. Observations:


1. Sampling flow rate (Avg.) : 1.30 m³/min
2. Total volume of air sampled : 1879.56 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	87.36	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	45.48	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	19.91	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	41.73	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	26.74	400 max	IS 5182 (Part-9) : 2018
6	Ozone (O ₃)	µg/ m ³	22.37	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.916	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ:0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ:0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ:0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009
 BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kimh
 13.09.2023
 Review by



Page No.: 1 of 1

- Note :
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.
 5. The results contained in this test report pertain only to the sample tested not for the whole lot.
 6. Total liability of Haryana Test House is limited to the invoiced amount only.
 7. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE & Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230922033 ULR No. : TC781123100006712F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 22/09/2023 Period of Testing : 22/09/2023 To 28/09/2023 Reporting Date : 28/09/2023
--	--

Sample Description : Ambient Air Quality Monitoring

Type of Industry : Paint Industry
 Date & time of sampling : 21/09/2023 (10:00 Hrs) to 22/09/2023 (10:00 Hrs)
 Sample Location : Near Gate No.2
 Instrument used : RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
 Instrument Calibration Status : Calibrated (upto 29.03.2024)
 Purpose of analysis : Monitoring
 Sample collected/ supplied by : By our Lab. Representative

A. Observations:

1. Sampling flow rate (Avg.) : 1.32 m³/min
 2. Total volume of air sampled : 1881.77 m³
 3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	86.73	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	44.47	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	20.31	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	37.90	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	23.59	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/ m ³	17.87	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.458	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report


Remarks : Standard limits are as per CPCB notification Nov. 2009
 BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kimh
 28.09.2023
 Review by

HARYANA TEST HOUSE
 28/09/2023
 Basudev Singh
 T. M. (Chemical)

Page No.: 1 of 1

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 4. The results contained in this test report pertains only to the sample tested not for the whole lot.
 5. Total liability of Haryana Test House is limited to the invoiced amount only.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230922034 ULR No. : TC781123100006713F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 22/09/2023 Period of Testing : 22/09/2023 To 28/09/2023 Reporting Date : 28/09/2023
--	--

Sample Description : Ambient Air Quality Monitoring

Type of Industry : Paint Industry
Date & time of sampling : 21/09/2023 (10:00 Hrs) to 22/09/2023 (10:00 Hrs)
Sample Location : Near Gate No.3
Instrument used : RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status : Calibrated (upto 29.03.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative

A. Observations:


1. Sampling flow rate (Avg.) : 1.30 m³/min
2. Total volume of air sampled : 1847.71 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	84.75	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	42.14	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	17.25	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	33.42	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	24.48	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/ m ³	19.21	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.687	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ-0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ-0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ-0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report


Remarks : Standard limits are as per CPCB notification Nov. 2009
BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kimh
28.09.2023
Review by



Page No.: 1 of 1

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services



TC-7811

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
 Contact : (Off.) 86077-70160, 0180-4067223. (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
 Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230930022 ULR No. : TC781123100007002F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 30/09/2023 Period of Testing : 30/09/2023 To 07/10/2023 Reporting Date : 07/10/2023
Sample Description : Ambient Air Quality Monitoring	

Type of Industry : Paint Industry
 Date & time of sampling : 28/09/2023 (10:00 Hrs) to 29/09/2023 (10:00 Hrs)
 Sample Location : Near ETP Area
 Instrument used : RDS Model APM- 460 (Sr. No. 2494 DTB 2019)
 Instrument Calibration Status : Calibrated (upto 29.03.2024)
 Purpose of analysis : Monitoring
 Sample collected/ supplied by : By our Lab. Representative

- A. Observations:**
1. Sampling flow rate (Avg.) : 1.30 m3/min
 2. Total volume of air sampled : 1836.12 m3
 3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m3	86.49	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m3	46.32	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO2)	µg/ m3	16.96	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO2)	µg/ m3	37.22	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH3)	µg/ m3	22.06	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O3)	µg/ m3	21.73	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m3	0.344	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C6H6)	µg/ m3	BLQ (LOQ:0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m3	BLQ (LOQ:0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m3	BLQ (LOQ:0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m3	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m3	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17


End of Report

Remarks : Standard limits are as per CPCB notification Nov. 2009
 BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kimh
 07.10.2023
 Review by

HARYANA TEST HOUSE
 07/10/2023
 Basudev Singh
 T. M. (Chemical)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of last report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7871



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230930021 ULR No. : TC781123100007001F Party's Ref No. : PO 15358505 Date 30/03/2023 Booking Date : 30/09/2023 Period of Testing : 30/09/2023 To 07/10/2023 Reporting Date : 07/10/2023
Sample Description : Ambient Air Quality Monitoring	

Type of Industry : Paint Industry
Date & time of sampling : 28/09/2023 (10:00 Hrs) to 29/09/2023 (10:00 Hrs)
Sample Location : Near Main Gate
Instrument used : RDS Model APM- 460 (Sr. No. 2493 DTB 2019)
Instrument Calibration Status : Calibrated (upto 29.03.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative

A. Observations:

1. Sampling flow rate (Avg.) : 1.30 m³/min
2. Total volume of air sampled : 1860.30 m³
3. Period of sampling : 24 Hrs

S.N.	Test Parameters	Units	Result	Standard Limits (NAAQS)	Test Method
Discipline - Chemical, Group - Atmospheric Pollution					
1	Particulate Matter (PM10)	µg/ m ³	94.18	100 max	IS 5182 (Part-23) : 2006
2	Particulate Matter (PM 2.5)	µg/ m ³	52.09	60 max	IS 5182 (Part-24) : 2019
3	Sulphur Dioxide (SO ₂)	µg/ m ³	22.04	80 max	IS 5182 (Part-2) : 2001
4	Nitrogen Dioxide (NO ₂)	µg/ m ³	40.65	80 max	IS 5182 (Part-6) : 2006
5	Ammonia (NH ₃)	µg/ m ³	24.41	400 max	IS 5182 (Part-25) : 2018
6	Ozone (O ₃)	µg/ m ³	23.24	100 max	IS 5182 (Part-9) : 1974
7	Carbon Monoxide (CO)	mg/ m ³	0.687	4 max	IS 5182 (Part-10) : 1999
8	Benzene (C ₆ H ₆)	µg/ m ³	BLQ (LOQ:0.52)	5 max	IS 5182 (Part-11) : 2006
9	Benzo - Pyrene (BaP)	ng/ m ³	BLQ (LOQ:0.1)	1 max	IS 5182 (Part-12) : 2004
10	Lead (Pb)	µg/ m ³	BLQ (LOQ:0.02)	1 max	IS 5182 (Part-22) : 2004
11	Nickel (Ni)	ng/ m ³	BLQ (LOQ:2)	20 max	HTH/QF/7.2/2/ICP-01 SOP No 17
12	Arsenic (As)	ng/ m ³	BLQ (LOQ:1)	6 max	HTH/QF/7.2/2/ICP-01 SOP No 17

End of Report


Remarks : Standard limits are as per CPCB notification Nov. 2009
BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Kimh.
07.10.2023
Review by

HARYANA TEST HOUSE
Asst. Sd/O
Rajesh Singh
T.M. (Chemical)

Page No.: 1 of 1

- Note:
1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total Liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (OIT) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BMT) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouses@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230812004 Party's Ref No. : Nil Booking Date : 12/08/2023 Period of Testing : 12/08/2023 To 19/08/2023 Reporting Date : 19/08/2023
--	---


Sample Description : Ambient Air Quality Monitoring
Sample type : Ambient Air (1 Parameters)
Date of sampling : 08/08/2023
Date of receipt of sample : 12/08/2023
Sample quantity : NA
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative
Sample Location : Near Gate-1


TEST RESULTS

S.N.	Test Parameters	Unit	Result	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1	Total VOC	mg/m3	0.9	NIOSH 2549 :1996


End of Report

Remarks : BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

19-08-2023


Md. Asfak Ansari
Sr. Manager (Env.)

Note 1 Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law
2 The results contained in this test report pertain only to the sample tested not for the whole lot
3 This report is only for your guidance and not for legal purposes, commercial decision, and for advertisement
4 Total liability of Haryana Test House is limited to the invoiced amount only
5 Samples will be destroyed after one month from the date of issue of test report unless otherwise specified
6 Sample not drawn by HTH unless otherwise specified
7 The details reserved from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (OIT) 86077-70160, 0180-4067223, (Env) 86077-70164, (HM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouse.sia@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230812005 Party's Ref No. : Nil Booking Date : 12/08/2023 Period of Testing : 12/08/2023 To 19/08/2023 Reporting Date : 19/08/2023
--	---

Sample Description : Ambient Air Quality Monitoring
Sample type : Ambient Air (1 Parameters)
Date of sampling : 08/08/2023
Date of receipt of sample : 12/08/2023
Sample quantity : NA
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative
Sample Location : Near Gate-2

TEST RESULTS

S.N.	Test Parameters	Unit	Result	Test Method
Discipline: Chemical, Group: Atmospheric Pollution				
1	Total VOC	mg/m3	0.70	NIOSH 2549 :1996

End of Report

Remarks : BLQ : Below limit of Quantification / LOQ : Limit of Quantification


Review by

Arshad
19-08-2023

Muhammad Ansari
19/08/23
Sr. Manager (Env.)

Page No.: 1 of 1

- Note
- 1 Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law
 - 2 The results contained in this test report pertain only to the sample tested not for the vehicle lot
 - 3 This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 - 4 Total liability of Haryana Test House is limited to the invoiced amount only
 - 5 Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 - 6 Sample not drawn by HTH unless otherwise specified
 - 7 The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230812006 Party's Ref No. : Nil Booking Date : 12/08/2023 Period of Testing : 12/08/2023 To 19/08/2023 Reporting Date : 19/08/2023
--	---


Sample Description	: Ambient Air Quality Monitoring
Sample type	: Ambient Air (1 Parameters)
Date of sampling	: 08/08/2023
Date of receipt of sample	: 12/08/2023
Sample quantity	: NA
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
Sample Location	: Near Gate-3


TEST RESULTS

S.N. Test Parameters	Unit	Result	Test Method
Discipline: Chemical, Group: Atmospheric Pollution			
1 Total VOC	mg/m3	0.50	NIOSH 2549 :1996

End of Report


Remarks : BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

19/08/23


19/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note
- 1 Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law
 - 2 The results contained in this test report pertain only to the sample tested and not for the whole lot
 - 3 This report is only for your guidance and not for legal purposes, commercial decision and for advertisement
 - 4 Total liability of Haryana Test House is limited to the invoiced amount only
 - 5 Samples will be destroyed after one month from the date of issue of test report unless otherwise specified
 - 6 Sample not drawn by HTH unless otherwise specified
 - 7 The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off) 86077-70160, 0180-4067223, (Env) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouses@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230812007 Party's Ref No. : Nil Booking Date : 12/08/2023 Period of Testing : 12/08/2023 To 19/08/2023 Reporting Date : 19/08/2023
--	---


Sample Description : Ambient Air Quality Monitoring
Sample type : Ambient Air (1 Parameters)
Date of sampling : 08/08/2023
Date of receipt of sample : 12/08/2023
Sample quantity : NA
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative
Sample Location : Near Polymer


TEST RESULTS

S.N. Test Parameters	Unit	Result	Test Method
Discipline: Chemical, Group: Atmospheric Pollution			
1 Total VOC	mg/m ³	3.0	NIOSH 2549 :1996

End of Report


Remarks : BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by

19/08/2023


Md. Asfaq Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note
- 1 Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law
 - 2 The results contained in this test report pertains only to the sample tested not to the whole lot
 - 3 This report is only for your guidance, and not for legal purposes, commercial decision and for advertisement
 - 4 Total liability of Haryana Test House is limited to the invoiced amount only
 - 5 Samples will be destroyed after one month from the date of issue of test report unless otherwise specified
 - 6 Sample not drawn by HTH unless otherwise specified
 - 7 The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesvc@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230812008 Party's Ref No. : Nil Booking Date : 12/08/2023 Period of Testing : 12/08/2023 To 19/08/2023 Reporting Date : 19/08/2023
--	---

Sample Description	: Ambient Air Quality Monitoring
Sample type	: Ambient Air (1 Parameters)
Date of sampling	: 08/08/2023
Date of receipt of sample	: 12/08/2023
Sample quantity	: NA
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative
Sample Location	: Near WTP

TEST RESULTS

S.N. Test Parameters	Unit	Result	Test Method
Discipline: Chemical, Group: Atmospheric Pollution			
1 Total VOC	mg/m3	1.60	NDSH 2549 :1996

End of Report


Remarks : BLQ : Below limit of Quantification / LOQ : Limit of Quantification

Review by
[Signature]
19/08/2023

[Signature]
19/08/2023
Md. Asfak Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- 1 Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
- 2 The results contained in the test report pertain only to the sample tested and not for the whole lot.
- 3 This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
- 4 Total liability of Haryana Test House is limited to the invoice amount only.
- 5 Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
- 6 Sample not drawn by HTH unless otherwise specified.
- 7 The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)
Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouses@ gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT Rohtak (HR)	Report No. : HTH/EP/230812009 Party's Ref No. : Nil Booking Date : 12/08/2023 Period of Testing : 12/08/2023 To 19/08/2023 Reporting Date : 19/08/2023
--	---

Sample Description : Ambient Air Quality Monitoring
Sample type : Ambient Air (1 Parameters)
Date of sampling : 08/08/2023
Date of receipt of sample : 12/08/2023
Sample quantity : NA
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative
Sample Location : Near ETP

TEST RESULTS

S.N. Test Parameters	Unit	Result	Test Method
Discipline: Chemical, Group: Atmospheric Pollution			
1 Total VOC	mg/m ³	2.10	NIOSH 2549 :1996


Remarks : BLQ : Below limit of Quantification / LOQ : Limit of Quantification
End of Report

Review by
[Signature]
19/08/2023

[Signature]
Md. Asrak Ansari
Sr. Manager (Env.)

Page No.: 1 of 1

- Note
- 1 Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law
 - 2 The results contained in this test report pertains only to the sample tested not for the whole lot
 - 3 This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement
 - 4 Total liability of Haryana Test House is limited to the amount specified
 - 5 Samples will be destroyed after one month from the date of issue of test report unless otherwise specified
 - 6 Sample not drawn by HTH unless otherwise specified
 - 7 The details received from customer on its own responsibility Lab does not confirm about it and hence does not taken any responsibility whatsoever



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812018 ULR No.: TC781123100005677F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: RMG Blower Area
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Lec
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	81.4	77.1	81.4	79.7	90 max
2	04:00 PM – 05:00 PM	80.1				
3	05:00 PM – 06:00 PM	79.3				
4	06:00 PM – 07:00 PM	78.3				
5	07:00 PM – 08:00 PM	79.1				
6	08:00 PM – 09:00 PM	81.2				
7	09:00 PM – 10:00 PM	80.8				
8	10:00 PM – 11:00 PM	77.1				

Remarks:


- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by

Signature
17.8.23

Signature
Md. Asif Ansari
Sr. Manager (Env)
(Page 1 of 1)

- Note :
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812019 ULR No.: TC781123100005678F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: RMG FIBC-C
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	78.1	76.3	81.2	78.8	90 max
2	04:00 PM – 05:00 PM	79.4				
3	05:00 PM – 06:00 PM	81.2				
4	06:00 PM – 07:00 PM	80.8				
5	07:00 PM – 08:00 PM	78.3				
6	08:00 PM – 09:00 PM	77.1				
7	09:00 PM – 10:00 PM	76.3				
8	10:00 PM – 11:00 PM	79.4				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by
17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812020 ULR No.: TC781123100005679F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: RMG FIBC-D
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	80.2	77.3	81.4	79.6	90 max
2	04:00 PM – 05:00 PM	81.0				
3	05:00 PM – 06:00 PM	79.6				
4	06:00 PM – 07:00 PM	78.2				
5	07:00 PM – 08:00 PM	77.3				
6	08:00 PM – 09:00 PM	79.1				
7	09:00 PM – 10:00 PM	81.4				
8	10:00 PM – 11:00 PM	80.2				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
Abhinav
17/8/23

Asfaq Ansa
17/08/23
Md. Asfaq Ansa,
Sr. Manager (Env.,
(Page 1 of 1)

Notes : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812021 ULR No.: TC781123100005680F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: RMG FIBC-G
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	81.4	77.3	82.9	79.5	90 max
2	04:00 PM – 05:00 PM	82.9				
3	05:00 PM – 06:00 PM	79.3				
4	06:00 PM – 07:00 PM	78.4				
5	07:00 PM – 08:00 PM	77.3				
6	08:00 PM – 09:00 PM	79.4				
7	09:00 PM – 10:00 PM	78.3				
8	10:00 PM – 11:00 PM	79.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by
17.8.23

Md. Asfak Ansari
Sr. Manager (Env)
(Page 1 of 1)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812022 ULR No.: TC781123100005681F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Gate No.2
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	66.7	58.4	68.1	62.5	90 max
2	04:00 PM – 05:00 PM	68.1				
3	05:00 PM – 06:00 PM	64.3				
4	06:00 PM – 07:00 PM	63.1				
5	07:00 PM – 08:00 PM	60.1				
6	08:00 PM – 09:00 PM	59.3				
7	09:00 PM – 10:00 PM	58.4				
8	10:00 PM – 11:00 PM	59.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
[Signature]
17.8.23

[Signature]
Md. Asfar Khasa
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812023 ULR No.: TC781123100005682F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Utility Chiller Area
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	76.1	72.1	78.1	76.6	90 max
2	08:00 AM – 09:00 AM	77.3				
3	09:00 AM – 10:00 AM	78.1				
4	10:00 AM – 11:00 AM	77.1				
5	11:00 AM – 12:00 PM	76.9				
6	12:00 PM – 01:00 PM	78.0				
7	01:00 PM – 02:00 PM	77.3				
8	02:00 PM – 03:00 PM	72.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by
[Signature]
17.08.23

[Signature]
Md. Asfak Ansa
Sr. Manager (Env.)
(Page 1 of 1)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812024 ULR No.: TC781123100005683F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Utility Boiler Area
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	74.1	71.9	74.2	73.2	90 max
2	08:00 AM – 09:00 AM	73.9				
3	09:00 AM – 10:00 AM	72.1				
4	10:00 AM – 11:00 AM	71.9				
5	11:00 AM – 12:00 PM	72.7				
6	12:00 PM – 01:00 PM	73.6				
7	01:00 PM – 02:00 PM	74.2				
8	02:00 PM – 03:00 PM	73.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by
17.8.23

Md. Asfak Ansari
Sr. Manager (Env)
(Page 1 of 1)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812025 ULR No.: TC781123100005684F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Utility Cooling Tower Area
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	77.1	74.7	77.8	76.1	90 max
2	08:00 AM – 09:00 AM	76.3				
3	09:00 AM – 10:00 AM	74.7				
4	10:00 AM – 11:00 AM	75.1				
5	11:00 AM – 12:00 PM	76.3				
6	12:00 PM – 01:00 PM	77.8				
7	01:00 PM – 02:00 PM	76.1				
8	02:00 PM – 03:00 PM	75.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by

[Signature]
17-08-23

[Signature]
17-08-23
Md. Asfar Ansari
Sr. Manager (Env.)

(Page 1 of 1)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812026 ULR No.: TC781123100005685F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of Industry	: Paint Industry
Sample Location	: Finished Goods Area (Panel BCI)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	82.1	81.0	83.3	82.3	90 max
2	08:00 AM – 09:00 AM	83.3				
3	09:00 AM – 10:00 AM	81.7				
4	10:00 AM – 11:00 AM	82.4				
5	11:00 AM – 12:00 PM	82.7				
6	12:00 PM – 01:00 PM	83.0				
7	01:00 PM – 02:00 PM	81.0				
8	02:00 PM – 03:00 PM	82.3				

Remarks:


- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by

[Signature]
17.08.23

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812027 ULR No.: TC781123100005686F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Finished Goods Bridge Profiler Area
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	82.7	80.8	83.2	82.1	90 max
2	08:00 AM – 09:00 AM	81.9				
3	09:00 AM – 10:00 AM	82.8				
4	10:00 AM – 11:00 AM	83.2				
5	11:00 AM – 12:00 PM	82.8				
6	12:00 PM – 01:00 PM	81.3				
7	01:00 PM – 02:00 PM	81.1				
8	02:00 PM – 03:00 PM	80.8				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by
[Signature]
17.8.23

[Signature]
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812028 ULR No.: TC781123100005687F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Putty Plant BSM Area
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.


TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	71.4	70.8	72.6	71.7	90 max
2	04:00 PM – 05:00 PM	72.3				
3	05:00 PM – 06:00 PM	71.9				
4	06:00 PM – 07:00 PM	72.6				
5	07:00 PM – 08:00 PM	70.8				
6	08:00 PM – 09:00 PM	71.4				
7	09:00 PM – 10:00 PM	72.3				
8	10:00 PM – 11:00 PM	70.9				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by
17.8.23


Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812029 ULR No.: TC781123100005688F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: Putty Plant Packing Line
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	76.9	76.4	79.9	78.2	90 max
2	04:00 PM – 05:00 PM	78.1				
3	05:00 PM – 06:00 PM	79.3				
4	06:00 PM – 07:00 PM	79.4				
5	07:00 PM – 08:00 PM	79.9				
6	08:00 PM – 09:00 PM	78.1				
7	09:00 PM – 10:00 PM	77.3				
8	10:00 PM – 11:00 PM	76.4				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Reviewed by
17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812030 ULR No.: TC781123100005689F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Putty Plant 2nd Floor
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	75.8	74.1	79.1	76.9	90 max
2	04:00 PM – 05:00 PM	76.3				
3	05:00 PM – 06:00 PM	77.1				
4	06:00 PM – 07:00 PM	76.3				
5	07:00 PM – 08:00 PM	74.1				
6	08:00 PM – 09:00 PM	78.4				
7	09:00 PM – 10:00 PM	79.1				
8	10:00 PM – 11:00 PM	78.3				

Remarks:


- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]* 12/08/23

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)

Note: 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
4. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested and not for the whole lot.
3. Total liability of Haryana Test House is limited to the invoiced amount only. (Page 1 of 1)
4. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812031 ULR No.: TC781123100005690F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Packing Old
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	66.3	65.3	67.2	66.4	90 max
2	04:00 PM – 05:00 PM	67.1				
3	05:00 PM – 06:00 PM	66.4				
4	06:00 PM – 07:00 PM	65.3				
5	07:00 PM – 08:00 PM	66.8				
6	08:00 PM – 09:00 PM	67.2				
7	09:00 PM – 10:00 PM	66.1				
8	10:00 PM – 11:00 PM	66.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for (page 02 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812032 ULR No.: TC781123100005691F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry : Paint Industry
Sample Location : Packing New
Date of measurement : 08.08.2023
Instrument used : Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status : Calibrated (upto 24.01.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab representative
Period of sampling : 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	64.2	63.8	66.9	65.1	90 max
2	04:00 PM – 05:00 PM	65.9				
3	05:00 PM – 06:00 PM	66.1				
4	06:00 PM – 07:00 PM	64.7				
5	07:00 PM – 08:00 PM	63.8				
6	08:00 PM – 09:00 PM	64.2				
7	09:00 PM – 10:00 PM	66.9				
8	10:00 PM – 11:00 PM	65.1				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812033 ULR No.: TC781123100005692F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: FPH (Fire Pump) Hydrant Jockey Pump
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	79.1	78.3	83.1	80.1	90 max
2	08:00 AM – 09:00 AM	78.9				
3	09:00 AM – 10:00 AM	83.1				
4	10:00 AM – 11:00 AM	82.1				
5	11:00 AM – 12:00 PM	80.8				
6	12:00 PM – 01:00 PM	79.1				
7	01:00 PM – 02:00 PM	78.3				
8	02:00 PM – 03:00 PM	79.4				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by S. 23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for (Regulation 11)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812034 ULR No.: TC781123100005693F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: FPH (Fire Pump) Main Electric Pump-1
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	79.8	76.3	82.1	79.0	90 max
2	08:00 AM – 09:00 AM	81.2				
3	09:00 AM – 10:00 AM	82.1				
4	10:00 AM – 11:00 AM	76.3				
5	11:00 AM – 12:00 PM	77.3				
6	12:00 PM – 01:00 PM	78.1				
7	01:00 PM – 02:00 PM	79.2				
8	02:00 PM – 03:00 PM	78.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not to the product (in general).
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812035 ULR No.: TC781123100005694F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: FPH (Fire Pump) RO SO2 DMF Feed Pump
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	76.3	76.3	81.2	79.1	90 max
2	08:00 AM – 09:00 AM	77.1				
3	09:00 AM – 10:00 AM	81.2				
4	10:00 AM – 11:00 AM	80.9				
5	11:00 AM – 12:00 PM	79.7				
6	12:00 PM – 01:00 PM	78.2				
7	01:00 PM – 02:00 PM	79.7				
8	02:00 PM – 03:00 PM	79.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *hobbit* 17/8/23

Md. Asfak Ansari
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as evidence in the court of law. 2. The results contained in this test report pertain only to the sample tested not for (Range of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812036 ULR No.: TC781123100005695F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: FPH (Fire Pump) Main Electric Pump-II
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	82.3	76.9	82.3	79.1	90 max
2	08:00 AM – 09:00 AM	80.1				
3	09:00 AM – 10:00 AM	81.2				
4	10:00 AM – 11:00 AM	76.9				
5	11:00 AM – 12:00 PM	77.3				
6	12:00 PM – 01:00 PM	78.2				
7	01:00 PM – 02:00 PM	79.4				
8	02:00 PM – 03:00 PM	77.0				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
17/08/23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100) (101) (102) (103) (104) (105) (106) (107) (108) (109) (110) (111) (112) (113) (114) (115) (116) (117) (118) (119) (120) (121) (122) (123) (124) (125) (126) (127) (128) (129) (130) (131) (132) (133) (134) (135) (136) (137) (138) (139) (140) (141) (142) (143) (144) (145) (146) (147) (148) (149) (150) (151) (152) (153) (154) (155) (156) (157) (158) (159) (160) (161) (162) (163) (164) (165) (166) (167) (168) (169) (170) (171) (172) (173) (174) (175) (176) (177) (178) (179) (180) (181) (182) (183) (184) (185) (186) (187) (188) (189) (190) (191) (192) (193) (194) (195) (196) (197) (198) (199) (200) (201) (202) (203) (204) (205) (206) (207) (208) (209) (210) (211) (212) (213) (214) (215) (216) (217) (218) (219) (220) (221) (222) (223) (224) (225) (226) (227) (228) (229) (230) (231) (232) (233) (234) (235) (236) (237) (238) (239) (240) (241) (242) (243) (244) (245) (246) (247) (248) (249) (250) (251) (252) (253) (254) (255) (256) (257) (258) (259) (260) (261) (262) (263) (264) (265) (266) (267) (268) (269) (270) (271) (272) (273) (274) (275) (276) (277) (278) (279) (280) (281) (282) (283) (284) (285) (286) (287) (288) (289) (290) (291) (292) (293) (294) (295) (296) (297) (298) (299) (300) (301) (302) (303) (304) (305) (306) (307) (308) (309) (310) (311) (312) (313) (314) (315) (316) (317) (318) (319) (320) (321) (322) (323) (324) (325) (326) (327) (328) (329) (330) (331) (332) (333) (334) (335) (336) (337) (338) (339) (340) (341) (342) (343) (344) (345) (346) (347) (348) (349) (350) (351) (352) (353) (354) (355) (356) (357) (358) (359) (360) (361) (362) (363) (364) (365) (366) (367) (368) (369) (370) (371) (372) (373) (374) (375) (376) (377) (378) (379) (380) (381) (382) (383) (384) (385) (386) (387) (388) (389) (390) (391) (392) (393) (394) (395) (396) (397) (398) (399) (400) (401) (402) (403) (404) (405) (406) (407) (408) (409) (410) (411) (412) (413) (414) (415) (416) (417) (418) (419) (420) (421) (422) (423) (424) (425) (426) (427) (428) (429) (430) (431) (432) (433) (434) (435) (436) (437) (438) (439) (440) (441) (442) (443) (444) (445) (446) (447) (448) (449) (450) (451) (452) (453) (454) (455) (456) (457) (458) (459) (460) (461) (462) (463) (464) (465) (466) (467) (468) (469) (470) (471) (472) (473) (474) (475) (476) (477) (478) (479) (480) (481) (482) (483) (484) (485) (486) (487) (488) (489) (490) (491) (492) (493) (494) (495) (496) (497) (498) (499) (500) (501) (502) (503) (504) (505) (506) (507) (508) (509) (510) (511) (512) (513) (514) (515) (516) (517) (518) (519) (520) (521) (522) (523) (524) (525) (526) (527) (528) (529) (530) (531) (532) (533) (534) (535) (536) (537) (538) (539) (540) (541) (542) (543) (544) (545) (546) (547) (548) (549) (550) (551) (552) (553) (554) (555) (556) (557) (558) (559) (560) (561) (562) (563) (564) (565) (566) (567) (568) (569) (570) (571) (572) (573) (574) (575) (576) (577) (578) (579) (580) (581) (582) (583) (584) (585) (586) (587) (588) (589) (590) (591) (592) (593) (594) (595) (596) (597) (598) (599) (600) (601) (602) (603) (604) (605) (606) (607) (608) (609) (610) (611) (612) (613) (614) (615) (616) (617) (618) (619) (620) (621) (622) (623) (624) (625) (626) (627) (628) (629) (630) (631) (632) (633) (634) (635) (636) (637) (638) (639) (640) (641) (642) (643) (644) (645) (646) (647) (648) (649) (650) (651) (652) (653) (654) (655) (656) (657) (658) (659) (660) (661) (662) (663) (664) (665) (666) (667) (668) (669) (670) (671) (672) (673) (674) (675) (676) (677) (678) (679) (680) (681) (682) (683) (684) (685) (686) (687) (688) (689) (690) (691) (692) (693) (694) (695) (696) (697) (698) (699) (700) (701) (702) (703) (704) (705) (706) (707) (708) (709) (710) (711) (712) (713) (714) (715) (716) (717) (718) (719) (720) (721) (722) (723) (724) (725) (726) (727) (728) (729) (730) (731) (732) (733) (734) (735) (736) (737) (738) (739) (740) (741) (742) (743) (744) (745) (746) (747) (748) (749) (750) (751) (752) (753) (754) (755) (756) (757) (758) (759) (760) (761) (762) (763) (764) (765) (766) (767) (768) (769) (770) (771) (772) (773) (774) (775) (776) (777) (778) (779) (780) (781) (782) (783) (784) (785) (786) (787) (788) (789) (790) (791) (792) (793) (794) (795) (796) (797) (798) (799) (800) (801) (802) (803) (804) (805) (806) (807) (808) (809) (810) (811) (812) (813) (814) (815) (816) (817) (818) (819) (820) (821) (822) (823) (824) (825) (826) (827) (828) (829) (830) (831) (832) (833) (834) (835) (836) (837) (838) (839) (840) (841) (842) (843) (844) (845) (846) (847) (848) (849) (850) (851) (852) (853) (854) (855) (856) (857) (858) (859) (860) (861) (862) (863) (864) (865) (866) (867) (868) (869) (870) (871) (872) (873) (874) (875) (876) (877) (878) (879) (880) (881) (882) (883) (884) (885) (886) (887) (888) (889) (890) (891) (892) (893) (894) (895) (896) (897) (898) (899) (900) (901) (902) (903) (904) (905) (906) (907) (908) (909) (910) (911) (912) (913) (914) (915) (916) (917) (918) (919) (920) (921) (922) (923) (924) (925) (926) (927) (928) (929) (930) (931) (932) (933) (934) (935) (936) (937) (938) (939) (940) (941) (942) (943) (944) (945) (946) (947) (948) (949) (950) (951) (952) (953) (954) (955) (956) (957) (958) (959) (960) (961) (962) (963) (964) (965) (966) (967) (968) (969) (970) (971) (972) (973) (974) (975) (976) (977) (978) (979) (980) (981) (982) (983) (984) (985) (986) (987) (988) (989) (990) (991) (992) (993) (994) (995) (996) (997) (998) (999) (1000)



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812037 ULR No.: TC781123100005696F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: LQC (Lab.)
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	66.1	66.1	68.4	67.2	90 max
2	08:00 AM – 09:00 AM	67.3				
3	09:00 AM – 10:00 AM	66.2				
4	10:00 AM – 11:00 AM	67.9				
5	11:00 AM – 12:00 PM	68.1				
6	12:00 PM – 01:00 PM	67.1				
7	01:00 PM – 02:00 PM	68.4				
8	02:00 PM – 03:00 PM	66.4				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17.08.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (Page 1 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812038 ULR No.: TC781123100005697F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: EHS Lab.
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	64.1	61.7	64.1	63.0	90 max
2	04:00 PM – 05:00 PM	62.3				
3	05:00 PM – 06:00 PM	63.1				
4	06:00 PM – 07:00 PM	62.9				
5	07:00 PM – 08:00 PM	63.8				
6	08:00 PM – 09:00 PM	61.7				
7	09:00 PM – 10:00 PM	62.3				
8	10:00 PM – 11:00 PM	63.9				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Chobhit
Review by 7.8.23

Md. Asfak Ansari
12/08/23
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (Regeneration).
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812039 ULR No.: TC781123100005698F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: ETP Blower Area
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	72.1	71.9	74.3	73.2	90 max
2	04:00 PM – 05:00 PM	73.9				
3	05:00 PM – 06:00 PM	74.3				
4	06:00 PM – 07:00 PM	71.9				
5	07:00 PM – 08:00 PM	72.8				
6	08:00 PM – 09:00 PM	73.7				
7	09:00 PM – 10:00 PM	74.1				
8	10:00 PM – 11:00 PM	72.9				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review By 17.08.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the entire plant.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Sample will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812040 ULR No.: TC781123100005699F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Polymer Ground Floor
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	84.1	81.9	84.1	83.4	90 max
2	04:00 PM – 05:00 PM	83.9				
3	05:00 PM – 06:00 PM	81.9				
4	06:00 PM – 07:00 PM	82.3				
5	07:00 PM – 08:00 PM	84.1				
6	08:00 PM – 09:00 PM	83.8				
7	09:00 PM – 10:00 PM	84.0				
8	10:00 PM – 11:00 PM	82.7				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 10-23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (page 1 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility, Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812041 ULR No.: TC781123100005711F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Polymer First Floor
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	84.9	82.9	84.9	84.0	90 max
2	04:00 PM – 05:00 PM	84.1				
3	05:00 PM – 06:00 PM	82.9				
4	06:00 PM – 07:00 PM	83.7				
5	07:00 PM – 08:00 PM	84.5				
6	08:00 PM – 09:00 PM	84.0				
7	09:00 PM – 10:00 PM	83.7				
8	10:00 PM – 11:00 PM	84.2				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17/8/23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for (Page 2 of 2)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812042 ULR No.: TC781123100005712F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of Industry	: Paint Industry
Sample Location	: Gate-1
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	62.1	59.3	63.2	61.5	90 max
2	04:00 PM – 05:00 PM	61.9				
3	05:00 PM – 06:00 PM	59.3				
4	06:00 PM – 07:00 PM	60.8				
5	07:00 PM – 08:00 PM	61.4				
6	08:00 PM – 09:00 PM	62.7				
7	09:00 PM – 10:00 PM	63.2				
8	10:00 PM – 11:00 PM	60.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17-8-23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested and not for the whole plant.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7011

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812043 ULR No.: TC781123100005713F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Silo Area Blower-171
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	79.1	76.4	81.9	79.4	90 max
2	08:00 AM – 09:00 AM	81.4				
3	09:00 AM – 10:00 AM	78.3				
4	10:00 AM – 11:00 AM	76.4				
5	11:00 AM – 12:00 PM	77.3				
6	12:00 PM – 01:00 PM	80.4				
7	01:00 PM – 02:00 PM	81.9				
8	02:00 PM – 03:00 PM	80.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Anshu* 17.8.23

Md. Asfak Ansari
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for any other purpose.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812044 ULR No.: TC781123100005714F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Silo Area Blower-105
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.


TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	76.3	76.3	81.0	79.2	90 max
2	08:00 AM – 09:00 AM	77.8				
3	09:00 AM – 10:00 AM	81.0				
4	10:00 AM – 11:00 AM	80.3				
5	11:00 AM – 12:00 PM	79.8				
6	12:00 PM – 01:00 PM	79.1				
7	01:00 PM – 02:00 PM	78.4				
8	02:00 PM – 03:00 PM	80.7				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by


Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for any other purpose.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812045 ULR No.: TC781123100005715F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of Industry	: Paint Industry
Sample Location	: PEL Lab.
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")			Standard Limits (dB "A") Leq	
		Leq	Lmin	Lmax		
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	65.1	65.1	68.9	67.0	90 max
2	08:00 AM – 09:00 AM	67.3				
3	09:00 AM – 10:00 AM	68.9				
4	10:00 AM – 11:00 AM	66.7				
5	11:00 AM – 12:00 PM	65.9				
6	12:00 PM – 01:00 PM	66.3				
7	01:00 PM – 02:00 PM	67.3				
8	02:00 PM – 03:00 PM	68.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.


Review by

[Signature]

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test reports shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
4. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. Total liability of Haryana Test House is limited to the invoiced amount only.
4. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE

& Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812046 ULR No.: TC781123100005716F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of Industry	: Paint Industry
Sample Location	: PMG Line 301
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	66.9	66.9	72.1	69.8	90 max
2	08:00 AM – 09:00 AM	72.1				
3	09:00 AM – 10:00 AM	70.8				
4	10:00 AM – 11:00 AM	70.4				
5	11:00 AM – 12:00 PM	70.9				
6	12:00 PM – 01:00 PM	70.0				
7	01:00 PM – 02:00 PM	68.3				
8	02:00 PM – 03:00 PM	69.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

(Signature)
 Md. Asfak Ansari
 Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the results of 1)
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812047 ULR No.: TC781123100005717F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of Industry	: Paint Industry
Sample Location	: PMG Reject Line
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	77.4	76.4	79.1	77.1	90 max
2	08:00 AM – 09:00 AM	79.1				
3	09:00 AM – 10:00 AM	76.7				
4	10:00 AM – 11:00 AM	76.4				
5	11:00 AM – 12:00 PM	77.1				
6	12:00 PM – 01:00 PM	76.7				
7	01:00 PM – 02:00 PM	76.4				
8	02:00 PM – 03:00 PM	77.1				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Shobhit
Reviewed By 08-23

Asfak
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the goods (1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812048 ULR No.: TC781123100005718F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: WBP Old 1 st Floor
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	03:00 PM - 04:00 PM	78.1	76.1	79.1	77.6	90 max
2	04:00 PM - 05:00 PM	79.1				
3	05:00 PM - 06:00 PM	76.3				
4	06:00 PM - 07:00 PM	77.1				
5	07:00 PM - 08:00 PM	78.3				
6	08:00 PM - 09:00 PM	76.1				
7	09:00 PM - 10:00 PM	77.4				
8	10:00 PM - 11:00 PM	78.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by: 023

Md. Asfak Ansari
Sr. Manager (Env.)

- Note: 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812049 ULR No.: TC781123100005719F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: WBP Old Ground Floor
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Callibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS


Sr.No.	Time	Noise Level (dB "A")			Standard Limits (dB "A") Leq	
		Leq	Lmin	Lmax		
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	76.1	73.9	76.3	75.0	90 max
2	04:00 PM – 05:00 PM	74.9				
3	05:00 PM – 06:00 PM	76.3				
4	06:00 PM – 07:00 PM	74.1				
5	07:00 PM – 08:00 PM	75.2				
6	08:00 PM – 09:00 PM	74.8				
7	09:00 PM – 10:00 PM	73.9				
8	10:00 PM – 11:00 PM	74.4				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.


Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for (Region) of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Sample will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812050 ULR No.: TC781123100005720F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test


Type of industry	: Paint Industry
Sample Location	: WBP New 1 st Floor
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")			Standard Limits (dB "A") Leq	
		Leq	Lmin	Lmax		
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	77.1	75.9	79.0	77.1	90 max
2	04:00 PM – 05:00 PM	76.3				
3	05:00 PM – 06:00 PM	75.9				
4	06:00 PM – 07:00 PM	76.3				
5	07:00 PM – 08:00 PM	77.8				
6	08:00 PM – 09:00 PM	76.9				
7	09:00 PM – 10:00 PM	77.3				
8	10:00 PM – 11:00 PM	79.0				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.


Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for (Reference of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

Review by 10-23



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812051 ULR No.: TC781123100005721F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: WBP New Ground Floor
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group -- Atmospheric Pollution						
1	03:00 PM – 04:00 PM	73.9	73.9	77.3	75.3	90 max
2	04:00 PM – 05:00 PM	74.7				
3	05:00 PM – 06:00 PM	76.3				
4	06:00 PM – 07:00 PM	77.3				
5	07:00 PM – 08:00 PM	76.3				
6	08:00 PM – 09:00 PM	75.1				
7	09:00 PM – 10:00 PM	74.7				
8	10:00 PM – 11:00 PM	74.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 7.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not to the plant as a whole.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812052 ULR No.: TC781123100005722F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
--	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Gate No.3
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	03:00 PM - 04:00 PM	61.4	60.8	63.8	62.1	90 max
2	04:00 PM - 05:00 PM	60.8				
3	05:00 PM - 06:00 PM	62.3				
4	06:00 PM - 07:00 PM	63.3				
5	07:00 PM - 08:00 PM	61.4				
6	08:00 PM - 09:00 PM	62.3				
7	09:00 PM - 10:00 PM	63.8				
8	10:00 PM - 11:00 PM	61.7				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17/8/23

Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
4. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

5. The results contained in this test report pertains only to the sample tested not for the whole lot.
6. Total liability of Haryana Test House is limited to the invoiced amount only.
7. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812053 ULR No.: TC781123100005723F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: Putty Plant BSM Area (Sahab Singh)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	70.1	68.7	71.5	70.3	90 max
2	04:00 PM – 05:00 PM	69.3				
3	05:00 PM – 06:00 PM	68.7				
4	06:00 PM – 07:00 PM	71.4				
5	07:00 PM – 08:00 PM	70.4				
6	08:00 PM – 09:00 PM	70.9				
7	09:00 PM – 10:00 PM	71.5				
8	10:00 PM – 11:00 PM	70.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Asif* 17.8.23

Asif
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever. (Page 1 of 1)



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812054 ULR No.: TC781123100005724F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Putty Plant Packing Line (Naveen)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	74.8	74.8	75.0	74.5	90 max
2	04:00 PM – 05:00 PM	78.1				
3	05:00 PM – 06:00 PM	76.3				
4	06:00 PM – 07:00 PM	75.7				
5	07:00 PM – 08:00 PM	75.9				
6	08:00 PM – 09:00 PM	76.3				
7	09:00 PM – 10:00 PM	77.1				
8	10:00 PM – 11:00 PM	76.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the general. 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only. 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified. 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812055 ULR No.: TC781123100005725F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: Putty Plant 2nd (Rahul)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	74.9	73.9	75.0	74.5	90 max
2	04:00 PM – 05:00 PM	74.3				
3	05:00 PM – 06:00 PM	73.9				
4	06:00 PM – 07:00 PM	74.2				
5	07:00 PM – 08:00 PM	75.0				
6	08:00 PM – 09:00 PM	74.8				
7	09:00 PM – 10:00 PM	74.1				
8	10:00 PM – 11:00 PM	74.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by: 17.8.23

17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note :
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for (Regulation of 1)
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseccs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812056 ULR No.: TC781123100005726F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	


Type of industry	: Paint Industry
Sample Location	: Packing Old (Dinesh)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS


Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	67.1	61.2	67.1	64.0	90 max
2	04:00 PM – 05:00 PM	66.3				
3	05:00 PM – 06:00 PM	63.9				
4	06:00 PM – 07:00 PM	64.8				
5	07:00 PM – 08:00 PM	61.2				
6	08:00 PM – 09:00 PM	62.7				
7	09:00 PM – 10:00 PM	63.1				
8	10:00 PM – 11:00 PM	62.7				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.


Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not to be used for any other purpose.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812057 ULR No.: TC781123100005727F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of Industry	: Paint Industry
Sample Location	: Packing New (Jatin)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	62.1	61.3	64.7	63.3	90 max
2	04:00 PM – 05:00 PM	63.8				
3	05:00 PM – 06:00 PM	64.0				
4	06:00 PM – 07:00 PM	62.7				
5	07:00 PM – 08:00 PM	61.3				
6	08:00 PM – 09:00 PM	63.9				
7	09:00 PM – 10:00 PM	64.7				
8	10:00 PM – 11:00 PM	63.8				

Remarks:


- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by

Kobik
17/8/23

Md. Asfak Ansari
21/08/23
Sr. Manager (Env.)

- Note : 1. Test report shall not reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (Page 2 of 2)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812058 ULR No.: TC781123100005728F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of Industry	: Paint Industry
Sample Location	: Finishing Good Area (Outer Side-Subhash)
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-07)
Instrument Calibration Status	: Calibrated (upto 13.11.2023)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	76.1	74.1	77.1	76.0	90 max
2	08:00 AM – 09:00 AM	74.9				
3	09:00 AM – 10:00 AM	76.3				
4	10:00 AM – 11:00 AM	77.1				
5	11:00 AM – 12:00 PM	76.3				
6	12:00 PM – 01:00 PM	77.1				
7	01:00 PM – 02:00 PM	76.4				
8	02:00 PM – 03:00 PM	74.1				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Asht* 17/8/23

Asht 17/8/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not to the plant.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the involved amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812059 ULR No.: TC781123100005729F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: LQC Lab. (Kamal)
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-08)
Instrument Calibration Status	: Calibrated (upto 13.11.2023)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	61.4	60.1	63.1	61.5	90 max
2	08:00 AM – 09:00 AM	62.3				
3	09:00 AM – 10:00 AM	63.1				
4	10:00 AM – 11:00 AM	60.1				
5	11:00 AM – 12:00 PM	60.9				
6	12:00 PM – 01:00 PM	61.4				
7	01:00 PM – 02:00 PM	60.8				
8	02:00 PM – 03:00 PM	62.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 7/0/23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

- Note :
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Samples not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812060 ULR No.: TC781123100005730F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of Industry	: Paint Industry
Sample Location	: EHS Lab (Rajender Sain)
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	61.2	58.2	62.0	60.4	90 max
2	04:00 PM – 05:00 PM	60.8				
3	05:00 PM – 06:00 PM	61.9				
4	06:00 PM – 07:00 PM	62.0				
5	07:00 PM – 08:00 PM	60.4				
6	08:00 PM – 09:00 PM	59.7				
7	09:00 PM – 10:00 PM	59.3				
8	10:00 PM – 11:00 PM	58.2				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]* 17.8.23

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812061 ULR No.: TC781123100005731F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry : Paint Industry
Sample Location : ETP Blower Area (Satyavan)
Date of measurement : 09.08.2023
Instrument used : Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status : Calibrated (upto 29.03.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab representative
Period of sampling : 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	70.8	69.3	72.0	70.8	90 max
2	04:00 PM – 05:00 PM	71.4				
3	05:00 PM – 06:00 PM	72.0				
4	06:00 PM – 07:00 PM	71.3				
5	07:00 PM – 08:00 PM	70.8				
6	08:00 PM – 09:00 PM	69.3				
7	09:00 PM – 10:00 PM	69.9				
8	10:00 PM – 11:00 PM	70.8				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Asst. Mgr.* 17.08.23

Asst. Mgr. 17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the entire lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812062 ULR No.: TC781123100005732F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: Polymer G.F. (Deepak)
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	81.2	80.8	82.7	81.6	90 max
2	04:00 PM – 05:00 PM	80.8				
3	05:00 PM – 06:00 PM	82.3				
4	06:00 PM – 07:00 PM	82.7				
5	07:00 PM – 08:00 PM	81.9				
6	08:00 PM – 09:00 PM	82.2				
7	09:00 PM – 10:00 PM	80.8				
8	10:00 PM – 11:00 PM	81.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Shobhit*
17.8.23

Asfak Ansari
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for (Base) of 2)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812063 ULR No.: TC781123100005733F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Polymer FF (Balram)
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	03:00 PM - 04:00 PM	82.1	79.8	82.1	80.8	90 max
2	04:00 PM - 05:00 PM	81.9				
3	05:00 PM - 06:00 PM	79.8				
4	06:00 PM - 07:00 PM	79.9				
5	07:00 PM - 08:00 PM	80.1				
6	08:00 PM - 09:00 PM	80.2				
7	09:00 PM - 10:00 PM	81.2				
8	10:00 PM - 11:00 PM	80.9				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

(Signature)
Review by 13/08/23

(Signature)
13/08/23
Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812064 ULR No.: TC781123100005734F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: Gate-1 (Mukesh)
Date of measurement	: 09.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	59.1	57.1	61.2	59.1	90 max
2	04:00 PM – 05:00 PM	57.1				
3	05:00 PM – 06:00 PM	61.0				
4	06:00 PM – 07:00 PM	60.4				
5	07:00 PM – 08:00 PM	61.2				
6	08:00 PM – 09:00 PM	58.1				
7	09:00 PM – 10:00 PM	57.1				
8	10:00 PM – 11:00 PM	58.4				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.


Review by *[Signature]* 17/8/23

[Signature]
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

(Page 1 of 1)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
4. Total Liability of Haryana Test House is limited to the invoiced amount only.
6. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812065 ULR No.: TC781123100005735F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: PEL Lab. (Sachin)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	61.2	60.3	62.3	61.3	90 max
2	08:00 AM – 09:00 AM	60.8				
3	09:00 AM – 10:00 AM	61.4				
4	10:00 AM – 11:00 AM	62.0				
5	11:00 AM – 12:00 PM	62.3				
6	12:00 PM – 01:00 PM	61.4				
7	01:00 PM – 02:00 PM	60.9				
8	02:00 PM – 03:00 PM	60.3				

Remarks:


- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *17/8/23*

13/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

(Page 1 of 1)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812066 ULR No.: TC781123100005736F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: PMG Line 301 (Dinesh)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	07:00 AM - 08:00 AM	62.1	62.1	64.1	63.0	90 max
2	08:00 AM - 09:00 AM	63.1				
3	09:00 AM - 10:00 AM	64.1				
4	10:00 AM - 11:00 AM	62.9				
5	11:00 AM - 12:00 PM	63.1				
6	12:00 PM - 01:00 PM	63.7				
7	01:00 PM - 02:00 PM	62.7				
8	02:00 PM - 03:00 PM	62.4				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]*

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for (Page 1 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812067 ULR No.: TC781123100005737F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: PMG Reject Line (Anil)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	60.8	60.8	63.1	62.3	90 max
2	08:00 AM – 09:00 AM	61.4				
3	09:00 AM – 10:00 AM	62.7				
4	10:00 AM – 11:00 AM	63.1				
5	11:00 AM – 12:00 PM	62.7				
6	12:00 PM – 01:00 PM	62.9				
7	01:00 PM – 02:00 PM	63.0				
8	02:00 PM – 03:00 PM	61.7				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 15/08/23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812068 ULR No.: TC781123100005738F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: PMG Crane Side (Krishan)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	64.1	63.7	66.7	65.2	90 max
2	08:00 AM – 09:00 AM	65.3				
3	09:00 AM – 10:00 AM	66.7				
4	10:00 AM – 11:00 AM	63.7				
5	11:00 AM – 12:00 PM	64.9				
6	12:00 PM – 01:00 PM	64.3				
7	01:00 PM – 02:00 PM	65.7				
8	02:00 PM – 03:00 PM	66.6				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Abhishek* 17/8/23

Asfak Ansari
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for (Range of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812069 ULR No.: TC781123100005739F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: WBP Old 1 st Floor (Rajesh)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	75.4	75.3	77.1	76.3	90 max
2	04:00 PM – 05:00 PM	76.3				
3	05:00 PM – 06:00 PM	77.0				
4	06:00 PM – 07:00 PM	76.1				
5	07:00 PM – 08:00 PM	75.3				
6	08:00 PM – 09:00 PM	76.9				
7	09:00 PM – 10:00 PM	77.1				
8	10:00 PM – 11:00 PM	76.2				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]* 17/8/23

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for (Page 1 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812070 ULR No.: TC781123100005740F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: WBP New Ground Floor (Krishan)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	73.9	72.1	74.2	73.2	90 max
2	04:00 PM – 05:00 PM	74.2				
3	05:00 PM – 06:00 PM	72.1				
4	06:00 PM – 07:00 PM	73.2				
5	07:00 PM – 08:00 PM	73.9				
6	08:00 PM – 09:00 PM	72.6				
7	09:00 PM – 10:00 PM	72.1				
8	10:00 PM – 11:00 PM	73.3				

Remarks:


- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
17.08.23

Md. Asfak Ansari
Sr. Manager (Env.)

(Page 1 of 1)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812071 ULR No.: TC781123100005741F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: WBP Old Ground Floor (Sachin)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	75.8	74.5	77.0	76.0	90 max
2	04:00 PM – 05:00 PM	76.2				
3	05:00 PM – 06:00 PM	74.8				
4	06:00 PM – 07:00 PM	74.5				
5	07:00 PM – 08:00 PM	75.6				
6	08:00 PM – 09:00 PM	76.9				
7	09:00 PM – 10:00 PM	77.0				
8	10:00 PM – 11:00 PM	76.8				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]* 17/8/23

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (8/10/23) (1 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812072 ULR No.: TC781123100005742F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of Industry	: Paint Industry
Sample Location	: WBP New 1 st Floor (Ramesh)
Date of measurement	: 10.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group -- Atmospheric Pollution						
1	03:00 PM – 04:00 PM	72.7	70.8	74.4	72.6	90 max
2	04:00 PM – 05:00 PM	73.3				
3	05:00 PM – 06:00 PM	74.4				
4	06:00 PM – 07:00 PM	72.3				
5	07:00 PM – 08:00 PM	71.8				
6	08:00 PM – 09:00 PM	71.9				
7	09:00 PM – 10:00 PM	70.8				
8	10:00 PM – 11:00 PM	73.9				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Shobhit*
17/8/23

MD. Asfak Ansari
17/08/23
Sr. Manager (Env.)

- Note : 1. Test report shall not reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for (Reason of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812073 ULR No.: TC781123100005743F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry : Paint Industry
Sample Location : Gate-3 (Anil)
Date of measurement : 10.08.2023
Instrument used : Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status : Calibrated (upto 24.01.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab representative
Period of sampling : 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	59.4	59.1	63.3	61.1	90 max
2	04:00 PM – 05:00 PM	61.4				
3	05:00 PM – 06:00 PM	62.1				
4	06:00 PM – 07:00 PM	60.8				
5	07:00 PM – 08:00 PM	59.1				
6	08:00 PM – 09:00 PM	59.9				
7	09:00 PM – 10:00 PM	62.8				
8	10:00 PM – 11:00 PM	63.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (Sample 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812074 ULR No.: TC781123100005744F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of industry	: Paint Industry
Sample Location	: ETP Watch Tower
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	57.1	56.3	59.3	58.1	90 max
2	08:00 AM	58.3				
3	09:00 AM	59.1				
4	10:00 AM	56.3				
5	11:00 AM	59.3				
6	12:00 PM	58.4				
7	01:00 PM	58.7				
8	02:00 PM	57.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]*
17/8/23

[Signature]
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812075 ULR No.: TC781123100005746F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of Industry	: Paint Industry
Sample Location	: Gate-3
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	62.1	61.9	66.3	63.0	90 max
2	08:00 AM	63.1				
3	09:00 AM	62.1				
4	10:00 AM	61.9				
5	11:00 AM	62.4				
6	12:00 PM	66.3				
7	01:00 PM	62.1				
8	02:00 PM	64.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17/08/23

Md. Asfak Ansari
Sr. Manager (En)
(Page 1 of 1)

- Note :
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance; and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.
 8. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE

& Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812076 ULR No.: TC781123100005747F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of industry	: Paint Industry
Sample Location	: Storm Water Tank
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	61.2	58.3	61.2	59.8	90 max
2	08:00 AM	59.3				
3	09:00 AM	58.3				
4	10:00 AM	59.3				
5	11:00 AM	60.1				
6	12:00 PM	60.7				
7	01:00 PM	59.4				
8	02:00 PM	59.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Asif
Review by 17/8/23

Asif
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812077 ULR No.: TC781123100005748F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)

Type of industry	: Paint Industry
Sample Location	: Gate-1
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")			Standard Limits (dB "A") Leq	
		Leq	Lmin	Lmax		
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	61.9	59.4	63.1	61.2	90 max
2	08:00 AM	62.3				
3	09:00 AM	63.1				
4	10:00 AM	60.8				
5	11:00 AM	61.5				
6	12:00 PM	60.7				
7	01:00 PM	59.4				
8	02:00 PM	59.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17/8/23

Md. Asfak Ansari
Sr. Manager (Env.)

- Nota : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for (Reason of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812078 ULR No.: TC781123100005749F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of industry	: Paint Industry
Sample Location	: Engineering Store
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	61.4	60.3	64.1	62.4	90 max
2	08:00 AM	64.1				
3	09:00 AM	62.3				
4	10:00 AM	60.3				
5	11:00 AM	63.9				
6	12:00 PM	60.4				
7	01:00 PM	64.1				
8	02:00 PM	62.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 7/8/23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

- Note : 1. Test report shall not reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the involved amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812079 ULR No.: TC781123100005750F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of industry	: Paint Industry
Sample Location	: Green Belt Area-1
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	61.0	57.1	61.0	59.3	90 max
2	08:00 AM	57.1				
3	09:00 AM	58.3				
4	10:00 AM	59.4				
5	11:00 AM	58.1				
6	12:00 PM	60.4				
7	01:00 PM	60.8				
8	02:00 PM	59.5				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Checked
Review By 10/8/23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole of the site.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812080 ULR No.: TC781123100005751F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of industry	: Paint Industry
Sample Location	: RMG Park
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	57.1	57.1	61.0	60.0	90 max
2	08:00 AM	59.4				
3	09:00 AM	59.9				
4	10:00 AM	61.0				
5	11:00 AM	60.4				
6	12:00 PM	60.8				
7	01:00 PM	61.0				
8	02:00 PM	60.7				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Abhishek
Review by 17/08/23

Md. Asfak Ansari
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Nota : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total Reliability of Haryana Test House is limited to the Invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812081 ULR No.: TC781123100005755F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)

Type of Industry	: Paint Industry
Sample Location	: Gate-2
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	61.4	60.4	62.3	61.2	90 max
2	08:00 AM	62.3				
3	09:00 AM	60.4				
4	10:00 AM	61.9				
5	11:00 AM	60.8				
6	12:00 PM	61.3				
7	01:00 PM	60.7				
8	02:00 PM	60.9				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 7.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

- (Page 1 of 1)
- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever. 8. Sample not drawn by HTH unless otherwise specified.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812082 ULR No.: TC781123100005757F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of industry	: Paint Industry
Sample Location	: Backside Fire Pump House
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	07:00 AM	64.9	64.9	68.1	66.6	90 max
2	08:00 AM	65.3				
3	09:00 AM	67.1				
4	10:00 AM	66.3				
5	11:00 AM	67.3				
6	12:00 PM	68.1				
7	01:00 PM	67.1				
8	02:00 PM	66.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Asif
17.8.23
Review by

Asif
17.8.23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note :
1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertain only to the sample tested not for (Page 01 of 1)
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812083 ULR No.: TC781123100005758F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Day Time)	

Type of industry	: Paint Industry
Sample Location	: PMG Backside Area
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM	63.1	60.7	63.1	62.3	90 max
2	08:00 AM	62.9				
3	09:00 AM	61.9				
4	10:00 AM	60.7				
5	11:00 AM	62.3				
6	12:00 PM	63.1				
7	01:00 PM	62.3				
8	02:00 PM	61.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166. (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812084 ULR No.: TC781123100005759F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: ETP Watch Tower
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	10:00 PM	56.1	52.1	56.1	53.5	90 max
2	11:00 PM	54.3				
3	12:00 PM	52.1				
4	01:00 AM	53.1				
5	02:00 AM	52.9				
6	03:00 AM	53.7				
7	04:00 AM	52.1				
8	05:00 AM	53.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Asif* 17/08/23

Asif
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not to (Page 1 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812085 ULR No.: TC781123100005761F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: Gate-3
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	10:00 PM	60.1	57.1	61.0	59.5	90 max
2	11:00 PM	59.2				
3	12:00 PM	59.8				
4	01:00 AM	60.9				
5	02:00 AM	61.0				
6	03:00 AM	59.4				
7	04:00 AM	58.3				
8	05:00 AM	57.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Asif* 17.8.23

Asif
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot. (Page 1 of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812086 ULR No.: TC781123100005762F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: Storm Water Tank
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	10:00 PM	58.4	58.3	61.0	59.5	90 max
2	11:00 PM	59.9				
3	12:00 PM	60.1				
4	01:00 AM	61.0				
5	02:00 AM	58.3				
6	03:00 AM	59.2				
7	04:00 AM	59.1				
8	05:00 AM	59.7				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]* 13.8.23

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)

Note: 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

(Page 1 of 1)



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812087 ULR No.: TC781123100005763F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: Gate-1
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	10:00 PM	58.2	57.3	61.2	59.1	90 max
2	11:00 PM	57.3				
3	12:00 PM	59.3				
4	01:00 AM	60.1				
5	02:00 AM	61.2				
6	03:00 AM	59.2				
7	04:00 AM	58.3				
8	05:00 AM	59.2				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
11.08.23

Md. Asfak Ansar
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for (Regulation of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812088 ULR No.: TC781123100005764F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: Engineering Store
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	10:00 PM	59.1	57.1	61.0	59.4	90 max
2	11:00 PM	59.8				
3	12:00 PM	60.1				
4	01:00 AM	60.7				
5	02:00 AM	61.0				
6	03:00 AM	59.1				
7	04:00 AM	57.1				
8	05:00 AM	58.3				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Abhinav*
17.8.23

Abhinav
17.08.23
Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the purpose of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812089 ULR No.: TC781123100005767F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: Green Belt Area-1
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	10:00 PM	56.4	56.4	59.2	58.0	90 max
2	11:00 PM	57.3				
3	12:00 PM	58.1				
4	01:00 AM	59.2				
5	02:00 AM	57.3				
6	03:00 AM	58.1				
7	04:00 AM	59.2				
8	05:00 AM	58.4				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 7.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
3. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Sample not drawn by HTH unless otherwise specified.
6. The details received from customer on its own responsibility, Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812090 ULR No.: TC781123100005768F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: RMG Park
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	10:00 PM	57.1	55.1	57.1	56.3	90 max
2	11:00 PM	56.3				
3	12:00 PM	55.1				
4	01:00 AM	57.0				
5	02:00 AM	56.2				
6	03:00 AM	55.9				
7	04:00 AM	56.1				
8	05:00 AM	56.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *[Signature]* 17.8.23

[Signature]
Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the purpose of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812091 ULR No.: TC781123100005769F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: Gate-2
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")			Standard Limits (dB "A") Leq	
		Leq	Lmin	Lmax		
Discipline - Chemical , Group - Atmospheric Pollution						
1	10:00 PM	59.2	58.3	60.8	59.8	90 max
2	11:00 PM	58.3				
3	12:00 PM	59.9				
4	01:00 AM	60.8				
5	02:00 AM	60.7				
6	03:00 AM	60.2				
7	04:00 AM	59.2				
8	05:00 AM	59.8				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Asfak Ansari
17/8/23
Review by

Asfak Ansari
17/8/23
Mid. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the purpose of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility, Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0190-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthouseecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812092 ULR No.: TC781123100005770F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)

Type of industry	: Paint Industry
Sample Location	: Backside Fire Pump House
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	10:00 PM	62.1	60.8	63.2	62.4	90 max
2	11:00 PM	60.8				
3	12:00 PM	61.9				
4	01:00 AM	62.4				
5	02:00 AM	63.2				
6	03:00 AM	62.9				
7	04:00 AM	63.1				
8	05:00 AM	62.7				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Apob kh
Review by 17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812093 ULR No.: TC781123100005771F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test (Night Time)	

Type of industry	: Paint Industry
Sample Location	: RMG Backside Area
Date of measurement	: 11.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	10:00 PM	58.4	57.3	60.9	59.0	90 max
2	11:00 PM	57.9				
3	12:00 PM	60.2				
4	01:00 AM	59.3				
5	02:00 AM	59.7				
6	03:00 AM	58.4				
7	04:00 AM	57.3				
8	05:00 AM	60.9				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Asif
17/08/23
Review by

Asif
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for its purpose of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812094 ULR No.: TC781123100005772F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of Industry : Paint Industry
Sample Location : RMG Fork Lift Operator (Narendera)
Date of measurement : 07.08.2023
Instrument used : Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status : Calibrated (upto 07.07.2024)
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our lab representative
Period of sampling : 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	79.1	76.3	80.1	78.2	90 max
2	04:00 PM – 05:00 PM	78.3				
3	05:00 PM – 06:00 PM	79.4				
4	06:00 PM – 07:00 PM	80.1				
5	07:00 PM – 08:00 PM	76.3				
6	08:00 PM – 09:00 PM	77.1				
7	09:00 PM – 10:00 PM	78.1				
8	10:00 PM – 11:00 PM	77.3				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)
17/08/23

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for (Base of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Sample will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812095 ULR No.: TC781123100005773F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: RMG FIBC-C (Praveen)
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	77.1	76.3	79.4	77.9	90 max
2	04:00 PM – 05:00 PM	78.4				
3	05:00 PM – 06:00 PM	79.3				
4	06:00 PM – 07:00 PM	77.1				
5	07:00 PM – 08:00 PM	76.3				
6	08:00 PM – 09:00 PM	79.4				
7	09:00 PM – 10:00 PM	78.3				
8	10:00 PM – 11:00 PM	77.6				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by
17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the purpose of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility, Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812096 ULR No.: TC781123100005774F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of Industry	: Paint Industry
Sample Location	: RMG FIBC-D (Shivansh)
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS


Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	76.4	76.3	81.2	78.8	90 max
2	04:00 PM – 05:00 PM	81.2				
3	05:00 PM – 06:00 PM	80.8				
4	06:00 PM – 07:00 PM	81.2				
5	07:00 PM – 08:00 PM	79.3				
6	08:00 PM – 09:00 PM	78.1				
7	09:00 PM – 10:00 PM	76.3				
8	10:00 PM – 11:00 PM	77.4				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.


Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for (Reg. No. 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.


Review by 17.8.23



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812097 ULR No.: TC781123100005775F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: RMG FIBC-G (Ravindra)
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")			Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	
Discipline - Chemical , Group - Atmospheric Pollution					
1	03:00 PM - 04:00 PM	79.2	77.0	79.2	90 max
2	04:00 PM - 05:00 PM	78.3			
3	05:00 PM - 06:00 PM	78.2			
4	06:00 PM - 07:00 PM	77.8			
5	07:00 PM - 08:00 PM	77.5			
6	08:00 PM - 09:00 PM	77.3			
7	09:00 PM - 10:00 PM	77.1			
8	10:00 PM - 11:00 PM	77.0			

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Abhishek
 Review by 07/08/23

Abhishek
 15/08/23
 Md. Asfak Ansari
 Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812098 ULR No.: TC781123100005776F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: Gate-2
Date of measurement	: 07.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	03:00 PM – 04:00 PM	58.1	58.1	62.3	60.0	90 max
2	04:00 PM – 05:00 PM	59.1				
3	05:00 PM – 06:00 PM	62.3				
4	06:00 PM – 07:00 PM	61.8				
5	07:00 PM – 08:00 PM	60.3				
6	08:00 PM – 09:00 PM	59.1				
7	09:00 PM – 10:00 PM	58.4				
8	10:00 PM – 11:00 PM	61.2				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17.8.23

Md. Asfak Ansari
Sr. Manager (Env.)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for the purpose of (1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812099 ULR No.: TC781123100005777F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: Utility Chiller Area (Karamveer)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-01)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	74.2	73.7	74.9	74.2	90 max
2	08:00 AM – 09:00 AM	74.9				
3	09:00 AM – 10:00 AM	73.9				
4	10:00 AM – 11:00 AM	73.7				
5	11:00 AM – 12:00 PM	73.8				
6	12:00 PM – 01:00 PM	74.1				
7	01:00 PM – 02:00 PM	74.7				
8	02:00 PM – 03:00 PM	73.9				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 17.08.23

Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for (Range of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE & Consultancy Services



50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Aslan Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812100 ULR No.: TC781123100005778F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of industry	: Paint Industry
Sample Location	: Utility Boiler Area (Monu)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-02)
Instrument Calibration Status	: Calibrated (upto 29.03.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	72.1	72.1	74.9	73.7	90 max
2	08:00 AM – 09:00 AM	73.9				
3	09:00 AM – 10:00 AM	74.7				
4	10:00 AM – 11:00 AM	74.9				
5	11:00 AM – 12:00 PM	74.1				
6	12:00 PM – 01:00 PM	72.6				
7	01:00 PM – 02:00 PM	73.7				
8	02:00 PM – 03:00 PM	73.8				


Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Aslan
Reviewed by 8/23

Md. Asfak Ansari
Sr. Manager (Env.)
17/08/23

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertain only to the sample tested not for (purpose of 1)
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousesecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812101 ULR No.: TC781123100005779F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
Sample Description: TWA 8 Hrs. Noise Exposure Test	

Type of Industry	: Paint Industry
Sample Location	: Utility Cooling Area (Sandeep)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-03)
Instrument Calibration Status	: Calibrated (upto 07.07.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	76.1	73.6	76.3	75.1	90 max
2	08:00 AM – 09:00 AM	74.9				
3	09:00 AM – 10:00 AM	75.7				
4	10:00 AM – 11:00 AM	76.3				
5	11:00 AM – 12:00 PM	74.8				
6	12:00 PM – 01:00 PM	73.6				
7	01:00 PM – 02:00 PM	74.1				
8	02:00 PM – 03:00 PM	75.1				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by 7.8.23

Md. Asfak Ansari
Sr. Manager (Env.)
(Page 1 of 1)

Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of law. 2. The results contained in this test report pertain only to the sample tested not for the whole of the site.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



TC-7811

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812102 ULR No.: TC781123100005780F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: F.G. Area (Panel BCI-Sachin)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-05)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group - Atmospheric Pollution						
1	07:00 AM - 08:00 AM	80.1	77.3	81.2	79.3	90 max
2	08:00 AM - 09:00 AM	79.3				
3	09:00 AM - 10:00 AM	78.3				
4	10:00 AM - 11:00 AM	81.2				
5	11:00 AM - 12:00 PM	77.3				
6	12:00 PM - 01:00 PM	79.8				
7	01:00 PM - 02:00 PM	78.1				
8	02:00 PM - 03:00 PM	79.9				

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Ashtik
17.08.23
Review by

Md. Asfak Ansari
17/08/23
Md. Asfak Ansari
Sr. Manager (Env.)

- (Page 1 of 1)
- Note : 1. Test report shall not be reproduced in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertain only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not take any responsibility whatsoever.



HARYANA TEST HOUSE

& Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812103 ULR No.: TC781123100005781F Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Sample Location	: F.G. Bridge Profiler Area (Shiv Kumar)
Date of measurement	: 08.08.2023
Instrument used	: Sound Level Meter (HTH/AP/12/SLM-06)
Instrument Calibration Status	: Calibrated (upto 24.01.2024)
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Time	Noise Level (dB "A")				Standard Limits (dB "A") Leq
		Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution						
1	07:00 AM – 08:00 AM	80.1	77.8	81.0	79.6	90 max
2	08:00 AM – 09:00 AM	79.9				
3	09:00 AM – 10:00 AM	78.1				
4	10:00 AM – 11:00 AM	77.8				
5	11:00 AM – 12:00 PM	79.4				
6	12:00 PM – 01:00 PM	80.4				
7	01:00 PM – 02:00 PM	81.0				
8	02:00 PM – 03:00 PM	79.7				

Remarks:


- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

Review by *Abhishek*
17.8.23

Asmi
17.08.23
Md. Asfak Ansari
Sr. Manager (Env.)

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only.
5. Sample will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

Annexure –V



HARYANA TEST HOUSE & Consultancy Services

50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.)86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.haryanatesthouse.net, e-mail : haryanatesthousecs@gmail.com, info@haryanatesthouse.net



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued to: Asian Paint Ltd Plot No.1, Sector- 30 B, IMT, Rohtak (HR)	Report No: HTH/EP/230812074 To 093 Party's Ref: Nil Booking: 12.08.2023 Period of Testing: 12.08.2023 to 17.08.2023 Reporting: 17.08.2023
---	---

Sample Description: Ambient TWA 8 Hrs. Noise Exposure Test

Type of industry	: Paint Industry
Date of measurement	: 11.08.2023
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our lab representative
Period of sampling	: 8 Hrs.

TEST RESULTS

Sr.No.	Location	Noise Level (dB "A")						Standard Limits (dB "A") Leq
		Day Time			Night Time			
		Lmin	Lmax	Avg. Leq	Lmin	Lmax	Avg. Leq	
Discipline - Chemical , Group – Atmospheric Pollution								
1	ETP Watch Tower	56.3	59.3	58.1	52.1	56.1	53.5	75 max (Day) 70 max (Night)
2	Gate-3	61.9	66.3	63.0	57.1	61.0	59.5	
3	Storm Water Tank	58.3	61.2	59.8	58.3	61.0	59.5	
4	Gate-1	59.4	63.1	61.2	57.3	61.2	59.1	
5	Near Engineering Store	60.3	64.1	62.4	57.1	61.0	59.4	
6	Green Belt Area-1	57.1	61.0	59.3	56.4	59.2	58.0	
7	RMG Park	57.1	61.0	60.0	55.1	57.1	56.3	
8	Gate-2	60.4	62.3	61.2	58.3	60.8	59.8	
9	Backside Fire Pump House	64.9	68.1	66.6	60.8	53.2	62.4	
10	RMG Backside Area	60.7	63.1	62.3	57.3	60.9	59.0	

Remarks:

- Standard Limit as per OSHA
- At the time of sampling plant was under normal operation.

[Signature]
17-08-2023
Review by



- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law. 2. The results contained in this test report pertains only to the sample tested not for the whole lot. 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement. 4. Total liability of Haryana Test House is limited to the invoiced amount only. 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified. 6. Sample not drawn by HTH unless otherwise specified. 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.