

Date:28/11/2023

APL/APPCB/HY\_EC/Nov'23

To,  
**The Regional Officer,  
Andhra Pradesh Pollution Control Board  
Regional office, Madhavadhara,  
VUDA Layout, Beside RTO Office  
Visakhapatnam-530018.**

**Sub.:** Reg. Half year Compliance to EC - Environmental Clearance for establishment 5 Lakh KLPA capacity Paint & Resins / Water based polymers Manufacturing Plant at Plot no 3, 4 and UDL, Industrial Clutter- Pudi (V), Rambilli (M), Visakhapatnam District

**Ref: EC No: SEIAA/AP/VSP-178/2015-1215 dtd: 2<sup>nd</sup> September'16**

Dear Sir,

Please find enclosed herewith Half Yearly Environmental Clearance (EC) compliance report for the period of Apr'23 to Sep'23 for your perusal. Asian Paints Limited has received the Environment Clearance (EC.) dtd. - 2<sup>nd</sup> September'16 for Establishment of a 5 Lakh KLPA capacity Paint & Resins / Water based polymers Manufacturing Plant at Plot no 3, 4 and UDL, Industrial Clutter- Pudi (V), Rambilli (M), Visakhapatnam District.

We trust you will find the same in order. We thank you for your continued support.

Thanking You,

For Asian Paints Ltd.

  
**B JAGANNATH**  
Associate General Manager

Email: [compliance.visakhapatnam@asianpaints.com](mailto:compliance.visakhapatnam@asianpaints.com)

CC:

1. APPCB, Vijaywada
2. SEIAA, Vijayawada
3. MoEF&CC, Chennai
4. MoEF&CC, Delhi

Enclosure:

1. Half Yearly Environment Clearance (EC) EC Compliance Report with Annexures
2. Copy of Environment Clearance (EC)



**HALF YEAR COMPLIANCE REPORT-NOV'23**

**EC No : SEIAA/AP/VSP-178/2015-1215 dtd: 2nd September'2016**

A.	SPECIFIC CONDITIONS	COMPLIANCE
1	The industry shall install appropriate pollution control systems to achieve Zero Liquid Discharge (ZLD)- ETP, MEE with VOC scrubbers, ATFD and RO plant	All trade effluent generated are being treated in the ETP followed by RO. RO reject being treated in MEE followed by ATFD. We are maintaining the Zero Liquid Discharge (ZLD).
2	The treated effluent after duly meeting norms shall be utilized in the manufacturing process of plant for utilities purposes only and there shall not be any discharge into on land under any circumstances	Treated effluent are being reused in process or as cooling tower makeup and boiler feed. We are not discharging into land.
3	The project proponent has to take up the development of "Kondakarla Ava Lake" under CSR activities	We have developed a community toilet at "Kondakarla Ava Lake" under CSR activities. Photograph has been attached herewith as Annexure 1.
4	The industry may explore the adoption of green technology in the Plant	APL is always strived for environment protection and continual improvement in process by adopting green technology in the plant. All our processes and practices are designed to fulfil the requirement of Indian Green Building Council Factory Rating. Solar power, waste minimization schemes, reuse schemes, auto handling of materials to reduce dust emissions, etc. are few green technologies that we use.
5	Industry shall implement wildlife conservation plan for Kondakarla Ava with special reference to species in Schedule- I	We have approached an NGO for the plan of implementing wildlife conservation initiatives for Kondakarla Ava with special reference to species in Schedule- I.
B.	SPECIAL CONDITIONS	COMPLIANCE
a)	<b>General:</b>	
i	The industry shall achieve Zero Liquid Discharge	All trade effluent generated are being treated in the ETP followed by RO. RO reject being evaporated in MEE followed by ATFD. We are maintaining the Zero Liquid Discharge (ZLD).
ii	The industry shall provide solvent recovery system	We have water based paint manufacturing setup and minimum solvent usage and being a closed loop handling system there is minimum generation of waste solvent which is being consumed back into the process.
iii	The industry shall provide hazardous waste container (drums) cleaning/washing system	A fully established infrastructure and system has been developed to clean the Barrels/containers and IBCs. Photograph has been attached herewith as Annexure 2.
iv	The industry shall provide mass flow meter to measure quantity of steam consumed for MEE system	Mass flow meters are provided to measure quantity of steam consumed in MEE system.
v	The industry shall provide magnetic tamper proof flowmeters to measure quantity of different streams of effluents generated and routed through the treatment systems	The same has been provided separately for industrial effluent and sewage effluent streams. Photograph has been attached herewith as Annexure 3.
vi	The industry shall provide stream stripping system to handle volatile matter in the effluents	We have water based paint manufacturing setup. Effluent is generated from cleaning of such water based paint manufacturing equipment. This effluent has very low volatile content. Effluent transferring to ETP is through closed loop system. We have scrubber installed on the major paint mixing equipments. Effluent from scrubber are being treated at ETP.
vii	The industry shall send hazardous waste to the authorized cement industries/ TSDF/ authorized recyclers by proper manifesto system	We are sending hazardous waste to the authorized TSDF/ authorized recyclers by proper manifesto system.

viii	The industry shall install dual chamber incinerator with appropriate pollution control systems in conformity with CPCB/ MOEF & CC guidelines					An incinerator with pollution control system as per CPCB/MOEF/CC guidelines has been installed. However this is not used/operated in last six months, as waste is sending to the authorized TSDF/authorized recyclers. Installed incinerator photograph of the same has been attached herewith as Annexure 4.		
ix	The industry shall fulfil all commitments made during the public hearing held on 29.06.2016					It is noted and are being complied.		
<b>b) Air Pollution</b>								
I Source of flu gas emissions, details of stack, and air pollution control system are as follows:								
S. No.	Source	Capacity	Fuel	Stack Height	APCE	Emission norms	Compliance	
1	Boilers (5nos)	2 TPH each	HSD	30 mtrseach	Stack height as per CPCB norms	CPCB MoEF&CC norms	We have boilers ( 1 No.) each of 0.3 TPH.	
2	Boilers (4 nos)	4 TPH each	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	We have boilers (2 Nos) each of 3 TPH.	
3	Boiler	7 Kilo calories/hr	Bio mss briquettes	30 mtrs	Bag Filters	SPM - 30 mg/Nm <sup>3</sup>	Currently we don't have this boiler.	
4	Incinerator	1 TPD	HSD	30 mtrs	Bag Filters & scrubbers	CPCB/MoEF&CC norms	We have one incinerator of 0.8 TPD.	
5	DG sets (6 Nos)	2000 KVA	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	We have DG sets (2 Nos) each of 2000 KVA.	
6	DG sets (2 Nos)	1000 KVA	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	We have DG sets (2 Nos) each of 1000 KVA.	
7	DG sets (2 Nos)	500 KVA	HSD	30 mtrs each	Stack height as per CPCB norms	CPCB/MoEF&CC norms	We have DG Set (01 No.) of 500 KVA	
II Details of process emissions, stack heights, and air pollution control systems are as follows:								
S.No.	Source	Stack height	APCE	Emission norms	Compliance			
1	Process vents (5 nos)	18 mts each	Scrubbers	CPCB/MoEF & CC norms	The emissions will be dispersed as mentioned complying to CPCB/MOEF & CC norms. Scrubbers and bag filters have been provided.			
2	Raw material storage silos vents (150 nos)	32 mts	Bag filters	CPCB/MoEF & CC norms	Currently all process equipment are connected to 4 scrubbers with vent height 18m from ground level. There are Raw material storage silo vents. Currently all 76 nos of silos are connected to silos vents. We have been submitting the scrubber pH monitoring result monthly basis.			
III	Necessary measures shall be taken to control odour as far as possible. Sub coolers for brine circulation shall be installed to reduce solvent evaporation losses into the atmosphere. All the solvent storage tanks shall be connected to vent condensers. Regular monitoring of the VOCs shall be carried out using sensors					We have water based paint manufacturing setup and minimum solvents are used only in the process as raw material and it is a completely closed loop system so there is no solvent evaporation. Regular monitoring of the VOCs are being carried out. Vent condensers are their in place to control any VOC emissions.		

IV	The solvents shall be recovered by installing solvent recovery facility. The recovered solvents shall be reused in the process or sold to recyclers authorized by APPCB. The volatile vapours generated during process shall be routed through condensers and the condensate shall be reused in the plant	We have water based paint manufacturing setup and minimum solvent usage and being a closed loop handling system there is minimum generation of waste solvent which is being consumed back into the process.					
V	The area of the greenbelt shall not be less than 33% of the total area of the site. Greenbelt with tall growing trees shall be developed along the boundary of the site	Noted, a fully developed green belt with tall growing trees all along the boundary of the plant and in the vacant place has been maintained as per the compliance requirement. Currently there is green belt of 36 % of total area. Photograph of the same has been attached herewith as Annexure 5.					
VI	Raw materials shall be transported in covered trucks. Raw materials shall be stored under sheds. All the belt conveyors shall be covered with G.I. sheets. Appropriate dust extraction cum collection system will be provided for raw material handling and conveyor system. All the roads in the plant area shall be asphalted/concreted and water shall be sprinkled to suppress the dust.	Raw materials which are in powder form is transferred to manufacturing process through closed pipeline. Adequate control measures are ensured while transferring like usage of bag filters to avoid powder dust into atmosphere. It has been noted and are being complied.					
VII	Ambient air quality including ambient noise level must not exceed the standards stipulated under Notification dt. 16.11.2009 issued by MOEF & CC, GOI. Monitoring of ambient air quality and stack emissions shall be carried out regularly in consultation with APPCB. Data on ambient air quality should be regularly submitted to the Ministry including its Regional Office located at Chennai and the State Pollution Control Board/Central Pollution Control Board once in six months.	Half yearly reports are being submitted to Regional office and the respective Zonal office of CPCB and APPCB along with monitoring report of ambient air including noise is submitted every month.					
<b>b) Water Pollution</b>							
i) The details of water consumption, wastewater generation, treatment and disposal are as follows:							
S.No.	Purpose	Water consumption on (KLD)	Waste water generation	Treatment facilities	Disposal Option	Discharge Standard	Compliance
1	Raw Water Treatment Plant (Back washes)	10	10		Recycled	Standard notified by MoEF&CC/APPCB	Treatment of trade effluent is being done in ETP followed by RO and MEE. The treatment of sewage effluent is being done in STP. Treated industrial effluent is being used in process/utilities purpose. Treated domestic effluent is being used for gardening/utilities/process/domestic purpose.
2	Process	830	---				
3	Boiler	32	5				
4	Cooling Tower	350	30				
5	Washinigs	80	75				
6	Domestic	80	60	STP	Reuse for flushing, utilities etc.	Standard notified by MoEF&CC / APPCB	
7	Gardening	215	---	---	---	---	
	Total	1597	180				
ii	The proponent shall provide separate storm water drains and harvest the rain water from the rooftops to recharge the ground water.				Rainwater harvesting structures are provided for both roof water and storm water inside plant. Groundwater are being recharged by making necessary structures through CSR activities outside plant premises only. Photograph of rain water collection reservoir has been attached herewith as Annexure 6.		
iii	The industry shall provide dual plumbing system for utilization of treated domestic effluents.				The same has been noted and provided.		

c) Solid Waste							
i) The details of hazardous waste generation and disposal option are as follows:							
S.No.	Waste Description	Category	Source of Generation	HW Generation	UoM	Disposal Method	Compliance
1	Oil contaminated with wash water & sludge	3.1	All tanks (other than water) bottom sludge	15	MT/Annum	Incineration-In-house or at TSDF/Co-processing	Noted and has been complied
2	Sludge and filters contaminated with oil	3.3	Soil contaminated with any material (RM/Intermediate/Product). Vermiculite/absorbent contaminated with any material (RM/Intermediate/Product). Engineering Consumables (such as oil filters) contaminated with any material.	15	MT/Annum	Incineration-In-house or at TSDF/Co-processing	Noted and has been complied
3	Used/Spent Oil	5.1	Used/overflow Thermopack oil Spent lubricating oil grease Used oil such as hydraulic testing oil, transformer oil.	50	MT/Annum	Sale to authorizer recycler	Noted and has been complied
4	Discarded Asbestos	15.2	Discarded Asbestos Sheets, Discarded Asbestos panel, used asbestos Gaskets/cuttings.	10	MT/Annum	Disposal at TSDF secured landfill	Noted and has been complied We are asbestos free plant
5	Contaminated aromatic, aliphatic or naphthenic solvents, may or may not be fit for reuse.	20.1	Waste Solvent	160	MT/Annum	Sale to authorizer recycler/Incineration-In-house or at TSDF/Co-processing	Noted and has been complied We have water based paint manufacturing process
6	Distillation Residue	20.3	Distillation Residue	80	MT/Annum	Incineration-In-house or at TSDF/Co-processing	Noted and has been complied We have water based paint manufacturing process
7	Process Waste	21.1	Waste Powder Test samples of RM, Non Resin Intermediate and Fgs. Gelled Paints/paint with excess bacterial growth/paint lumps). Scrapping of dried paint spilled RM, Non resin Intermediate and Fgs Paper/paper cups/PPEs contaminated with RM/Intermediate/FG SS/Heliflex/PVC/CI/Cement/HDPE/Rubber pipe contaminated with RM/Intermediate/FG	1000	MT/Annum	Sale to authorizer recycler/Incineration-In-house or at TSDF/Co-processing	Noted and has been complied
8	Waste / residues	23.1	Discarded resin/emulsion/polymers resin/emulsion/polymer test samples scrapping of resin/emulsion/polymer Gelled particles/flakes of resin/emulsion/polymer. By product salts contaminated with resin Spilled resin/emulsion/polymer material. Oil contaminated and water contaminated. Resin from Dust Collector	115	MT/Annum	Incineration-In-house or at TSDF/Co-processing	Noted and has been complied

9	Waste / residue such as filter aids	23.1	Used dicamol, Arbocel, celite, cuno/GAF filter, filter bags, waste filter cloth, sieve, mesh.	30	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
10	Chemical containing residue arising from decontamination	33.2	Leftover material from RM container (Barrel/Carboy/Drum/Tote)	30	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
11	Discarded containers/barrels/liners contaminated with hazardous wastes/chemical (Liners)	33.1	All containers fro RM, Intermediate Consumables (MS/HDPE)	10	MT/Annum	Incineration-In-house or at TSDf/Co-processing Secured Landfill at TSDf/Sale to authorized recycler.	Noted and has been complied
12	Discarded containers/barrels/liners contaminated with hazardous wastes/chemicals (Packing material and sample containers).	33.1	All contaminated metal packing Material containers including sample tins. All contaminated plastic Packing Material containers.	75	MT/Annum	Incineration-In-house or at TSDf/Co-processing Secured Landfill at TSDf/Sale to authorized recycler.	Noted and has been complied
13	Discarded containers/barrels/liners contaminated with hazardous wastes/chemicals (Barrels/Carboys/Drums/Totes/IBC's)	33.1	Contaminated Liners and bags (plastic/paper), except those of extenders.	45000	Numbers/Annum	Sale to Authorized vendors	Noted and has been complied
14	Flue gas cleaning residue	35.1	Soot/carbon black	10	MT/Annum	Incineration-In-house or at TSDf/Co-processing/Secured Landfill at TSDf	Noted and has been complied
15	Spent ion exchange resin containing toxic metals	35.2	Resin beads	15	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
16	Chemical sludge from waste water treatment (dry basis)	35.2	Gutter/drain sludge Effluent collection pit sludge. Equalization tank /guard pond sludge. Primary Treatment tank/thickener sludge, centrifuged sludge chemical sludge from SDB, chemical salts from MEE.	600	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
17	Oil & grease skimming residue	35.4	Floating Oil/solvent on trade effluent/sewage	20	MT/Annum	Incineration-In-house or at TSDf/Co-processing	Noted and has been complied
18	Ash from incineration of hazardous waste	37.2	Inorganic ash	250	MT/Annum	Coprocessing Secured Landfill at TSDf	Noted and has been complied
19	Lead Acid Batteries	Class A	Used /waste lead acid batteries, Used/waste lead acid batteries (Excisable)	900	MT/Annum	Sale back to supplier/Authorized recycler	Noted and has been complied

20	Spent Carbon	36.2	Used carbon granules from common scrubbers	10	MT/Annum	Incineration -In house/Coprocesing	Noted and has been complied	
2	The details of non hazardous waste generation and disposal are as follows:							
	<b>Non-Hazardous Waste Type</b>	<b>Non-Hazardous Waste per Annum</b>		<b>Disposal Option</b>		<b>Compliance</b>		
1	Paper Waste	1600 MT		To authorized cement industries for co-incineration		Noted and has been complied		
2	Plastic waste (excluding the RM containers)	500 MT		To authorized cement industries for co-incineration		All plastic wastes are being routed through authorized vendor for recycling.		
3	Metal Waste (excluding the RM containers)	200 MT		Authorized recyclers		Noted and has been complied		
4	Plastic RM containers	53000 Nos.		Authorized recyclers		All plastic wastes are being routed through authorized vendor for recycling.		
5	Metal RM Containers	14100 Nos.		Authorized recyclers		Noted and has been complied		
6	Powder Waste	210 MT		To authorized cement industries for co-incineration		Noted and has been complied		
7	Wooden Waste	1950 MT		To authorized cement industries for co-incineration		Noted and has been complied		
8	Miscellaneous	240 MT		Co-processing/recyclers/TSDf		Noted and has been complied		
3	The industry shall comply with provision of Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016 and the manufacture, storage and import of Hazardous Chemical Rules 1989.				We are complying to the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016 and the manufacture, storage and import of Hazardous Chemical Rules 1989.			
c)	<b>GENERAL CONDITIONS</b>				<b>COMPLIANCE</b>			
i	This order is valid for a period of 7 years				<p>The company had applied for grant of environment clearance on application dated 28.07.2016 for 5 Lakh Kl/Annum integrated paint facility and 2 Lakh Tons of Solid Resin (TSR)/Annum, which was received granted on 02.09.2016 ("Environment Clearance"), attached as Annexure 8.A to this letter.</p> <p>In terms of the notification on. S.O. 1807 (E) dated April 12, 2022 (Attached as Annexure 8.B) and subsequent clarification provided through Office Memorandum dated December 13, 2022 (Attached as Annexure 8.C), all prior environment clearance of projects other than river valley, nuclear &amp; mining projects, will now be valid for a period of 10 years.</p> <p>In light of the above notifications, we understand that our Environment Clearance is now valid up to September 02, 2026. We request to acknowledge receipt of this letter and issue a formal document in return reflecting the extended validity.</p>			
ii	"Consent for Establishment" shall be obtained from Andhra Pradesh Pollution Control Board under Air and Water Act before the start of any activity/construction work at site				It has been complied.			
iii	Provision shall be made for the housing of the construction labour within the site with all necessary infrastructure and facilities such as safe drinking , fuel for cooking, mobile toilets, mobile STP, medical healthcare, crèche etc.,. The housing may be in the form of temporary structures to be removed after the completion of the project. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.				The housing with all the necessary infrastructure and facilities for construction labour and their families had been arranged as per Amendment to EC copy Order no: SEIAA/AP/VSP-178/2015. All processes were designed to fulfil the requirement of Indian Green Building Council Factory Rating wherein identification, segregation and quantification of all construction waste, reusing wherever possible.			
iv	iv) No change in process technology and scope of working should be made without prior approval of the SEIAA, A.P. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, AP/MOEF&CC, GoI, New Delhi, as applicable				It has been noted and are being complied.			
v	v) The proponent shall submit half yearly compliance reports in respect of the terms and conditions stipulated in this order in hard and soft copies to the SEIAA and MoEF & CC on 1st June and 1st December of each calendar year				Half yearly compliance reports are being submitted as mentioned to SEIAA and MOEF & CC within stipulated timeline.			

vi	<p>vi) Four ambient air quality monitoring systems should be established in the core zone as well as in the buffer zone for RSPM, SPM, PM10, PM2.5, SO2, NOx, Ammonia, VOCs monitoring. Location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the SPCB.</p>	<p>Four ambient air quality monitoring system has been installed and complied as per requirement of SPCB</p>
vii	<p>Data on ambient air quality (RPM, SPM, PM10, PM2.5, SO2, NOx, Ammonia, VOCs) should be regularly submitted to the Ministry including its regional office located at Chennai and the SPCB/CPCB once in 6 months</p>	<p>It has been noted and the monitoring reports are being communicated on monthly basis to the regional office of APPCB and six monthly basis to MoEFCC &amp; SPCB/CPCB.</p>
viii	<p>Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects</p>	<p>Personal Protective equipment (Helmets, Safety shoes, Gloves, Masks, Goggles etc.) are readily available and are being provided along with proper training.</p>
ix	<p>Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.</p>	<p>It is noted and is being complied. Medical report of one of the employee has been attached herewith as Annexure 7.</p>
x	<p>A separate environmental management cell with suitable, qualified personnel and with exclusive budget should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization</p>	<p>A separate dedicated environmental management cell with suitable, qualified personnel and with exclusive budget has been set under the control of a Senior Executive, who will report directly to the Head of the Organization.</p>
xi	<p>The funds of earmarked for environmental protection measures (Capital cost Rs. 600 lakhs and recurring cost of Rs. 50 lakhs/annum) should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to SEIAA, Ministry and it's regional office located at Chennai</p>	<p>It has been noted and year wise expenditure being submitted along with Environmental Statement.</p>
xii	<p>The Regional Office of MoEF &amp; CC located at Chennai/APPCB monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the regional office by furnishing the requisite data/information/monitoring reports</p>	<p>It has been noted, and thus we have always ensured the full cooperation to the officer(s) of the regional office by furnishing the requisite data/information/monitoring reports. This is being complied all the time.</p>
xiii	<p>The project proponent shall submit the copies of the environmental clearance to the Heads of the local bodies, Panchayats and Municipal bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt</p>	<p>It has been complied.</p>
xiv	<p>The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the SPCB and SEIAA, A.P. This order shall be displayed in the website of the project proponent.</p>	<p>The advertisement process as per the requirement and post actionables were followed.</p>



xv	The SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	It has been noted and any further conditions or directions in the interest of environment protection stipulated by SEIAA are always undertaken with full spirit.
xvi	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	It has been noted.
xvii	The company shall undertake eco-development measures including community welfare measures in the project area	Company is always strived for the wellness of society. Company has taken multiple eco-development measures including community welfare measures in the project area.
xviii	The proponent shall obtain all other mandatory clearances from respective departments.	It has been noted and complied.
xix	Concealing the factual data or failure to comply with any of the conditions mentioned above may result in the withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986	It has been noted and are being ensured and complied.
xx	The SEIAA may revoke or suspend the order, if implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection	It has been noted and are being ensured and complied.
xxi	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	It has been noted and are being ensured and complied.

For Asian Paints LTD

  
  
**B. Jagannath**  
 Authorized Signatory,  
 Associate General Manager